Alcohol, Other Drugs, and Behavior, 2e John Jung

Test Bank
Chapter 2 – Theories of Alcohol and Other Drug Use

This test bank provides multiple choice exam items for *Alcohol*, *Other Drugs*, *and Behavior*. The letter corresponding to the correct answer is **underlined boldface**.

Objective tests allow rapid and easy scoring, factors that are especially desirable for classes with large enrollments to provide prompt feedback needed for learning. However, objective tests also have limitations. They are better suited for testing memory for details rather than for assessing critical analysis and integration of large amounts of information. Also, multiple choice exams can be frustrating to those students who know more about the material than they can demonstrate on a multiple choice test. This problem arises in part because the typical multiple choice item offers several alternative answers that each have some grain of "rightness" and "wrongness."

One alternative method of testing might be to convert some multiple-choice items into a short essay format by having students discuss the merits of each of the four response alternatives. Another alternative for instructors who want to use some written forms of testing would be to use or modify some of the discussion issues in the *Stimulus/Response* sections at the end of each chapter.

I have found it useful to assign students the task of preparing several multiple-choice items for each chapter prior to an exam, with the promise that some of the well-written items will be included on exams. This assignment motivates students to study the material in ways that help them prepare for multiple choice format exams in addition to providing the instructor with new test items.

Chapter 2

	b. c.	parents television relatives all of the above
2.	Adole	scence may view drug use as:
	b. c. a	sophisticated a rite of passage attractive all of the above
3.	For so	me adolescents, their first experience with alcohol and drugs may be:
	b. c.	Satisfying Unsatisfying both a & b a only
4. Because licit drugs are commonly used at social gatherings such as parties celebrations, it is important that researchers:		•
	b. c.	Focus on only researching the benefits of licit drug use Focus on only researching the harmful effects of licit drug use Study both the benefits and harmful effects associated with licit drug use
	d.	Focus only researching illicit drug use
5.	Theori	es that focus on the role of pharmacological properties of drugs tend to the role of variables.
	b. c.	Include, physiological Include, psychological Ignore, physiological Ignore, psychological
6.	The in us to s	nportance of examining psychological theories of drug use is that it allows ee
	a. b.	What causes initial drug use What leads to initial drug use

1. Children's first exposure to alcohol and drugs is primarily through

- c. What results from initial drug use
- d. What explains initial drug use
- 7. Social learning theory emphasizes expectancies about:
 - a. Effects of alcohol and other drugs formed by observation
 - b. Effects of alcohol and other drugs formed through experience
 - c. Effects of alcohol and other drugs acquired from stereotypes
 - d. Effects of alcohol and other drugs predicted from theory
- 8. Social learning theory recognizes which of the following:
 - a. That we form beliefs about self efficacy in using drugs
 - b. Interactions between cognitive and affective states
 - c. The relationship of coping skills to drug use
 - d. All of the above
- 9. How does classical conditioning play a role in the processes underlying expectancy effects?
 - a. We form associations between drug use and certain effects
 - b. We expect to feel a certain way through varying dose levels of drugs
 - c. We form disassociations between drug use and certain effects
 - d. Classical conditioning does not play a role in the processes underlying expectancy effects
- 10. One limitation of the AEQ is that it examines only _____ expectancies
 - a. Direct
 - b. Indirect
 - c. Positive
 - d. Negative
- 11. Negative expectations are said to possibly have ______ effects compared to positive expectations because they involve _____ consequences.
 - a. Stronger, delayed
 - b. Weaker, delayed
 - c. Stronger, immediate
 - d. Weaker immediate
- 12. Which of the following is true about light vs. heavy drinkers:
 - a. Light drinkers typically drink when they're in a positive mood
 - b. Heavy drinkers typically drink when they're in a positive mood
 - c. Heavy drinkers typically drink when they're in a negative mood

- 13. Lab testing of implicit cognition using semantic priming have shown that:
 - a. More drinking will occur for heavy drinkers but not light drinkers when presented with alcohol cues
 - b. Less drinking will occur for heavy drinkers but not light drinkers when presented with alcohol cues
 - c. More drinking will occur for light drinkers but not heavy drinkers when presented with alcohol cues
 - d. More drinking will occur for both heavy drinkers but not light drinkers when presented with alcohol cues
- 14. In one study (Windle & Scheidt, 2004) with a large ethnically diverse sample of male and female alcoholic in-patients, which subtype had more serious alcoholism:
 - a. antisocial personality
 - b. negative affect
 - c. mild course
 - d. polydrug
- 15. Which of the following is true about peer selection:
 - a. Adolescence who already use drugs seek out the company of those who are not involved in drugs
 - b. Adolescence who already use drugs seek out the company of those who are involved in drugs
 - c. Adolescence who disdain drug use seek out the company of those who also disdain drug use
 - d. b & c
- 16. Compared to minimal exposure to nonalcohol-related words, viewing alcohol-related led to all but which of the following (Friedman et al, 2007)?
 - a. High expectancy for alcohol tension reduction led to more cooperation with a stranger
 - b. High expectancy for alcohol tension reduction led to more willingness to be evaluated by an opposite sex stranger
 - c. High expectancy that alcohol releases aggression led to hostility toward someone who provoked them

	d.	Low expectancy that alcohol reduced tension led to less willingness to be evaluated by an opposite sex stranger
17.		ding to the social development model, which of the following was a better tor of alcohol problems:
	b.	Perceived harmfulness of alcohol use Peer alcohol initiation
		Ethnicity Social development as early initiation
18.		and may be the primary motive for drug use
	rather	than tension reduction.
	a.	relaxation, control
		power, relaxation
		power, control
	d.	relaxation, excitation
19.		of the following theories propose that inborn temperament or acquired ality traits influences alcohol and drug use?
20.	b. c. d. A prob	Cognitive theories Personality/temperament theories Social learning theories Psychodynamic theories Plem with psychoanalytic theories of the personality processes involved in a ing is that the formulations are to test because they involve about early experiences where there is usually no evidence.
	a. b. c.	Easy, stereotypes, objective Easy, assumptions, personal Difficult, stereotypes, personal Difficult, assumptions, objective
21.		of typology is characterized as taking longer to develop, having less dence, fewer alcohol related problems, and less psychopathology.
	c.	Type A Type B Type 1 a & c

22. Both	and theories emphasized individual				
	ences in temperament.				
a. Personality/temperament, biologically based					
b.	Personality/temperament, cognitive based				
c.	Typology, cognitive based				
d.	Personality/temperament, typology				
23. A comprehensive model that examined the interrelationship among inherited tendencies toward alcoholism, localized brain functions, childhood behavior problems, and alcohol abuse demonstrates that predisposition to alcohol are stronger among than					
a.	Adolescents, adults				
	Hispanics, non-Hispanics				
	Men, women				
	Rich, poor				
24. All but which of the following is true about self-awareness and alcohol?					
a.	Individuals high in self-awareness react to alcohol cautiously because they				
	came from families with a history of alcohol problems				
b.	Individuals low in self-awareness react to alcohol cautiously because				
	they came from families with a history of alcohol problems				
c.	Individuals low in self-awareness were less vigilant towards problems				
	with alcohol in their family history and were more likely to develop				
	alcohol problems				
d.	Individuals high in self-awareness recognize their higher risk towards				

25. Causal inferences are difficult to predict between personality and drugs because:

developing alcohol problems because they came from families with a

- a. There is no connection between personality and drugs
- b. There is a direct connection between personality and drugs
- c. There is an indirect connection between personality and drugs
- d. The relationship between personality and drugs is unobservable
- 26. During the 1940's, smoking was often depicted as:
 - a. Glamorous and sophisticated
 - b. A way to cope with stress

history of alcohol.

- c. An enjoyable form of relaxation whether alone or at social gatherings
- d. All of the above

- 27. Which of the following contribute to the distinct aspects between alcohol intake and smoking?
 - a. Smoking occurs periodically throughout the day, everyday for regular smokers
 - b. For most people alcohol is ingested on the weekends unless for highly dependent drinkers
 - c. The impact of smoking is much quicker than the effect of alcohol
 - d. All of the above

28. The	The psychological effect of nicotine intake through smoking is paradoxical				
	because people associate smoking with when nicotine actu produces				
	a. tension, relaxation				

- b. relaxation, alertness
- c. alertness, relaxation
- d. tension, alertness
- 29. Women who smoke have observed physical benefits such as:
 - a. weight gain
 - b. weight loss
 - c. hair loss
 - d. hair growth
- 30. Which of the following statements is true:
 - a. Psychological factors initially activate smoking, but nicotine level becomes the major determinant during later stages in the development of smoking
 - b. Sociological factors initially activate smoking, but nicotine level becomes the major determinant during later stages in the development of smoking
 - c. Psychological factors initially activate smoking, but serotonin level becomes the major determinant during later stages in the development of smoking
 - d. Nicotine level initially activate smoking, but psychological factors becomes the major determinant during later stages in the development of smoking

31. The	_ model assumes that psychological stressors are
a major motivator of smoking.	

- a. nicotine regulation
- b. cognitive regulation
- c. multiple regulation

- d. pharmacological regulation
- 32. Caffeine has been associated with all but which of the following disorders:
 - a. restless legs syndrome
 - b. depression
 - c. attention deficit hyperactive disorder
 - d. antisocial personality disorder
- 33. _____ theory focuses on individual differences as the cause of problem drug use.
 - a. anti-social behavior
 - b. personality/temperament
 - c. problem behavior
 - d. social personality
- 34. The developmental model of vulnerability to drug used proposed that:
 - a. risk factors such as parental drug abuse or depressed mood decrease the likelihood that a child will develop drug abuse
 - **b.** risk factors such as parental drug abuse or depressed mood increase the likelihood **that a child will develop drug abuse**
 - c. risk factors such as peer drug abuse or depressed mood decrease the likelihood that a child will develop drug abuse
 - d. risk factors such as age or depressed mood increase the likelihood that a child will develop drug abuse