#### **Modified True / False**

1. The four elements that make up more than 96% of the weight of living organisms are oxygen, carbon, hydrogen and

calcium.

ANSWER: False - oxygen, carbon, hydrogen and nitrogen

REFERENCES: 2.1 The Organization of Matter: Elements and Atoms

QUESTION TYPE: Modified True / False

LEARNING OBJECTIVES: DYNS.RUSS.17.02.1.1 - Describe the elemental composition of living organisms.

KEYWORDS: Bloom's: Remember

2. Carbon dioxide is an element.

ANSWER: False - a compound

REFERENCES: 2.1 The Organization of Matter: Elements and Atoms

QUESTION TYPE: Modified True / False

LEARNING OBJECTIVES: DYNS.RUSS.17.02.1.2 - Describe atoms, molecules, elements, and compounds.

KEYWORDS: Bloom's: Understand

3. Hydrogen, atomic number 1, has 3 isotopes, <sup>1</sup>H, <sup>2</sup>H, <sup>3</sup>H. <sup>1</sup>H is comprised of one proton, one neutron and one electron.

ANSWER: False - one proton, one electron and no neutrons

REFERENCES: 2.2 Atomic Structure
QUESTION TYPE: Modified True / False

LEARNING OBJECTIVES: DYNS.RUSS.17.02.2.1 - Summarize the constitution and properties of atoms and their

isotopes.

KEYWORDS: Bloom's: Apply

4. Atoms with atomic numbers between lithium and neon have two energy levels.

ANSWER: True

REFERENCES: 2.2 Atomic Structure
OUESTION TYPE: Modified True / False

LEARNING OBJECTIVES: DYNS.RUSS.17.02.2.2 - Illustrate the arrangement of electrons around an atomic nucleus.

KEYWORDS: Bloom's: Remember

5. In the representation of hydrogen gas, H-H, the dash represents two electrons being shared equally.

ANSWER: True

REFERENCES: 2.3 Chemical Bonds and Chemical Reactions

QUESTION TYPE: Modified True / False

LEARNING OBJECTIVES: DYNS.RUSS.17.02.3.1 - Compare ionic, covalent, and hydrogen bonds.

KEYWORDS: Bloom's: Apply

6. Proteins in thermophiles must be stabilized by <u>van der Waals forces</u>, because hydrogen bonds cannot be maintained at high temperatures

ANSWER: True

*REFERENCES:* 2.3 Chemical Bonds and Chemical Reactions

QUESTION TYPE: Modified True / False

LEARNING OBJECTIVES: DYNS.RUSS.17.02.3.3 - Describe van der Waals forces.

KEYWORDS: Bloom's: Remember

7. Ice floats in liquid water because there are, on average, <u>fewer</u> hydrogen bonds between molecules in ice than water, resulting in a lower density.

ANSWER: False - more

REFERENCES: 2.4 Hydrogen Bonds and the Properties of Water

QUESTION TYPE: Modified True / False

LEARNING OBJECTIVES: DYNS.RUSS.17.02.4.1 - Discuss the role of the hydrogen bond lattice in determining the

properties of water.

KEYWORDS: Bloom's: Understand

8. The polarity of water allows it to create a <u>hydration layer</u> that prevents salt from coming back out of solution after it has

been dissolved.

ANSWER: True

REFERENCES: 2.4 Hydrogen Bonds and the Properties of Water

QUESTION TYPE: Modified True / False

LEARNING OBJECTIVES: DYNS.RUSS.17.02.4.2 - Discuss how molecular polarity contributes to the properties of

water.

KEYWORDS: Bloom's: Remember

9. Acid precipitation can have a pH as low as 3.

ANSWER: True

REFERENCES: 2.5 Water Ionization and Acids, Bases, and Buffers

QUESTION TYPE: Modified True / False

LEARNING OBJECTIVES: DYNS.RUSS.17.02.5.2 - Describe the pH scale.

KEYWORDS: Bloom's: Remember

10. Buffers can increase the pH of a solution when acids are added.

ANSWER: False - maintain

REFERENCES: 2.5 Water Ionization and Acids, Bases, and Buffers

QUESTION TYPE: Modified True / False

LEARNING OBJECTIVES: DYNS.RUSS.17.02.5.3 - Discuss the role of buffers in biological systems.

KEYWORDS: Bloom's: Understand

### **Multiple Choice**

11. Four elements, including , make up more than 96% of the mass of most living organisms.

a. sodium

b. potassium

c. phosphorus

d. nitrogen

e. calcium

ANSWER: d

*REFERENCES*: 2.1 The Organization of Matter: Elements and Atoms

QUESTION TYPE: Multiple Choice

LEARNING OBJECTIVES: DYNS.RUSS.17.02.1.1 - Describe the elemental composition of living organisms.

KEYWORDS: Bloom's: Remember

<ol> <li>A trace element is one for a. moderate; unnecessa</li> </ol>	ound in specific organisms in quantities and is for normal biological functions.
b. moderate; vital	
c. small; unnecessary	
d. large; unnecessary	
e. small; vital	
ANSWER:	e
REFERENCES:	2.1 The Organization of Matter: Elements and Atoms
QUESTION TYPE:	Multiple Choice
_	DYNS.RUSS.17.02.1.1 - Describe the elemental composition of living organisms.
KEYWORDS:	Bloom's: Remember
13. Prolonged iodine deficience neck swells significantly.  a. gout	ency causes, a condition in which the thyroid gland enlarges so much that the front of the
b. cancer	
c. a goiter d. anemia	
e. granuloma	
ANSWER:	C 2.1 The Operation of Mayor Florence and Advance
REFERENCES:	2.1 The Organization of Matter: Elements and Atoms
QUESTION TYPE:	Multiple Choice
	DYNS.RUSS.17.02.1.1 - Describe the elemental composition of living organisms.
KEYWORDS:	Bloom's: Remember
	tains the chemical and physical properties of an element is a(n)
a. proton	
b. compound	
c. molecule	
d. neutron	
e. atom	
ANSWER:	e
REFERENCES:	2.1 The Organization of Matter: Elements and Atoms
QUESTION TYPE:	Multiple Choice
LEARNING OBJECTIVES:	DYNS.RUSS.17.02.1.2 - Describe atoms, molecules, elements, and compounds.
KEYWORDS:	Bloom's: Remember
15. The substance H <sub>2</sub> O is co	onsidered to be
a. both a molecule and	a compound
b. a compound but not a	a molecule
c. neither a molecule no	
d. a molecule but not a	compound
e both a molecule and	an ion

ANSWER: 2.1 The Organization of Matter: Elements and Atoms *REFERENCES:* **QUESTION TYPE:** Multiple Choice LEARNING OBJECTIVES: DYNS.RUSS.17.02.1.2 - Describe atoms, molecules, elements, and compounds. **KEYWORDS:** Bloom's: Apply 16. The substance  $O_2$  is considered to be \_\_\_\_\_. a. both a molecule and a compound b. a compound but not a molecule c. neither a molecule nor a compound d. a molecule but not a compound e. both a molecule and an ion ANSWER: REFERENCES: 2.1 The Organization of Matter: Elements and Atoms Multiple Choice **OUESTION TYPE:** LEARNING OBJECTIVES: DYNS.RUSS.17.02.1.2 - Describe atoms, molecules, elements, and compounds. **KEYWORDS:** Bloom's: Apply 17. Diluted acetic acid, CH<sub>3</sub>COOH, is commonly called vinegar. How many atoms of hydrogen are present in one molecule of acetic acid? a. one b. two c. three d. four e. five ANSWER: d REFERENCES: 2.1 The Organization of Matter: Elements and Atoms **QUESTION TYPE:** Multiple Choice LEARNING OBJECTIVES: DYNS.RUSS.17.02.1.2 - Describe atoms, molecules, elements, and compounds. **KEYWORDS:** Bloom's: Apply 18. Radioactive \_\_\_\_\_ is commonly used to treat patients with dangerously overactive thyroid glands. a. carbon b. radium c. iodine d. thallium e. cobalt ANSWER: REFERENCES: 2.2 Atomic Structure **OUESTION TYPE:** Multiple Choice LEARNING OBJECTIVES: DYNS.RUSS.17.02.2.1 - Summarize the constitution and properties of atoms and their isotopes. Bloom's: Remember **KEYWORDS:** 

- 19. An oxygen atom has \_\_\_\_\_ surrounding a nucleus composed of \_\_\_\_\_.
  - a. neutrons; electrons and protons
  - b. electrons; protons and neutrons
  - c. protons and electrons; neutrons
  - d. protons; neutrons and electrons
  - e. electrons and neutrons; protons

ANSWER: b

REFERENCES: 2.2 Atomic Structure QUESTION TYPE: Multiple Choice

LEARNING OBJECTIVES: DYNS.RUSS.17.02.2.1 - Summarize the constitution and properties of atoms and their

isotopes.

KEYWORDS: Bloom's: Remember




Figure 2.1

- 20. Answer the question using the accompanying figure. The mass number of the atom depicted in the figure is \_\_\_\_\_.
  - a. 4
  - b. 6
  - c. 8
  - d. 12
  - e. 18

ANSWER: d

REFERENCES: 2.2 Atomic Structure
QUESTION TYPE: Multiple Choice
PREFACE NAME: Figure 2.1

LEARNING OBJECTIVES: DYNS.RUSS.17.02.2.1 - Summarize the constitution and properties of atoms and their

isotopes.

KEYWORDS: Bloom's: Analyze

- 21. Answer the question using the accompanying figure. The atomic number of the atom depicted in the figure is \_\_\_\_\_.
  - a. 4
  - b. 6
  - c. 8
  - d. 12
  - e. 18

ANSWER: b REFERENCES: 2.2 Atomic Structure **QUESTION TYPE:** Multiple Choice PREFACE NAME: Figure 2.1 LEARNING OBJECTIVES: DYNS.RUSS.17.02.2.1 - Summarize the constitution and properties of atoms and their isotopes. **KEYWORDS:** Bloom's: Analyze 22. Answer the question using the accompanying figure. The atom depicted in this figure can form covalent bonds with another atom. a. 0 b. 2 c. 4 d. 3 e. 6 ANSWER: REFERENCES: 2.2 Atomic Structure **QUESTION TYPE:** Multiple Choice PREFACE NAME: Figure 2.1 LEARNING OBJECTIVES: DYNS.RUSS.17.02.2.1 - Summarize the constitution and properties of atoms and their isotopes. **KEYWORDS:** Bloom's: Analyze 23. Which of the three atomic particles are charged? a. electrons and protons b. neutrons only c. protons and neutrons d. electrons only e. protons, neutrons, and electrons ANSWER: 2.2 Atomic Structure REFERENCES: **QUESTION TYPE:** Multiple Choice LEARNING OBJECTIVES: DYNS.RUSS.17.02.2.1 - Summarize the constitution and properties of atoms and their isotopes. **KEYWORDS:** Bloom's: Remember 24. Isotopes of the same element differ from each other in the number of \_\_\_\_\_. a. electrons and protons b. neutrons only c. protons and neutrons d. electrons only e. protons, neutrons, and electrons ANSWER: h

2.2 Atomic Structure

Multiple Choice

REFERENCES:

**QUESTION TYPE:** 

LEARNING OBJECTIVES:	isotopes.
KEYWORDS:	Bloom's: Understand
25. A carbon atom with six	protons, seven neutrons, and six electrons has a mass number of
a. 6	
b. 7	
c. 12	
d. 13	
e. 19	
ANSWER:	d
REFERENCES:	2.2 Atomic Structure
QUESTION TYPE:	Multiple Choice
LEARNING OBJECTIVES:	DYNS.RUSS.17.02.2.1 - Summarize the constitution and properties of atoms and their isotopes.
KEYWORDS:	Bloom's: Apply
26. 14C is heavier than <sup>12</sup> C	because it has
a. two more electrons the	han <sup>12</sup> C
b. two more neutrons th	nan <sup>12</sup> C
c. two more protons that	an $^{12}$ C
d. two more protons an	d two more electrons than <sup>12</sup> C
e. one more proton and	one more neutron than <sup>12</sup> C
ANSWER:	b
REFERENCES:	2.2 Atomic Structure
QUESTION TYPE:	Multiple Choice
LEARNING OBJECTIVES:	DYNS.RUSS.17.02.2.1 - Summarize the constitution and properties of atoms and their isotopes.
KEYWORDS:	Bloom's: Apply
27. When the isotope <sup>14</sup> C us electron. This decay produc a. iron	ndergoes radioactive decay, a neutron splits into an electron and a proton, with ejection of the es an atom of
b. carbon	
c. hydrogen	
d. oxygen	
e. nitrogen	
ANSWER:	e
REFERENCES:	2.2 Atomic Structure
QUESTION TYPE:	Multiple Choice
LEARNING OBJECTIVES:	DYNS.RUSS.17.02.2.1 - Summarize the constitution and properties of atoms and their isotopes.
KEYWORDS:	Bloom's: Remember

- 28. An orbital describes the \_\_\_\_ of an electron.
  - a. exact location
  - b. exact path
  - c. most frequent locations
  - d. charge
  - e. chemical bonds

ANSWER: c

REFERENCES: 2.2 Atomic Structure
OUESTION TYPE: Multiple Choice

LEARNING OBJECTIVES: DYNS.RUSS.17.02.2.2 - Illustrate the arrangement of electrons around an atomic nucleus.

KEYWORDS: Bloom's: Remember




Figure 2.2

- 29. Answer the question using the accompanying figure. The electrons at the lowest energy level in the neon atom depicted are found in which orbital?
  - a. 1s
  - b. 2s
  - c. 2*p*x
  - d. 2*p*y
  - e. 2pz

ANSWER:

REFERENCES: 2.2 Atomic Structure
QUESTION TYPE: Multiple Choice
PREFACE NAME: Figure 2.2

LEARNING OBJECTIVES: DYNS.RUSS.17.02.2.2 - Illustrate the arrangement of electrons around an atomic nucleus.

KEYWORDS: Bloom's: Understand

- 30. Answer the question using the accompanying figure. All of the orbitals shown in the neon atom are completely filled with electrons. How many electrons does this neon atom have?
  - a. 5
  - b. 6
  - c. 8
  - d. 10
  - e. 16

ANSWER: d

REFERENCES: 2.2 Atomic Structure QUESTION TYPE: Multiple Choice

PREFACE NAME: Figure 2.2

LEARNING OBJECTIVES: DYNS.RUSS.17.02.2.2 - Illustrate the arrangement of electrons around an atomic nucleus.

KEYWORDS: Bloom's: Evaluate

31. Sodium has one valence electron in its third energy level. To reach a stable energy configuration, sodium will tend to\_\_\_\_.

- a. take up an electron from another atom
- b. move its valence electron to the second energy shell
- c. give up an electron to another atom
- d. share its valence electron with another atom
- e. move an electron from the second energy level to the valence shell

ANSWER:

REFERENCES: 2.2 Atomic Structure
OUESTION TYPE: Multiple Choice

LEARNING OBJECTIVES: DYNS.RUSS.17.02.2.3 - Explain how electrons determine the chemical properties of atoms.

KEYWORDS: Bloom's: Apply

- 32. Which element is most likely to share electrons with other atoms in joint orbitals?
  - a. chlorine (7 valence electrons)
  - b. calcium (2 valence electrons)
  - c. argon (8 valence electrons)
  - d. carbon (4 valence electrons)
  - e. potassium (1 valence electron)

ANSWER:

REFERENCES: 2.2 Atomic Structure QUESTION TYPE: Multiple Choice

LEARNING OBJECTIVES: DYNS.RUSS.17.02.2.3 - Explain how electrons determine the chemical properties of atoms.

KEYWORDS: Bloom's: Analyze

- 33. Which element is likely to be chemically unreactive?
  - a. chlorine (7 valence electrons)
  - b. calcium (2 valence electrons)
  - c. argon (8 valence electrons)
  - d. carbon (4 valence electrons)
  - e. potassium (1 valence electron)

ANSWER:

REFERENCES: 2.2 Atomic Structure
OUESTION TYPE: Multiple Choice

LEARNING OBJECTIVES: DYNS.RUSS.17.02.2.3 - Explain how electrons determine the chemical properties of atoms.

KEYWORDS: Bloom's: Analyze

- 34. Which element is most likely to accept an electron from another atom?
  - a. chlorine (7 valence electrons)
  - b. calcium (2 valence electrons)
  - c. neon (8 valence electrons)

d. carbon (4 valence electrons)

e. potassium (1 valence electron)

ANSWER: a

REFERENCES: 2.2 Atomic Structure QUESTION TYPE: Multiple Choice

LEARNING OBJECTIVES: DYNS.RUSS.17.02.2.3 - Explain how electrons determine the chemical properties of atoms.

KEYWORDS: Bloom's: Analyze

- 35. The attraction between Na<sup>+</sup> cations and Cl<sup>-</sup> anions form \_\_\_\_\_ that hold the ions together in the compound NaCl.
  - a. polar covalent bonds
  - b. van der Waals forces
  - c. ionic bonds
  - d. hydrogen bonds
  - e. nonpolar covalent bonds

ANSWER:

REFERENCES: 2.3 Chemical Bonds and Chemical Reactions

QUESTION TYPE: Multiple Choice

LEARNING OBJECTIVES: DYNS.RUSS.17.02.3.1 - Compare ionic, covalent, and hydrogen bonds.

KEYWORDS: Bloom's: Understand

- 36. Metallic ions such as Ca<sup>2+</sup>, Na<sup>+</sup>, and Fe<sup>3+</sup> readily form \_\_\_\_\_.
  - a. polar covalent bonds
  - b. van der Waals forces
  - c. ionic bonds
  - d. hydrogen bonds
  - e. nonpolar covalent bonds

ANSWER:

REFERENCES: 2.3 Chemical Bonds and Chemical Reactions

QUESTION TYPE: Multiple Choice

LEARNING OBJECTIVES: DYNS.RUSS.17.02.3.1 - Compare ionic, covalent, and hydrogen bonds.

KEYWORDS: Bloom's: Remember

- 37. The chemical bonds that are formed when atoms share electrons equally are called \_\_\_\_\_.
  - a. polar covalent bonds
  - b. van der Waals forces
  - c. ionic bonds
  - d. hydrogen bonds
  - e. nonpolar covalent bonds

*ANSWER*: e

REFERENCES: 2.3 Chemical Bonds and Chemical Reactions

QUESTION TYPE: Multiple Choice

LEARNING OBJECTIVES: DYNS.RUSS.17.02.3.1 - Compare ionic, covalent, and hydrogen bonds.

KEYWORDS: Bloom's: Remember

38. Electronegativity is the ta. neutrons	tendency of an atom to attract to itself in a chemical bond.
<ul><li>b. protons</li><li>c. electrons</li></ul>	
d. delta forces	
e. polar associations  ANSWER:	
	C  2.2 Chamical Dands and Chamical Desertions
REFERENCES:	2.3 Chemical Bonds and Chemical Reactions
QUESTION TYPE:	Multiple Choice  DVNS BUSS 17 02 2 1 Company ionic covalent and hydrogen hands
	DYNS.RUSS.17.02.3.1 - Compare ionic, covalent, and hydrogen bonds. Bloom's: Understand
KEYWORDS:	Bloom s: Understand
_	hat exert an attractive force over the greatest distance are
a. polar covalent bonds	
b. van der Waals forces	
c. ionic bonds	
d. hydrogen bonds	
e. nonpolar covalent bo	onds
ANSWER:	c
REFERENCES:	2.3 Chemical Bonds and Chemical Reactions
QUESTION TYPE:	Multiple Choice
	DYNS.RUSS.17.02.3.1 - Compare ionic, covalent, and hydrogen bonds.
KEYWORDS:	Bloom's: Remember
electrons) is electrically attreelectrons) are called	formed when one atom with a partial positive charge (created from unequal sharing of acted to another atom with a partial negative charge (also created from unequal sharing of
a. polar covalent bonds	
b. van der Waals forces	
c. ionic bonds	
d. hydrogen bonds	
e. nonpolar covalent bo	onds
ANSWER:	d
REFERENCES:	2.3 Chemical Bonds and Chemical Reactions
QUESTION TYPE:	Multiple Choice
LEARNING OBJECTIVES:	DYNS.RUSS.17.02.3.2 - Discuss polar and nonpolar bonds and molecular associations.
KEYWORDS:	Bloom's: Remember
41. Molecules such as H-H a. polar covalent bonds b. van der Waals forces	
c. ionic bonds	
d. hydrogen bonds	
e. nonpolar covalent bo	onds
ANSWER:	e

*REFERENCES*: 2.3 Chemical Bonds and Chemical Reactions

QUESTION TYPE: Multiple Choice

LEARNING OBJECTIVES: DYNS.RUSS.17.02.3.2 - Discuss polar and nonpolar bonds and molecular associations.

KEYWORDS: Bloom's: Analyze




Figure 2.3

- 42. Answer the question using the accompanying figure. The molecule shown is held together by \_\_\_\_\_.
  - a. polar covalent bonds
  - b. van der Waals forces
  - c. ionic bonds
  - d. hydrogen bonds
  - e. nonpolar covalent bonds

ANSWER: d

REFERENCES: 2.3 Chemical Bonds and Chemical Reactions

QUESTION TYPE: Multiple Choice

PREFACE NAME: Figure 2.3

LEARNING OBJECTIVES: DYNS.RUSS.17.02.3.2 - Discuss polar and nonpolar bonds and molecular associations.

KEYWORDS: Bloom's: Apply

- 43. A polar covalent bond would be most likely to form between \_\_\_\_\_.
  - a. atoms with different electronegativities
  - b. cations and anions
  - c. atoms with partial positive and partial negative charges
  - d. atoms with filled valence shells
  - e. atoms of the same element

ANSWER:

REFERENCES: 2.3 Chemical Bonds and Chemical Reactions

*QUESTION TYPE:* Multiple Choice

LEARNING OBJECTIVES: DYNS.RUSS.17.02.3.2 - Discuss polar and nonpolar bonds and molecular associations.

KEYWORDS: Bloom's: Understand

- 44. Which type of chemical linkage is the weakest?
  - a. polar covalent bonds
  - b. van der Waals forces
  - c. ionic bonds
  - d. hydrogen bonds
  - e. nonpolar covalent bonds

ANSWER: b

REFERENCES: 2.3 Chemical Bonds and Chemical Reactions

QUESTION TYPE: Multiple Choice

LEARNING OBJECTIVES: DYNS.RUSS.17.02.3.3 - Describe van der Waals forces.

KEYWORDS:	Bloom's: Remember
a. polar covalent bonds	
b. van der Waals forces	
c. ionic bonds	
d. hydrogen bonds	
e. nonpolar covalent bo	
ANSWER:	b
REFERENCES:	2.3 Chemical Bonds and Chemical Reactions
QUESTION TYPE:	Multiple Choice
	DYNS.RUSS.17.02.3.3 - Describe van der Waals forces.
KEYWORDS:	Bloom's: Remember
46. In contrast to ionic bond a. hold atoms together	ls, covalent bonds
b. have distinct, three-d	imensional forms
c. transfer electrons fro	m one atom to another
d. are rarely broken	
e. are transient	
ANSWER:	b
REFERENCES:	2.3 Chemical Bonds and Chemical Reactions
QUESTION TYPE:	Multiple Choice
LEARNING OBJECTIVES:	DYNS.RUSS.17.02.3.4 - Explain the role of chemical bonds in chemical reactions and determining molecular shape.
KEYWORDS:	Bloom's: Remember
47. In a molecule of methan	e, CH <sub>4</sub> , each hydrogen atom shares an orbital with the carbon atom. The total number of
shared electrons in CH <sub>4</sub> is _	•
a. 1	
b. 2	
c. 4	
d. 5	
e. 8	
ANSWER:	e
REFERENCES:	2.3 Chemical Bonds and Chemical Reactions
QUESTION TYPE:	Multiple Choice
~	DYNS.RUSS.17.02.3.4 - Explain the role of chemical bonds in chemical reactions and determining molecular shape.
KEYWORDS:	Bloom's: Analyze
<ul><li>a. partially charged</li><li>b. hydrophobic and hyd</li></ul>	nonpolar associations form between molecules or regions of molecules that are
c. hydrophobic	

d. fully charged	
e. hydrophilic	
ANSWER:	c
REFERENCES:	2.3 Chemical Bonds and Chemical Reactions
QUESTION TYPE:	Multiple Choice
LEARNING OBJECTIVES:	DYNS.RUSS.17.02.3.4 - Explain the role of chemical bonds in chemical reactions and determining molecular shape.
KEYWORDS:	Bloom's: Understand
49. A mixture of vegetable of	oil and water will separate into layers because oil is and forms
a. hydrophobic; nonpol	ar associations
b. hydrophilic; nonpola	r associations
c. hydrophilic; polar as	sociations
d. hydrophobic; polar a	ssociations
e. hydrophobic; ionic a	ssociations
ANSWER:	a
REFERENCES:	2.3 Chemical Bonds and Chemical Reactions
QUESTION TYPE:	Multiple Choice
LEARNING OBJECTIVES:	DYNS.RUSS.17.02.3.4 - Explain the role of chemical bonds in chemical reactions and determining molecular shape.
KEYWORDS:	Bloom's: Apply
<ul><li>50. The formation and break</li><li>a. a chemical reaction</li><li>b. van der Walls forces</li><li>c. partial charges</li><li>d. an empty valence she</li><li>e. an enzyme</li></ul>	king of bonds between atoms requires
ANSWER:	a
REFERENCES:	2.3 Chemical Bonds and Chemical Reactions
QUESTION TYPE:	Multiple Choice
LEARNING OBJECTIVES:	DYNS.RUSS.17.02.3.4 - Explain the role of chemical bonds in chemical reactions and determining molecular shape.
KEYWORDS:	Bloom's: Remember
51. A molecule of water in to molecules.  a. 2  b. 3  c. 3.4  d. 4	the middle of a chunk of ice will usually have hydrogen bonds with other water
e. 6	
ANSWER:	d
REFERENCES:	2.4 Hydrogen Bonds and the Properties of Water

Multiple Choice

QUESTION TYPE:

LEARNING OBJECTIVES: DYNS.RUSS.17.02.4.1 - Discuss the role of the hydrogen bond lattice in determining the properties of water. **KEYWORDS:** Bloom's: Remember 52. Which substance would have the most difficulty entering a water lattice? a. table salt (NaCl) b. a nonpolar molecule c. a sodium ion d. a proton (H<sup>+</sup>) e. an electron ANSWER: h REFERENCES: 2.4 Hydrogen Bonds and the Properties of Water Multiple Choice **QUESTION TYPE:** LEARNING OBJECTIVES: DYNS.RUSS.17.02.4.1 - Discuss the role of the hydrogen bond lattice in determining the properties of water. **KEYWORDS:** Bloom's: Apply 53. Water has an unusually high boiling point for its molecular weight because water molecules \_\_\_\_\_. a. are very dense b. get much heavier as they are heated c. are held to each other by hydrogen bonds d. are held together by covalent bonds e. form hydration layers ANSWER: REFERENCES: 2.4 Hydrogen Bonds and the Properties of Water *QUESTION TYPE:* Multiple Choice LEARNING OBJECTIVES: DYNS.RUSS.17.02.4.1 - Discuss the role of the hydrogen bond lattice in determining the properties of water. **KEYWORDS:** Bloom's: Understand 54. The hydrogen-bond lattice causes water to have an unusually \_\_\_\_\_ specific heat, an unusually \_\_\_\_\_ heat of vaporization and an unusually \_\_\_\_\_ density in solid form. a. high; high; high b. low; low; low c. high; low; high d. high; high; low e. low; low; high ANSWER: d 2.4 Hydrogen Bonds and the Properties of Water REFERENCES: **QUESTION TYPE:** Multiple Choice LEARNING OBJECTIVES: DYNS.RUSS.17.02.4.1 - Discuss the role of the hydrogen bond lattice in determining the properties of water. **KEYWORDS:** Bloom's: Understand

55. Water has an important stabilizing effect on temperature in living organisms and their environments because as water

absorbs heat, much of the energy is used to \_\_\_\_\_ instead of raising the temperature.

a. create hydrogen bonds

b. create covalent bonds

c. break surface tension

d. break hydrogen bonds

e. create hydration layers

ANSWER: d

REFERENCES: 2.4 Hydrogen Bonds and the Properties of Water


QUESTION TYPE: Multiple Choice

LEARNING OBJECTIVES: DYNS.RUSS.17.02.4.1 - Discuss the role of the hydrogen bond lattice in determining the

properties of water.

KEYWORDS: Bloom's: Remember

Chapter 02 - Life - Chemistry - and Water



hoto.com/Alasdair Thomson

56. The water strider shown a. covalent bonds	in the figure above is able to stand on water because of the of water.
b. surface tension	
c. van der Waals forces	
d. density	
e. hydration layer	
ANSWER:	b
REFERENCES:	2.4 Hydrogen Bonds and the Properties of Water
QUESTION TYPE:	Multiple Choice
PREFACE NAME:	Figure 2.4
LEARNING OBJECTIVES:	DYNS.RUSS.17.02.4.1 - Discuss the role of the hydrogen bond lattice in determining the properties of water.
KEYWORDS:	Bloom's: Remember
	exposed to the air form hydrogen bonds between adjacent water molecules below and beside or layer become more resistant to separating from those underneath. This property of water is
a. cohesion	
b. adhesion	
c. a hydration layer	
d. a water lattice	
e. surface tension	
ANSWER:	e
REFERENCES:	2.4 Hydrogen Bonds and the Properties of Water
QUESTION TYPE:	Multiple Choice
LEARNING OBJECTIVES:	DYNS.RUSS.17.02.4.1 - Discuss the role of the hydrogen bond lattice in determining the properties of water.
KEYWORDS:	Bloom's: Remember
•	defined in chemistry, are in one calorie, which is the unit used to quantify the amount of
energy in the food we eat? a. 10	
b. 100	
c. 1,000	
d. 10,000	
e. 100,000	
ANSWER:	c
REFERENCES:	2.4 Hydrogen Bonds and the Properties of Water
QUESTION TYPE:	Multiple Choice
~	DYNS.RUSS.17.02.4.1 - Discuss the role of the hydrogen bond lattice in determining the
	properties of water.
KEYWORDS:	Bloom's: Remember
59. Multiple hydrogen bond a. water lattice	Is together stabilize proteins into a spiral structure called a

- b. alpha helix
- c. chemical groups
- d. delta minus
- e. delta plus

ANSWER: b

REFERENCES: 2.4 Hydrogen Bonds and the Properties of Water

QUESTION TYPE: Multiple Choice

LEARNING OBJECTIVES: DYNS.RUSS.17.02.4.1 - Discuss the role of the hydrogen bond lattice in determining the

properties of water.

KEYWORDS: Bloom's: Understand




Figure 2.5

- 60. The water lattice illustrated in the figure above forms as a result of \_\_\_\_\_ between water molecules.
  - a. covalent bonds
  - b. hydrogen bonds
  - c. nonpolar interactions
  - d. ionic bonds
  - e. van der Walls forces

ANSWER:

REFERENCES: 2.4 Hydrogen Bonds and the Properties of Water

QUESTION TYPE: Multiple Choice PREFACE NAME: Figure 2.5

LEARNING OBJECTIVES: DYNS.RUSS.17.02.4.1 - Discuss the role of the hydrogen bond lattice in determining the

properties of water.

KEYWORDS: Bloom's: Remember

- 61. Biological membranes are held together mainly by \_\_\_\_\_.
  - a. hydrogen bonds between lipid molecules
  - b. hydration layers over lipid molecules
  - c. exclusion of the nonpolar regions of lipids by water
  - d. hydrogen bonds between water molecules
  - e. surface tension at the interface between layers of water molecules

ANSWER: 2.4 Hydrogen Bonds and the Properties of Water *REFERENCES:* **QUESTION TYPE:** Multiple Choice LEARNING OBJECTIVES: DYNS.RUSS.17.02.4.2 - Discuss how molecular polarity contributes to the properties of water. KEYWORDS: Bloom's: Understand 62. A \_\_\_\_ is formed when a \_\_\_\_ is dissolved in a \_\_\_\_. a. solution; solute; solvent b. solute; solvent; solution c. solution; solvent; solute d. solvent; solution; solute e. solvent; solute; solution ANSWER: REFERENCES: 2.4 Hydrogen Bonds and the Properties of Water **QUESTION TYPE:** Multiple Choice LEARNING OBJECTIVES: DYNS.RUSS.17.02.4.2 - Discuss how molecular polarity contributes to the properties of water. **KEYWORDS:** Bloom's: Remember 63. When sugar dissolves in water, water is acting as a \_\_\_\_ and the sugar molecules are acting as \_\_\_\_. a. solution; solvents b. solute; solutions c. solvent: solutes d. solute; solvents e. solvent; solutions **ANSWER:** REFERENCES: 2.4 Hydrogen Bonds and the Properties of Water **QUESTION TYPE:** Multiple Choice LEARNING OBJECTIVES: DYNS.RUSS.17.02.4.2 - Discuss how molecular polarity contributes to the properties of **KEYWORDS:** Bloom's: Apply 64. When salt dissolves in water, the water molecules form \_\_\_\_ around the Na<sup>+</sup> and Cl<sup>-</sup> ions. a. covalent bonds b. hydration layers c. nonpolar interactions d. membranes e. ionic bonds ANSWER: b 2.4 Hydrogen Bonds and the Properties of Water REFERENCES: **OUESTION TYPE:** Multiple Choice LEARNING OBJECTIVES: DYNS.RUSS.17.02.4.2 - Discuss how molecular polarity contributes to the properties of water. **KEYWORDS:** Bloom's: Understand

65 W		
of water and glucose would	weight of 18 g per mole, and glucose has a molecular weight of 180 g per mole. Which mass have an approximately equal number of molecules?	es
a. 1 g of water and 180	g of glucose	
b. 90 g of water and 9 g	g of glucose	
c. 180 g of water and 1	g of glucose	
d. 9 g of water and 90 g	g of glucose	
e. 90 g of water and 90	g of glucose	
ANSWER:	d	
REFERENCES:	2.4 Hydrogen Bonds and the Properties of Water	
QUESTION TYPE:	Multiple Choice	
LEARNING OBJECTIVES:	DYNS.RUSS.17.02.4.2 - Discuss how molecular polarity contributes to the properties of water.	
KEYWORDS:	Bloom's: Analyze	
66. Avogadro's number repr	resents the	
a. number of grams in a	a mole of substance	
b. number of moles in a	gram of substance	
c. number of atoms in o	one gram of substance	
d. atomic weight of an	atom divided by the weight of an atom of that element	
e. weight of an atom of	an element divided by the atomic weight of that element	
ANSWER:	d	
REFERENCES:	2.4 Hydrogen Bonds and the Properties of Water	
QUESTION TYPE:	Multiple Choice	
LEARNING OBJECTIVES:	DYNS.RUSS.17.02.4.2 - Discuss how molecular polarity contributes to the properties of water.	
KEYWORDS:	Bloom's: Remember	
67. Ethanol, the alcohol fou	nd in wine and beer, has the molecular formula CH <sub>3</sub> CH <sub>2</sub> OH. What is the molecular weight	of
ethanol if the atomic weight	of C=12, H=1 and O=16?	
a. 29 g/mol		
b. 30 g/mol		
c. 34 g/mol		
d. 45 g/mol		
e. 46 g/mol		
ANSWER:	e	
REFERENCES:	2.4 Hydrogen Bonds and the Properties of Water	
QUESTION TYPE:	Multiple Choice	
LEARNING OBJECTIVES:	DYNS.RUSS.17.02.4.2 - Discuss how molecular polarity contributes to the properties of water.	
KEYWORDS:	Bloom's: Remember	
	pe of carbon has an atomic number of 6 and a mass number of 12, while the most common omic number of 8 and a mass number of 16. A molecule of CO <sub>2</sub> made up of these common eight of	
Cengage Learning Testing, Powe	ered by Cognero Pa	je:

a. 28	
b. 44	
c. 56	
d. 14	
e. 22	
ANSWER:	b
REFERENCES:	2.4 Hydrogen Bonds and the Properties of Water
QUESTION TYPE:	Multiple Choice
LEARNING OBJECTIVES:	DYNS.RUSS.17.02.4.2 - Discuss how molecular polarity contributes to the properties of water.
KEYWORDS:	Bloom's: Analyze
69. When added to water, a a. proton acceptor; rise b. proton donor; rise c. proton acceptor; fall d. proton donor; fall e. acid; fall	base will act as a(n) and cause the pH of the solution to
ANSWER:	a
REFERENCES:	2.5 Water Ionization and Acids, Bases, and Buffers
QUESTION TYPE:	Multiple Choice
LEARNING OBJECTIVES:	DYNS.RUSS.17.02.5.1 - Compare acids and bases.
KEYWORDS:	Bloom's: Apply
<ul><li>a. act as a proton donor</li><li>b. act as a proton accep</li><li>c. act as a proton donor</li><li>d. act as a proton accep</li></ul>	neutral pH (7.0), an acid will  r, raising the pH of the solution  tor, raising the pH of the solution  r, lowering the pH of the solution  tor, lowering the pH of the solution  aqueous solution is neutral
ANSWER:	c
REFERENCES:	2.5 Water Ionization and Acids, Bases, and Buffers
QUESTION TYPE:	Multiple Choice
LEARNING OBJECTIVES:	DYNS.RUSS.17.02.5.1 - Compare acids and bases.
KEYWORDS:	Bloom's: Apply
71. In water, NaOH almost a. a strong acid b. a strong base c. a weak acid d. a weak base e. neutral	completely separates into Na <sup>+</sup> and OH <sup>-</sup> ions. Thus, NaOH is
ANSWER:	b

2.5 Water Ionization and Acids, Bases, and Buffers

REFERENCES:

QUESTION TYPE:	Multiple Choice
LEARNING OBJECTIVES:	DYNS.RUSS.17.02.5.1 - Compare acids and bases.
KEYWORDS:	Bloom's: Apply
72. Seawater typically is a. highly basic b. neutral c. somewhat basic	
d. somewhat acidic	
e. highly basic	
ANSWER:	c
REFERENCES:	$2.5\ Water$ Ionization and Acids, Bases, and Buffers
QUESTION TYPE:	Multiple Choice
LEARNING OBJECTIVES:	DYNS.RUSS.17.02.5.1 - Compare acids and bases.
KEYWORDS:	Bloom's: Remember
73. A pH of 6 is times a. 3; acidic b. 4; acidic c. 3; basic d. 10,000; basic e. 40; basic	more than a pH of 2.
ANSWER:	d
REFERENCES:	$2.5\ Water$ Ionization and Acids, Bases, and Buffers
QUESTION TYPE:	Multiple Choice
	DYNS.RUSS.17.02.5.2 - Describe the pH scale.
KEYWORDS:	Bloom's: Apply
74. Pure water has a pH of 7  a. [H <sup>+</sup> ] < [OH <sup>-</sup> ]  b. [H <sup>+</sup> ] = [OH <sup>-</sup> ]  c. [H <sup>+</sup> ] = 0  d. [OH <sup>-</sup> ] = 0	
e. [H <sup>+</sup> ] > [OH <sup>-</sup> ]	
ANSWER:	b
REFERENCES: QUESTION TYPE:	2.5 Water Ionization and Acids, Bases, and Buffers Multiple Choice
~	DYNS.RUSS.17.02.5.2 - Describe the pH scale.
KEYWORDS:	Bloom's: Remember
75. Lemon juice has a pH of  a. [H <sup>+</sup> ] < [OH <sup>-</sup> ]  b. [H <sup>+</sup> ] = [OH <sup>-</sup> ]	2.0, therefore,

c.  $[H^+] = 0$ d.  $[OH^{-}] = 0$ e.  $[H^{+}] > [OH^{-}]$ ANSWER: REFERENCES: 2.5 Water Ionization and Acids, Bases, and Buffers **QUESTION TYPE:** Multiple Choice LEARNING OBJECTIVES: DYNS.RUSS.17.02.5.2 - Describe the pH scale. **KEYWORDS:** Bloom's: Understand 76. Solution A has a pH of 6 and solution B has a pH of 8. Therefore, \_\_\_\_\_. a. A has 10 times greater H<sup>+</sup> concentration than B. b. B has 10 times greater H<sup>+</sup> concentration than A. c. A has 100 times greater H<sup>+</sup> concentration than B. d. B has 100 times greater H<sup>+</sup> concentration than A. e. A has 1,000 times greater H<sup>+</sup> concentration than B. ANSWER: REFERENCES: 2.5 Water Ionization and Acids, Bases, and Buffers **OUESTION TYPE:** Multiple Choice LEARNING OBJECTIVES: DYNS.RUSS.17.02.5.2 - Describe the pH scale. 77. Without \_\_\_\_\_, living organisms would often experience major changes in pH in their cells. a. buffers b. acids c. surface tension d. nonpolar bonds e. bases ANSWER: *REFERENCES:* 2.5 Water Ionization and Acids, Bases, and Buffers **QUESTION TYPE:** Multiple Choice LEARNING OBJECTIVES: DYNS.RUSS.17.02.5.3 - Discuss the role of buffers in biological systems. **KEYWORDS:** Bloom's: Remember 78. Most pH buffers are . a. strong acids b. weak acids or weak bases c. weak acids d. strong bases e. strong acids or strong bases ANSWER:

2.5 Water Ionization and Acids, Bases, and Buffers

LEARNING OBJECTIVES: DYNS.RUSS.17.02.5.3 - Discuss the role of buffers in biological systems.

Multiple Choice

REFERENCES:

**QUESTION TYPE:** 

KEYWORDS: Bloom's: Remember

79. Consider the equilibrium established in the carbonic acid-bicarbonate buffer system, which maintains pH balance in mammalian blood:

$$H_2CO_3 \rightarrow HCO3-+H+$$

During hypoventilation, breathing rate decreases, and therefore elimination of CO2 during exhalation decreases. How is optimal blood pH maintained when acid levels increase in our blood from hypoventilating?

- a. excess H+ from the acid react with H<sub>2</sub>CO<sub>3</sub> to decrease pH level
- b. excess H+ from the acid react with H<sub>2</sub>CO<sub>3</sub> to increase pH level
- c. excess H+ from the acid react with H2CO3 to maintain pH level
- d. excess H+ from the acid react with HCO3- to increase pH level
- e. excess H+ from the acid react with HCO3- to maintain pH level

ANSWER: e

REFERENCES: 2.5 Water Ionization and Acids, Bases, and Buffers

QUESTION TYPE: Multiple Choice

LEARNING OBJECTIVES: DYNS.RUSS.17.02.5.3 - Discuss the role of buffers in biological systems.

KEYWORDS: Bloom's: Evaluate

- 80. High levels of carbon dioxide in the atmosphere are causing \_\_\_\_\_.
  - a. the pH of the ocean to increase
  - b. the pH of the ocean to decrease
  - c. the natural buffers in the ocean to die
  - d. increased calcification of the coral reefs
  - e. increased biodiversity in coral reefs

ANSWER: b

REFERENCES: 2.5 Water Ionization and Acids, Bases, and Buffers

QUESTION TYPE: Multiple Choice

LEARNING OBJECTIVES: DYNS.RUSS.17.02.5.3 - Discuss the role of buffers in biological systems.

KEYWORDS: Bloom's: Remember

### **Matching**

Match each of the following terms with its correct definition.

- a. Anything that occupies space and has mass
- b. A pure substance that cannot be broken down into simpler substances by ordinary chemical or physical techniques
- c. An atom with the same number of protons as another atom but a different number of neutrons
- d. The locations around an atomic nucleus where an electron occurs most frequently
- e. A molecule whose component atoms are different from each other

REFERENCES: 2.1 The Organization of Matter: Elements and Atoms

2.3 Chemical Bonds and Chemical Reactions

2.2 Atomic Structure

*QUESTION TYPE:* Matching

LEARNING OBJECTIVES: DYNS.RUSS.17.02.1.2 - Describe atoms, molecules, elements, and compounds.

DYNS.RUSS.17.02.2.1 - Summarize the constitution and properties of atoms and their

isotopes.

DYNS.RUSS.17.02.3.1 - Compare ionic, covalent, and hydrogen bonds.

DYNS.RUSS.17.2.2.2 - Illustrate the arrangement of electrons around an atomic nucleus.

KEYWORDS: Bloom's: Remember

81. element *ANSWER:* b

82. compound *ANSWER*: e

83. matter *ANSWER:* a

84. orbital *ANSWER:* d

85. isotope *ANSWER:* c

For each of the following situations, choose the correct type of chemical bond. Some choices may be used more than once.

a. ionic bonds

b. nonpolar covalent bonds

c. polar covalent bonds

d. hydrogen bonds

e. van der Waals forces

*REFERENCES*: 2.3 Chemical Bonds and Chemical Reactions

2.4 Hydrogen Bonds and the Properties of Water

QUESTION TYPE: Matching

LEARNING OBJECTIVES: DYNS.RUSS.17.02.3.1 - Compare ionic, covalent, and hydrogen bonds.

DYNS.RUSS.17.02.3.2 - Discuss polar and nonpolar bonds and molecular associations.

DYNS.RUSS.17.02.3.3 - Describe van der Waals forces.

DYNS.RUSS.17.02.4.1 - Discuss the role of the hydrogen bond lattice in determining the

properties of water.

KEYWORDS: Bloom's: Evaluate

86. Occurs in sodium chloride (NaCl)

ANSWER: a

87. The weakest of the chemical linkages listed

ANSWER: e

88. Generates regions of partial positivity and partial negativity within a molecule

ANSWER: c

89. Characteristic of molecules that contain atoms of only one kind

ANSWER: b

90. Forms when atoms gain or lose valence electrons completely

ANSWER: a

91. Attraction that arises when the constant movement of electrons, by chance, produces temporary zones of partial positive and partial negative charges

ANSWER: e

92. Occurs when electrons are shared unequally between two atoms

ANSWER: c

93. Creates a region that is hydrophobic

ANSWER: b

94. Occurs between water molecules

ANSWER: d

95. Occurs in molecular oxygen (O<sub>2</sub>)

ANSWER: b

### **Subjective Short Answer**

96. Why is iodine considered a trace element and what is its biological function in humans?

ANSWER: Iodine is 0.0004% of a human's weight, compared to elements that occur at quantities greater

than 0.01%. Iodine is required for proper thyroid gland function. Lack of iodine affects metabolism and growth. In the short-term iodine deficiency results in lethargy, apathy and

sensitivity to cold temperatures, in the long-term, iodine deficiency causes a goiter.

REFERENCES: 2.1 The Organization of Matter: Elements and Atoms

QUESTION TYPE: Subjective Short Answer

LEARNING OBJECTIVES: DYNS.RUSS.17.02.1.1 - Describe the elemental composition of living organisms.

KEYWORDS: Bloom's: Remember

97. Explain how radiometric dating allows scientists to determine the age of a particular fossil.

ANSWER: Radioactive isotopes decay in a very predictable way. By knowing the approximate

concentration of a radioisotope that is naturally present, and determining the concentration of

the radioisotope in the fossil, you can calculate the length of time that it took for the

radioactive isotope to decay to the level in the fossil.

REFERENCES: 2.2 Atomic Structure
QUESTION TYPE: Subjective Short Answer

LEARNING OBJECTIVES: DYNS.RUSS.17.02.2.1 - Summarize the constitution and properties of atoms and their

isotopes.

KEYWORDS: Bloom's: Evaluate

98. If van der Waals forces are weak, how can geckos utilize these forces to cling to and walk up vertical smooth

surfaces?

ANSWER: The toes of geckos are covered by millions of hairs (setae). At the tip of each setae are

hundreds of thousands of pads, where each pad forms a weak interaction with a smooth surface due to van der Waal forces. Collectively, these forces form strong attractive forces.

*REFERENCES:* 2.3 Chemical Bonds and Chemical Reactions

QUESTION TYPE: Subjective Short Answer

LEARNING OBJECTIVES: DYNS.RUSS.17.02.3.3 - Describe van der Waals forces.

KEYWORDS: Bloom's: Remember

99. Describe the difference between cohesion and adhesion, and how they, together, allow water to move upward in plants.

piants.

ANSWER: Cohesion is the resistance of a molecules to separate from each other, where adhesion is the

ability of molecules to stick to surfaces. Cohesion in water is the resistance to separate due to the hydrogen-bond lattice. Adhesion in water is the ability of hydrogen bonds to form with charged and polar groups associated with surfaces. A water column in a plant is a result of cohesion – water molecules being held together – and maintained by water adhering to the

walls of the water conducting tissue (xylem).

REFERENCES: 2.4 Hydrogen Bonds and the Properties of Water

*QUESTION TYPE:* Subjective Short Answer

LEARNING OBJECTIVES: DYNS.RUSS.17.02.4.1 - Discuss the role of the hydrogen bond lattice in determining the

properties of water.

100. The pH of your stomach is between 1 and 3. Use your knowledge of polar and nonpolar substances to explain why the acids in your stomach do not alter the pH of your blood.

ANSWER: Cells are comprised of a lipid bilayer that excludes hydrophillic substances, including acids.

The cells lining the inside of the stomach prevent the acid from moving across the cell

membrane into the blood stream.

REFERENCES: 2.4 Hydrogen Bonds and the Properties of Water

QUESTION TYPE: Subjective Short Answer

LEARNING OBJECTIVES: DYNS.RUSS.17.02.4.2 - Discuss how molecular polarity contributes to the properties of

water.

KEYWORDS: Bloom's: Apply