Contemporary Maternal-Newborn Nursing, 9e (Ladewig et al.) Chapter 3 Reproductive Anatomy and Physiology

- 1) A nurse is teaching a classroom of teenage girls about the female reproductive system. After teaching, the nurse asks the students to describe the release of an ovum during ovulation. Which of the following is a correct student response?
- 1. "During ovulation, an egg is released from the ovary and enters the fallopian tube."
- 2. "Around the middle of the menstrual cycle, one of the fallopian tubes releases an egg."
- 3. "Ovulation is when the uterus releases an unfertilized egg or ovum."
- 4. "The endometrium is where the eggs are formed and released into the fallopian tube." Answer: 1

Explanation: 1. The egg is formed in the ovary and once released, it enters the fallopian tube.

- 2. The egg is formed in the ovary and then released near the fimbria of the fallopian tube.
- 3. The egg is formed in the ovary and travels by way of the fallopian tube to the uterus.
- 4. The uterine endometrium is the site of implantation of a fertilized egg.

Page Ref: 29, 30

Cognitive Level: Application

Client Need&Sub: Health Promotion and Maintenance

Standards: QSEN Competencies: Patient-centered care | AACN Essential Competencies: Essential VII: Clinical prevention and population health | NLN Competencies: Professional identity | Nursing/Integrated Concepts: Nursing Process: Evaluation/Health teaching and health promotion

Learning Outcome: LO 3.1-Identify the structures and functions of the female reproductive system.

- 2) The clinic nurse is caring for a young woman seeking contraception. Recently, she married and became sexually active. The woman states, "The opening of my husbands penis isn't at the tip; its around the corner below the tip. He tells me that he was born that way. Will that cause problems if we want to have children?" What is the best response for the nurse to give?
- 1. "The variation is called epispadias. It is not likely to impact his fertility."
- 2. "The variation is called epispadias. It will likely cause him to be infertile."
- 3. "The variation is called hypospadias. It is not likely to impact his fertility."
- 4. "The variation is called hypospadias. It will likely cause him to be infertile."

Explanation: 1. Epispadias is the condition where the urethral opening is on the upper aspect of the penis. The patient is describing hypospadias, when the urethral opening is on the lower side of the penis. Mild hypospadias, when the urethral opening is on the glans of the penis, does not impact fertility.

- 2. Epispadias is the condition where the urethral opening is on the upper aspect of the penis. The patient is describing hypospadias, when the urethral opening is on the lower side of the penis. Mild hypospadias, when the urethral opening is on the glans of the penis, does not impact fertility.
- 3. The patient is describing hypospadias, which is the urethral opening on the lower aspect of the penis. Mild hypospadias, when the urethral opening is on the glans of the penis, does not impact fertility.
- 4. The patient is describing hypospadias, where the urethral opening is on the lower side of the penis. Mild hypospadias, where the urethral opening is on the glans of the penis, does not impact fertility.

Page Ref: 38

Cognitive Level: Analyzing

Client Need&Sub: Health Promotion and Maintenance

Standards: QSEN Competencies: Patient-centered care | AACN Essential Competencies:

Essential IX: Baccalaureate generalist nursing practice | NLN Competencies: Human flourishing | Nursing/Integrated Concepts: Nursing Process: Assessment/Health teaching and health

promotion

Learning Outcome: LO 3.6-Identify the structures and functions of the male reproductive system.

MNL LO: Compare advantages, disadvantages, risk factors, and contraindications of contraception methods.

- 3) A prenatal patient states, "The doctor said he might have to cut my cervix so the baby can get out during delivery." Based upon this statement, the nurse should provide teaching related to episiotomy, which includes defining:
- 1. The perineal body.
- 2. The labia majora.
- 3. The mons pubis.
- 4. The vaginal vestibule.

Explanation: 1. The perineal body, which is located between the lower part of the vagina and the anus, is often the site of an episiotomy or lacerations during childbirth.

- 2. The labia majora are longitudinal, raised folds of pigmented skin located on either side of the vulvar cleft.
- 3. The mons pubis is a softly rounded mound of subcutaneous fatty tissue that covers the front portion of the symphysis pubis.
- 4. The vaginal vestibule contains the vaginal opening, which is the border between the external and internal genitals.

Page Ref: 25

Cognitive Level: Analyzing

Client Need&Sub: Health Promotion and Maintenance

Standards: QSEN Competencies: Patient-centered care | AACN Essential Competencies:

Essential VII: Clinical prevention and population health | NLN Competencies: Human

flourishing | Nursing/Integrated Concepts: Nursing Process: Planning/Health teaching and health promotion

Learning Outcome: LO 3.2-Explain the significance of specific female reproductive structures during childbirth.

MNL LO: Describe the structures and functions of the female reproductive system.

- 4) A pregnant patient asks, "What's the difference between the true pelvis and the false pelvis?" The nurse's best response is:
- 1. "The true pelvis doesn't affect fetal passage during labor and childbirth."
- 2. "The false pelvis consists of the inlet, the pelvic cavity, and the outlet."
- 3. "The true pelvis helps direct the presenting fetal part into the false pelvis."
- 4. "The false pelvis helps support the weight of the pregnant uterus."

Explanation: 1. The size and shape of the true pelvis must be adequate for normal fetal passage during labor and childbirth.

- 2. The true pelvis consists of the inlet, the pelvic cavity, and the outlet.
- 3. The false pelvis helps direct the presenting fetal part into the true pelvis.
- 4. The false pelvis helps support the weight of the pregnant uterus.

Page Ref: 31—33

Cognitive Level: Understanding

Client Need&Sub: Health Promotion and Maintenance

Standards: QSEN Competencies: Patient-centered care | AACN Essential Competencies:

Essential VII: Clinical prevention and population health | NLN Competencies: Human

 $flourishing \mid Nursing/Integrated \ Concepts: \ Nursing \ Process: \ Assessment/Health \ teaching \ and \ health \ promotion$

Learning Outcome: LO 3.2-Explain the significance of specific female reproductive structures during childbirth.

MNL LO: Describe the structures and functions of the female reproductive system.

- 5) A pregnant adolescent asks the nurse, "Why does the physician call measuring my uterus a fundal height?" The nurse's answer is based on the fact that the fundus of the uterus is located:
- 1. In the elongated portion where the fallopian tubes enter.
- 2. In the lower third area.
- 3. At the uppermost (dome-shaped top) portion.
- 4. Between the internal cervical os and the endometrial cavity.

Answer: 3

Explanation: 1. The elongated portion where the fallopian tubes enter the uterus is called the cornua.

- 2. The lower third of the uterus is called the cervix or neck.
- 3. The rounded, uppermost (dome-shaped top) portion of the uterus that extends above the points of attachment of the fallopian tubes is called the fundus.
- 4. The isthmus is the portion of the uterus between the internal cervical os and the endometrial cavity.

Page Ref: 27

Cognitive Level: Understanding

Client Need&Sub: Health Promotion and Maintenance

Standards: QSEN Competencies: Patient-centered care | AACN Essential Competencies:

Essential VII: Clinical prevention and population health | NLN Competencies: Human

flourishing | Nursing/Integrated Concepts: Nursing Process: Planning/Health teaching and health promotion

Learning Outcome: LO 3.2-Explain the significance of specific female reproductive structures during childbirth.

MNL LO: Explore the role of the nurse in maternity care delivery.

- 6) A nurse teaches newly pregnant patients that if an ovum is fertilized and implants in the endometrium, the hormone the fertilized egg begins to secrete is:
- 1. Estrogen.
- 2. Human chorionic gonadotropin (hCG).
- 3. Progesterone.
- 4. Luteinizing hormone.

Explanation: 1. Estrogen is an ovarian hormone.

- 2. When the ovum is fertilized and implants in the endometrium, the fertilized egg begins to secrete hCG hormone to maintain the corpus luteum.
- 3. Progesterone is an ovarian hormone.
- 4. Luteinizing hormone is excreted by the anterior pituitary.

Page Ref: 33—36

Cognitive Level: Understanding

Client Need&Sub: Health Promotion and Maintenance

Standards: QSEN Competencies: Patient-centered care | AACN Essential Competencies:

Essential IX: Baccalaureate generalist nursing practice | NLN Competencies: Human flourishing | Nursing/Integrated Concepts: Nursing Process: Planning/Health teaching and health promotion Learning Outcome: LO 3.3-Summarize the actions of the hormones that affect reproductive functioning.

MNL LO: Explain the female reproductive cycle.

- 7) A school nurse is teaching a health class to middle school children. The nurse explains that follicle-stimulating hormone (FSH) and luteinizing hormone (LH) are secreted by the:
- 1. Hypothalamus.
- 2. Ovaries and testes.
- 3. Posterior pituitary.
- 4. Anterior pituitary.

Answer: 1

Explanation: 1. The hypothalamus secretes gonadotropin-releasing hormone to the pituitary gland in response to signals from the central nervous system.

- 2. The ovaries secrete the female hormones estrogen and progesterone, and the testes secrete testosterone.
- 3. The posterior pituitary gland secretes oxytocin and antidiuretic hormone.
- 4. The anterior pituitary secretes FSH and LH, which are primarily responsible for maturation of the ovarian follicle.

Page Ref: 36

Cognitive Level: Understanding

Client Need&Sub: Health Promotion and Maintenance

Standards: QSEN Competencies: Patient-centered care | AACN Essential Competencies:

Essential II: Basic organizational and systems leadership for quality care and patient safety

NLN Competencies: Professional identity | Nursing/Integrated Concepts: Nursing Process:

Implementation/Health teaching and health promotion

Learning Outcome: LO 3.5-Describe the phases of the menstrual cycle, their dominant hormones, and the changes that occur in each phase.

- 8) The nurse is presenting a community education session on female hormones. Which statement from a participant indicates the need for further information?
- 1. "Estrogen is what causes females to look female."
- 2. "The presence of some hormones causes other to be secreted."
- 3. "Progesterone is present at the end of the menstrual cycle."
- 4. "Prostaglandin is responsible for achieving conception."

Explanation: 1. This is a true statement. The question is asking for an incorrect statement. Estrogen causes secondary sex characteristics, such as enlarged breasts and widened hips.

- 2. This is a true statement. The question is asking for an incorrect statement. One example is that the production of gonadotropin-releasing hormone (GnRH) causes the secretion of luteinizing hormone (LH) and follicle-stimulating hormone (FSH).
- 3. This is a true statement. The question is asking for an incorrect statement. Progesterone is present in large quantities during the secretory phase of the menstrual cycle.
- 4. Prostaglandin is not related to conception. Prostaglandin is called the hormone of pregnancy because it maintains pregnancy.

Page Ref: 35, 36

Cognitive Level: Analyzing

Client Need&Sub: Health Promotion and Maintenance

Standards: QSEN Competencies: Patient-centered care | AACN Essential Competencies: Essential II: Basic organizational and systems leadership for quality care and patient safety | NLN Competencies: Professional identity | Nursing/Integrated Concepts: Nursing Process: Evaluation/Health teaching and health promotion

Learning Outcome: LO 3.3-Summarize the actions of the hormones that affect reproductive functioning.

- 9) A woman has been unable to complete a full-term pregnancy because the fertilized ovum failed to implant in the uterus. This is most likely due to a lack of which hormone?
- 1. Estrogen
- 2. Progesterone
- 3. Follicle-stimulating hormone (FSH)
- 4. Luteinizing hormone (LH)

Explanation: 1. Estrogen primarily assists in maturation of the ovarian follicles and causes endometrial mucosa to proliferate.

- 2. Progesterone is the likely cause because it decreases uterine motility and contractibility caused by estrogens, thereby preparing the uterus for implantation.
- 3. FSH is a hormone secreted by the pituitary gland.
- 4. LH is a hormone secreted by the pituitary gland.

Page Ref: 34, 35

Cognitive Level: Analyzing

Client Need&Sub: Health Promotion and Maintenance

Standards: QSEN Competencies: Patient-centered care | AACN Essential Competencies:

Essential I: Liberal education for Baccalaureate generalist nursing practice | NLN Competencies: Human flourishing | Nursing/Integrated Concepts: Nursing Process: Assessment/Health teaching and health promotion

Learning Outcome: LO 3.3-Summarize the actions of the hormones that affect reproductive functioning.

MNL LO: Describe the structures and functions of the female reproductive system.

- 10) The nurse is explaining the menstrual cycle to a group of women. The teaching on phases of the menstrual cycle should include the fact that the corpus luteum begins to degenerate, estrogen and progesterone levels fall, and the blood supply to the endometrium is reduced in which phase?
- 1. Menstrual phase
- 2. Proliferative phase
- 3. Secretory phase
- 4. Ischemic phase

Answer: 1

Explanation: 1. The menstrual phase is the menses.

- 2. The proliferative phase is characterized by proliferation of the endometrium.
- 3. The secretory phase involves glycogen secretion by the endometrium after ovulation.
- 4. The ischemic phase is characterized by ischemia of the endometrium.

Page Ref: 37

Cognitive Level: Understanding

Client Need&Sub: Health Promotion and Maintenance

Standards: QSEN Competencies: Patient-centered care | AACN Essential Competencies:

Essential II: Basic organizational and systems leadership for quality care and patient safety

NLN Competencies: Professional identity | Nursing/Integrated Concepts: Nursing Process:

Implementation/Health teaching and health promotion

Learning Outcome: LO 3.4-Identify the two phases of the ovarian cycle and the changes that occur in each phase.

MNL LO: Describe the structures and functions of the female reproductive system.

- 11) Which statement best indicates that the patient understands the differences in the follicular and luteal phases of the ovarian cycle?
- 1. "My period will be every 28 days."
- 2. "The first part of my period might vary in length, but not the second."
- 3. "The follicular phase is the second half of my cycle."
- 4. "The follicular phase is when the egg is fertilized."

Explanation: 1. The follicular phase can vary, resulting in cycle length other than 28 days.

- 2. For a female with a 28-day cycle, the follicular phase comprises days 1 to 14 of the menstrual cycle, and the luteal phase comprises days 15 to 28. The luteal phase does not vary.
- 3. The luteal phase is the second half of the cycle.
- 4. The follicular phase comprises days 1 to 14 of the menstrual cycle, not when the egg is fertilized.

Page Ref: 36, 37

Cognitive Level: Analyzing

Client Need&Sub: Health Promotion and Maintenance

Standards: QSEN Competencies: Patient-centered care | AACN Essential Competencies:

Essential IX: Baccalaureate generalist nursing practice | NLN Competencies: Nursing judgement

| Nursing/Integrated Concepts: Nursing Process: Evaluation/Health teaching and health

promotion

Learning Outcome: LO 3.4-Identify the two phases of the ovarian cycle and the changes that occur in each phase.

- 12) The nurse is preparing a handout on the ovarian cycle to a group of middle school girls. Which information should the nurse include?
- 1. There are two phases of the ovarian cycle: luteal and follicular.
- 2. Irregular menstrual cycles have varying lengths of the follicular phase.
- 3. The ovum travels from the ovary to the tube during the luteal phase.
- 4. The human chorionic gonadotropin (hCG) hormone stimulates ovulation.

Explanation: 1. The two phases of the ovarian cycle are follicular (days 1-14 of the menstrual cycle) and luteal (days 15-28 of the menstrual cycle).

- 2. Menstrual cycles that are irregular in length have a consistent follicular phase but a varying luteal phase.
- 3. The ovum is released from the graafian follicle of the ovary and travels to the fallopian tube during the follicular phase of the ovarian cycle.
- 4. The hCG hormone is secreted by a fertilized ovum and does not stimulate ovulation.

Page Ref: 36, 37

Cognitive Level: Application

Client Need&Sub: Health Promotion and Maintenance

Standards: QSEN Competencies: Patient-centered care | AACN Essential Competencies: Essential II: Basic organizational and systems leadership for quality care and patient safety | NLN Competencies: Professional identity | Nursing/Integrated Concepts: Nursing Process: Implementation/Health teaching and health promotion

Learning Outcome: LO 3.4-Identify the two phases of the ovarian cycle and the changes that occur in each phase.

- 13) The nurse is preparing a presentation on the menstrual cycle for a group of high school students. Which statement should the nurse include in this presentation?
- 1. "The menstrual cycle has five distinct phases that occur during the month."
- 2. "One hormone controls the phases of the menstrual cycle."
- 3. "The secretory phase occurs when a woman is most fertile."
- 4. "Menstrual cycle phases vary in order from one woman to another."

Explanation: 1. There are four phases of the menstrual cycle: menstrual, proliferative, secretory, and ischemic phases.

- 2. Four hormones control ovulation and therefore the menstrual cycle: progesterone, estrogen, follicle-stimulating hormone (FSH), and luteinizing hormone (LH).
- 3. During the secretory phase, the endometrium is thickest, and glycogen is produced to nourish a fertilized ovum.
- 4. Although the length of the menstrual cycle might vary, the phases of the menstrual cycle always occur in the same order.

Page Ref: 37

Cognitive Level: Application

Client Need&Sub: Health Promotion and Maintenance

Standards: QSEN Competencies: Patient-centered care | AACN Essential Competencies: Essential II: Basic organizational and systems leadership for quality care and patient safety | NLN Competencies: Professional identity | Nursing/Integrated Concepts: Nursing Process: Planning/Health teaching and health promotion

Learning Outcome: LO 3.5-Describe the phases of the menstrual cycle, their dominant hormones, and the changes that occur in each phase.

- 14) In preparation for teaching a women's community center class about physiologic changes during menopause, the nurse is preparing a handout for students. Which information should the nurse include in her teaching?
- 1. The ovaries remain small after puberty, but they increase in size following menopause.
- 2. Ovarian secretion of estrogen decreases between age 45 to 55, after which point ovulatory activity ceases.
- 3. Due to changes in estrogen levels, the labia minora increase in size after menopause.
- 4. After menopause, the endometrium continues to undergo monthly degeneration and renewal. Answer: 2

Explanation: 1. The ovaries of girls are small, but they become larger after puberty and then decrease in size following menopause.

- 2. Between age 45 to 55, a woman's ovaries secrete decreasing amounts of estrogen. Eventually, ovulatory activity ceases and menopause occurs.
- 3. The labia minora decrease in size after menopause because of changes in estrogen levels.
- 4. From menarche to menopause, the endometrium undergoes monthly degeneration and renewal in the absence of pregnancy.

Page Ref: 34, 35

Cognitive Level: Application

Client Need&Sub: Health Promotion and Maintenance

Standards: QSEN Competencies: Patient-centered care | AACN Essential Competencies: Essential II: Basic organizational and systems leadership for quality care and patient safety | NLN Competencies: Professional identity | Nursing/Integrated Concepts: Nursing Process: Planning/Health teaching and health promotion

Learning Outcome: LO 3.3-Summarize the actions of the hormones that affect reproductive functioning.

MNL LO: Explain hormonal changes that occur in menopause and methods to manage the associated symptoms.

- 15) A woman is experiencing mittelschmerz and increased vaginal discharge. Her temperature has increased by 0.6°C (1.0°F) for the past 36 hours. This most likely indicates that:
- 1. Menstruation is about to begin.
- 2. Ovulation will occur soon.
- 3. Ovulation has occurred.
- 4. She is pregnant and will not menstruate.

Explanation: 1. A temperature increase does not occur when menstruation is about to begin.

- 2. A temperature increase does not occur before ovulation has occurred.
- 3. Signs that ovulation has occurred include: pain associated with rupture of the ovum (mittelschmerz), increased vaginal discharge, and a temperature increase of 0.6°C over the past 36 hours.
- 4. Pregnancy can be detected only through testing the urine or serum for the presence of human chorionic gonadotropin hormone.

Page Ref: 37

Cognitive Level: Analyzing

Client Need&Sub: Health Promotion and Maintenance

Standards: QSEN Competencies: Patient-centered care | AACN Essential Competencies:

Essential IX: Baccalaureate generalist nursing practice | NLN Competencies: Human flourishing

| Nursing/Integrated Concepts: Nursing Process: Assessment/Health teaching and health

promotion

Learning Outcome: LO 3.5-Describe the phases of the menstrual cycle, their dominant hormones, and the changes that occur in each phase.

- 16) The nurse is preparing to teach a client about the functions of the pelvis during childbearing. Which information should the nurse include in her teaching? Select all that apply.
- 1. Transport for the ovum
- 2. Provides a site for fertilization
- 3. Supports and protects contents
- 4. Forms the axis of the birth canal
- 5. Inhibits uterine contraction and relaxes smooth muscle

Answer: 3, 4

Explanation: 1. Transport for the ovum is the job of the fallopian tubes.

- 2. Provides a site for fertilization is the job of the fallopian tubes.
- 3. Supports and protects contents is the job of the pelvis.
- 4. Forms the axis of the birth canal is the job of the pelvis.
- 5. Progesterone inhibits uterine contraction and relaxes smooth muscle.

Page Ref: 30, 31

Cognitive Level: Application

Client Need&Sub: Health Promotion and Maintenance

Standards: QSEN Competencies: Patient-centered care | AACN Essential Competencies: Essential VII: Clinical prevention and population health | NLN Competencies: Professional identity | Nursing/Integrated Concepts: Nursing Process: Planning/Health teaching and health promotion

Learning Outcome: LO 3.2-Explain the significance of specific female reproductive structures during childbirth.

MNL LO: Describe the structures and functions of the female reproductive system.

- 17) The student is learning about the menstrual cycle and the influence of hormones on the cycle. Which response suggests the student understands the function of progesterone on the menstrual cycle? Select all that apply.
- 1. Temperature rise of 0.5 to 1.0°F
- 2. Cervix secretes thick mucus
- 3. Growth of body hair
- 4. Maturation of ovarian follicles
- 5. Vaginal epithelium proliferates

Answer: 1, 2, 5

Explanation: 1. Temperature rise of 0.5 to 1.0°F due to the influence of progesterone.

- 2. Cervix secretes thick mucus due to the influence of progesterone.
- 3. Growth of body hair due to the influence of estrogen.
- 4. Maturation of ovarian follicles due to the influence of estrogen.
- 5. Vaginal epithelium proliferates due to the influence of progesterone.

Page Ref: 34, 35

Cognitive Level: Application

Client Need&Sub: Health Promotion and Maintenance

Standards: QSEN Competencies: Patient-centered care | AACN Essential Competencies:

Essential VII: Clinical prevention and population health | NLN Competencies: Human

flourishing | Nursing/Integrated Concepts: Nursing Process: Assessment/Health teaching and health promotion

Learning Outcome: LO 3.3-Summarize the actions of the hormones that affect reproductive functioning.