#### Data And Computer Communications 10th Edition Stallings Test Bank

Data and Computer Communications, 10<sup>th</sup> Edition, by William Stallings

#### CHAPTER 1: DATA COMMUNICATIONS, DATA NETWORKS, AND THE INTERNET

#### TRUE OR FALSE

- 1. T
- 2. F
- 3. T
- 4. T
- 5. T
- 6. F
- 7. T
- 8. T
- 9. F
- 10. T
- 11. F
- 12. T
- 13. F
- 14. F
- 15. T

#### **MULTIPLE CHOICE**

- 1. A
- 2. A
- 3. B
- 4. B
- 5. A
- 6. D
- 7. D
- 8. A
- 9. B
- 10. C
- 11. C
- 12. C 13. C
- 13. C
- 14. C 15. A

### **SHORT ANSWER**

- 1. advances in technology
- 2. quality of service (QoS)
- 3. dense wavelength division
- 4. Convergence
- 5. extranet
- 6. transmission system utilization
- 7. error detection
- 8. Flow control
- 9. Compression
- 10. Wide Area Networks (WANs)
- 11. asynchronous transfer mode (ATM)
- 12. Wireless
- 13. ARPANET
- 14. internetworking
- 15. IP address

## CHAPTER 1: DATA COMMUNICATIONS, DATA NETWORKS, AND THE INTERNET

## **TRUE OR FALSE**

Т	F	1. Data communications deals with the transmission of signals in a reliable and efficient manner.
Т	F	2. There are several fundamental differences between data processing and data communications.
Т	F	3. There are no fundamental differences among data, voice, and video communications.
Т	F	4. Effective and efficient data communication and networking facilities are vital to any enterprise.
Т	F	5. Growth in services and growth in traffic capacity go hand in hand.
Т	F	6. The increasing use of optical fiber, while greatly increasing capacity, has caused an increase in transmission prices as well.
Т	F	7. Convergence refers to the merger of previously distinct telephony and information technologies and markets.
Т	F	8. Changes in corporate data traffic patterns are driving the creation of high-speed WANs.
Т	F	9. It is not necessary for a device to interface with the transmission system in order to communicate.
Т	F	10. A modem is required to establish communication between a workstation and a server over a public telephone network.
Т	F	11. Compression refers to the ability of a number of devices to share a transmission facility.
Т	F	12. The basic building block of any communications facility is the transmission line.
Т	F	13. Developing switching systems with the capacity and rapid response to support the demand requirements with the increased use of fiber optic transmission is no longer a challenge.

- T F 14. Frame relay networks are commonly used for terminal-tocomputer and computer-to-computer communications.
- T F 15. The LAN is owned by the same organization that owns the attached devices.

### **MULTIPLE CHOICE**

1. Enterprises have formed \_\_\_\_\_\_ to reach customers, suppliers, and partners while isolating their proprietary information from unwanted access.

A) intranets and extranets	B) internets and extranets
C) WANS and extranets	D) LANS and WANS

- 2. DWDM enables capacities of \_\_\_\_\_ per second.

A) terabits	B) picobits
C) megabits	D) gigabits

3. The growth of \_\_\_\_\_\_ enhances the ability of employees to take their business context with them as they move about, resulting in the ability to use enterprise information resources and services from virtually anywhere.

A) extranets	B) high-speed wireless access
C) WANS	D) remote data access

4. An \_\_\_\_\_ uses Internet and Web technology in an isolated facility internal to an enterprise.

A) application network	B) intranet
C) extranet	D) Internet portal

5. A network in which small chunks of data are passed through the network

from node to node, and at each node the entire data chunk is received, stored briefly, and then transmitted to the next node, is a \_\_\_\_\_\_ network.

A) packet switching	B) ATM
C) circuit switching	D) frame relay

6. A dominant architecture in the business environment and the more recent Web-focused intranet trend is \_\_\_\_\_ computing.

A) Ethernet	B) GUI
C) token ring	D) client/server

- 7. The rapid conversion of consumer electronics to digital technology is having an impact on both the Internet and corporate intranets. Two examples of this trend are \_\_\_\_\_.
  - A) server farms and DVDs
  - B) power workgroups and server farms
  - C) DVDs and CD-ROMs
  - D) digital versatile disks and digital still cameras
- 8. The key elements of a simple communications model are \_\_\_\_\_.
  - A) source, transmission, destination
  - B) signal, transmission, receiver
  - C) source, signal, destination
  - D) source, signal, receiver
- 9. Once an interface is established \_\_\_\_\_\_ is required for communication.
  - A) digital conversion B) signal generation
  - C) synchronization D) transmission

10. In order for data processing devices to communicate certain conventions must be decided on. These requirements can collectively be termed \_\_\_\_\_.

A) synchronization	B) transmission systems
C) exchange management	D) flow control

11. In situations in which an information exchange is interrupted due to a fault somewhere in the system, \_\_\_\_\_\_ techniques are needed to either resume activity at the point of interruption or to restore systems to their state prior to the beginning of the exchange.

A) flow control	B) routing control
C) recovery	D) error correction

12. In a \_\_\_\_\_\_ network, a dedicated communications path is established between two stations through the nodes of the network. The telephone network is the most common example.

A) frame relay	B) ATM
C) circuit switching	D) packet switching

13. A \_\_\_\_\_\_ is a physical facility that provides the infrastructure to move data between connected networks.

A) ATM	B) FDDI
C) NAP	D) NSP

14. Individual hosts and LANs are connected to an Internet Service Provider through a \_\_\_\_\_.

A) NAP	B) CPE
C) POP	D) NSP

15. The place where telephone companies terminate customer lines and locate switching equipment to interconnect those lines with other networks is the

A) CO	B) ISP
C) POP	D) NAP

### **SHORT ANSWER**

- 1. Three different forces have consistently driven the architecture and evolution of data communications and networking facilities: traffic growth, development of new services, and \_\_\_\_\_.
- 2. Today's networks can offer differing levels of \_\_\_\_\_, which include specifications for maximum delay and minimum throughput.
- 3. Recent offerings of \_\_\_\_\_ multiplexing enable capacities of many terabits per second for long-distance telecommunication and data network links.
- 4. \_\_\_\_\_ involves moving voice into a data infrastructure, integrating all the voice and data networks inside a user organization into a single data network infrastructure, and then extending that into the wireless arena.
- 5. An \_\_\_\_\_\_ extends a company's intranet out onto the Internet to allow selected customers, suppliers, and mobile workers to access the company's private data and applications.
- 6. The need to make efficient use of transmission facilities that are typically shared among a number of communicating devices is referred to as \_\_\_\_\_.
- 7. There is a potential for error in all communication systems, therefore, \_\_\_\_\_\_ and correction are required in circumstances where errors cannot be tolerated.
- 8. \_\_\_\_\_ is required to assure that the source does not overwhelm the destination by sending data faster than they can be processed and absorbed.
- 9. \_\_\_\_\_ is the process of squeezing the data down so that a lower capacity, cheaper transmission facility can be used to meet a given demand.
- 10. Networks that generally cover a large geographical area, require the crossing of public right-of-ways, consist of a number of interconnected switching nodes, and rely on circuits provided by a common carrier are \_\_\_\_\_.
- 11. Using fixed length packets and sometimes referred to as cell relay, \_\_\_\_\_ is a

culmination of developments in circuit switching and packet switching. It is so efficient that it can offer a constant data rate channel even though it is using a packet switching technique.

- 12. \_\_\_\_\_ networks provide advantages in the areas of mobility and ease of installation and configuration.
- 13. The Internet evolved from the \_\_\_\_\_\_ which was developed in 1969 by the Advanced Research Projects Agency of the U.S. Department of Defense.
- 14. Communicating across arbitrary, multiple, packet-switched networks is \_\_\_\_\_.
- 15. Each IP packet includes an unique numeric address of the destination host. This address is referred to as an \_\_\_\_\_.

## CHAPTER 2: PROTOCOL ARCHITECTURE, TCP/IP, AND INTERNET-BASED APPLICATIONS

### **TRUE OR FALSE**

- 1. T
- 2. F
- 3. T
- 4. F
- 5. T
- 6. F 7. F
- 7. г 8. Т
- 8. I 9. F
- 9. г 10. Т
- 10. T 11. T
- 11. T 12. F
- 13. F
- 14. T
- 15. T

### **MULTIPLE CHOICE**

- 1. A
- 2. B
- 3. D
- 4. B
- 5. C
- 6. D
- 7. D
- 8. B
- 9. C
- 10. D
- 11. C
- 12. D
- 13. A
- 14. A
- 15. D

# **SHORT ANSWER**

- 1. protocol architecture
- 2. TCP/IP
- 3. physical
- 4. elastic
- 5. information
- 6. Secure Shell (SSH)
- 7. primitives
- 8. confirmed
- 9. Service Access Points (SAPs)
- 10. encapsulation
- 11. subnetworks
- 12. Checksum
- 13. Simple Network Management Protocol (SNMP)
- 14. User Datagram Protocol (UDP)
- 15.128

# CHAPTER 2: PROTOCOL ARCHITECTURE, TCP/IP, AND INTERNET-BASED APPLICATIONS

## **TRUE OR FALSE**

Т	F	1. Each protocol provides a set of rules for the exchange of data between systems.
Т	F	2. The OSI protocol architecture consists of five layers: physical, network access, internet, transport and application.
Т	F	3. Procedures needed to allow data to traverse multiple interconnected networks is found in the internet layer of the TCP/IP protocol architecture.
Т	F	4. The primary function of a gateway is to relay data from one network to the other on its route from the source to the destination end system.
Т	F	5. For most applications running as part of the TCP/IP protocol architecture, the transport layer protocol is TCP.
Т	F	6. VoIP, streaming audio, and streaming video are not considered multimedia applications because each involves a single media type.
Т	F	7. The software used at the network access layer is not dependent on the type of network used because circuit switching, packet switching and local area networks all have the same standards.
Т	F	8. Traffic on a network or internet can be divided into two broad categories: elastic and inelastic.
Т	F	9. FTP provides a basic electronic mail transport facility.
Т	F	10. Secure Shell (SSH) enables the user and the remote server to authenticate each other.
Т	F	11. Distributed data communications can be said to involve three agents: applications, computers, and networks.
Т	F	12. The driving force behind the development of IP was the need for more addresses.

- T F 13. It is not necessary for each host on a subnet to have an unique global internet address.
- T F 14. TCP numbers the segments that it sends to a particular destination port sequentially.
- T F 15. In the application layer of TCP/IP, for each different type of application, a separate module is needed that is peculiar to that application.

### **MULTIPLE CHOICE**

1. In a \_\_\_\_\_ the modules are arranged in a vertical stack. Each layer in the stack performs a related subset of the functions required to communicate with another system.

A) protocol architecture	B) NSP
C) protocol data unit	D) frame relay

2. Facsimile, computer aided design, publishing and medical imaging are all \_\_\_\_\_\_ based applications.

A) text	B) image
C) video	D) audio

3. The \_\_\_\_\_ layer contains the logic needed to support the various user applications.

A) internet	B) physical
-------------	-------------

- C) transport D) application
- 4. The key features of a protocol are: syntax, semantics and \_\_\_\_\_.

A) presentation	B) timing
-----------------	-----------

C) network access D) peer layering

5. The \_\_\_\_\_ protocol architecture is a result of protocol research and development conducted on the experimental packet switched network ARPANET.

A) internet	B) physical
C) host-to-host	D) network access

6. The \_\_\_\_\_ layer is concerned with the exchange of data between an end system and the network to which it is attached.

A) internet	B) physical
C) host-to-host	D) network access

7. An example of \_\_\_\_\_\_ traffic is real time traffic such as voice and video.

A) delay variation	B) elastic
C) multimedia information	D) inelastic

8. Human-computer interaction involving text, graphics, voice and video is \_\_\_\_\_.

A) elastic traffic	B) multimedia	

- C) information delivery D) media
- 9. The primitive issued by a service provider to either indicate that a procedure has been invoked by the peer service user on the connection and to provide the associated parameters or notify the service user of a provider initiated action is \_\_\_\_\_.

A) request	B) confirm
C) indication	D) response

10. Information that can be entered via a keyboard and is directly readable and printable is \_\_\_\_\_.

A) audio	B) graphic
C) video	D) text

11. The header format for TCP is a minimum of \_\_\_\_\_ octets.

A) 16	B) 8
C) 20	D) 160

12. \_\_\_\_\_ provides a basic electronic mail transport facility.

A) TELNET	B) SNMP
C) UDP	D) SMTP

13. Electronic mail, remote logon, network management and Web access are examples of \_\_\_\_\_ applications.

A) elastic	B) real-time
C) file transfer	D) transport

14. The communication task can be organized into three relatively independent layers: network access layer, application layer, and \_\_\_\_\_ layer.

A) transport	B) media
C) physical	D) processing

- 15. Computer games, multiplayer network games, infotainment, and interactive audio visual productions are examples of applications in the \_\_\_\_\_ domain of multimedia systems.
  - A) information management B) information publishing
  - C) telecommunication D) entertainment

### **SHORT ANSWER**

1. A \_\_\_\_\_\_ is the layered structure of hardware and software that supports the exchange of data between systems and supports distributed applications such as electronic mail and file transfer.

2. The most widely used protocol architecture is the \_\_\_\_\_ protocol suite, which consists of physical, network access, internet, transport, and application layers.

3. In the TCP/IP protocol architecture, the \_\_\_\_\_ layer is concerned with specifying the characteristics of the transmission medium, the nature of the signals and the data rate.

4. Traffic that can adjust to changes in delay and throughput across an internet and still meet the needs of its applications is \_\_\_\_\_\_ traffic.

5. Databases, information kiosks, hypertexts, electronic books, and multimedia expert systems are examples of multimedia \_\_\_\_\_\_ systems.

6. \_\_\_\_\_ provides a secure remote logon capability which enables a user at a terminal or personal computer to logon to a remote computer function as if directly connected to that computer.

7. The services between adjacent layers in a protocol architecture are expressed in terms of \_\_\_\_\_ and parameters.

8. If the initiator receives confirmation that the requested service has had the desired effect at the other end, it is referred to as a \_\_\_\_\_\_ service.

9. Each application on a computer has an address that is unique within that computer known as \_\_\_\_\_\_ or ports that allow the transport layer to support multiple applications at each computer.

10. The addiction of control information to data is referred to as \_\_\_\_\_.

11. In the TCP/IP architecture constituent networks are referred to as \_\_\_\_\_.

12. \_\_\_\_\_ is when the sending TCP includes a code that is a function of the contents of the remainder of the segment. The receiving TCP performs the same calculation and compares the result with the incoming code. A discrepancy results if there has been some error in transmission.

13. The standard network management protocol for TCP/IP networks is \_\_\_\_\_\_.

14. The two commonly used transport level protocols used as part of the TCP/IP protocol suite are TCP and \_\_\_\_\_.

15. IPv6 includes \_\_\_\_\_\_ bit source and destination address fields.