- 1. Networks of computers and the Internet that connects them to each other form the basic technological structure that underlies virtually all electronic commerce.
 - a. Trueb. False

ANSWER: True
POINTS: 1
DIFFICULTY: Easy
LEARNING OBJECTIVES: 02.01

NATIONAL STANDARDS: United States - BUSPROG: Technology

KEYWORDS: Bloom's: Knowledge

- 2. The USENET was the earliest of the networks that eventually combined to become what we now call the Internet.
 - a. True

b. False

ANSWER: False
POINTS: 1
DIFFICULTY: Easy
LEARNING OBJECTIVES: 02.01

NATIONAL STANDARDS: United States - BUSPROG: Technology

KEYWORDS: Bloom's: Knowledge

- 3. E-mail was born in 1972 when a researcher wrote a program that could send and receive messages over the Defense Department network.
 - a. True

b. False

ANSWER: True
POINTS: 1
DIFFICULTY: Easy
LEARNING OBJECTIVES: 02.01

NATIONAL STANDARDS: United States - BUSPROG: Technology

KEYWORDS: Bloom's: Comprehension

- 4. The first e-mail mailing lists appeared on military and education research networks.
 - a. True
 - b. False

ANSWER: True
POINTS: 1
DIFFICULTY: Easy
LEARNING OBJECTIVES: 02.01

NATIONAL STANDARDS: United States - BUSPROG: Technology

- 5. A network of computers that are located in the same building is called a wide area network.
 - a. True
 - b. False

ANSWER: False
POINTS: 1
DIFFICULTY: Easy
LEARNING OBJECTIVES: 02.02

NATIONAL STANDARDS: United States - BUSPROG: Technology

KEYWORDS: Bloom's: Knowledge

- 6. The Internet provides a high degree of security in its basic structure.
 - a. Trueb. False

ANSWER: False
POINTS: 1
DIFFICULTY: Easy
LEARNING OBJECTIVES: 02.02

NATIONAL STANDARDS: United States - BUSPROG: Technology

KEYWORDS: Bloom's: Knowledge

- 7. Extranets were used to save money and increase efficiency by replacing traditional communication tools such as fax, telephone, and overnight express document carriers.
 - a. True

b. False

ANSWER: True
POINTS: 1
DIFFICULTY: Easy
LEARNING OBJECTIVES: 02.02

NATIONAL STANDARDS: United States - BUSPROG: Technology

KEYWORDS: Bloom's: Comprehension

- 8. An intranet extends beyond the organization that created it.
 - a. Trueb. False

ANSWER: False
POINTS: 1
DIFFICULTY: Easy
LEARNING OBJECTIVES: 02.02

NATIONAL STANDARDS: United States - BUSPROG: Technology

KEYWORDS: Bloom's: Knowledge

- 9. The word "virtual," used as part of virtual private networks means that the network connection is permanent.
 - a. Trueb. False

ANSWER: False
POINTS: 1
DIFFICULTY: Easy

LEARNING OBJECTIVES: 02.02

NATIONAL STANDARDS: United States - BUSPROG: Technology

KEYWORDS: Bloom's: Knowledge

10. Virtual private network software must be installed on the computers at both ends of a transmission.

a. Trueb. False

ANSWER: True
POINTS: 1
DIFFICULTY: Easy
LEARNING OBJECTIVES: 02.02

NATIONAL STANDARDS: United States - BUSPROG: Technology

KEYWORDS: Bloom's: Knowledge

11. Public networks, private networks, and VPNs are independent of organizational boundaries.

a. Trueb. False

ANSWER: True
POINTS: 1
DIFFICULTY: Easy
LEARNING OBJECTIVES: 02.02

NATIONAL STANDARDS: United States - BUSPROG: Technology

KEYWORDS: Bloom's: Knowledge

12. IP addresses appear as five decimal numbers separated by periods.

a. Trueb. False

ANSWER: False
POINTS: 1
DIFFICULTY: Easy
LEARNING OBJECTIVES: 02.04

NATIONAL STANDARDS: United States - BUSPROG: Technology

KEYWORDS: Bloom's: Knowledge

13. Simple Mail Transfer Protocol (SMTP) is a common protocol used for sending and retrieving e-mail.

a. Trueb. False

ANSWER: True
POINTS: 1
DIFFICULTY: Easy
LEARNING OBJECTIVES: 02.03

NATIONAL STANDARDS: United States - BUSPROG: Technology

KEYWORDS: Bloom's: Knowledge

14. Post Office Protocol (POP) allows the user to view only the header and the e-mail sender's name before deciding to Cengage Learning Testing, Powered by Cognero

Page 3

download the entire message.

a. Trueb. False

ANSWER: False
POINTS: 1
DIFFICULTY: Easy
LEARNING OBJECTIVES: 02.03

NATIONAL STANDARDS: United States - BUSPROG: Technology

KEYWORDS: Bloom's: Knowledge

- 15. The Post Office Protocol (POP) provides support for Multipurpose Internet Mail Extensions (MIME).
 - a. True

b. False

ANSWER: True
POINTS: 1
DIFFICULTY: Easy
LEARNING OBJECTIVES: 02.03

NATIONAL STANDARDS: United States - BUSPROG: Technology

KEYWORDS: Bloom's: Knowledge

- 16. At a technological level, the Web is nothing more than software that runs on computers that are connected to the Internet.
 - a. True

b. False

ANSWER: True
POINTS: 1
DIFFICULTY: Easy
LEARNING OBJECTIVES: 02.05

NATIONAL STANDARDS: United States - BUSPROG: Technology

KEYWORDS: Bloom's: Knowledge

- 17. The Semantic Web project envisions words on Web pages being tagged with their meanings.
 - a. True
 - b. False

ANSWER: True
POINTS: 1
DIFFICULTY: Easy
LEARNING OBJECTIVES: 02.08

NATIONAL STANDARDS: United States - BUSPROG: Technology

- 18. An HTML document is similar to a word-processing document in that it specifies how a particular text element will appear.
 - a. True
 - b. False

ANSWER: False
POINTS: 1
DIFFICULTY: Easy
LEARNING OBJECTIVES: 02.05

NATIONAL STANDARDS: United States - BUSPROG: Technology

KEYWORDS: Bloom's: Comprehension

- 19. The leftmost part of a domain name is called a top-level domain (TLD).
 - a. Trueb. False

ANSWER: False
POINTS: 1
DIFFICULTY: Easy
LEARNING OBJECTIVES: 02.04

NATIONAL STANDARDS: United States - BUSPROG: Technology

KEYWORDS: Bloom's: Knowledge

- 20. The Internet Corporation for Assigned Names and Numbers (ICANN) has the responsibility of managing domain names and coordinating them with the IP address registrars.
 - a. True

b. False

ANSWER: True
POINTS: 1
DIFFICULTY: Easy
LEARNING OBJECTIVES: 02.04

NATIONAL STANDARDS: United States - BUSPROG: Analytic

KEYWORDS: Bloom's: Knowledge

- 21. The most important parts of a Web page are the graphics, photographs, and small programs that run in the Web browser.
 - a. True

b. False

ANSWER: False
POINTS: 1
DIFFICULTY: Easy
LEARNING OBJECTIVES: 02.05

NATIONAL STANDARDS: United States - BUSPROG: Technology

KEYWORDS: Bloom's: Knowledge

- 22. SGML offers a system of marking up documents that is independent of any software application.
 - a. True
 - b. False

ANSWER: True
POINTS: 1
DIFFICULTY: Easy

LEARNING OBJECTIVES: 02.05

NATIONAL STANDARDS: United States - BUSPROG: Technology

KEYWORDS: Bloom's: Knowledge

23. The term "cascading" is used in cascading style sheets because designers can apply many style sheets to the same Web page, one on top of the other.

a. Trueb. False

ANSWER: True
POINTS: 1
DIFFICULTY: Easy
LEARNING OBJECTIVES: 02.05

NATIONAL STANDARDS: United States - BUSPROG: Technology

KEYWORDS: Bloom's: Comprehension

- 24. The higher the bandwidth, the faster the transmission of data through a communication medium.
 - a. True

b. False

ANSWER: True
POINTS: 1
DIFFICULTY: Easy
LEARNING OBJECTIVES: 02.07

NATIONAL STANDARDS: United States - BUSPROG: Technology

KEYWORDS: Bloom's: Comprehension

- 25. A hierarchical hyperlink structure resembles conventional paper documents in that the reader begins on the first page and clicks the Next button to move to the next page in a serial fashion.
 - a. True
 - b. False

ANSWER: False
POINTS: 1
DIFFICULTY: Easy
LEARNING OBJECTIVES: 02.06

NATIONAL STANDARDS: United States - BUSPROG: Technology

KEYWORDS: Bloom's: Knowledge

26. The combination of telephone lines and the closed switches that connect them to each other is called a _____.

a. LAN b. WAN

c. circuit d. pathway

ANSWER: c
POINTS: 1
DIFFICULTY: Easy
LEARNING OBJECTIVES: 02.02

NATIONAL STANDARDS: United States - BUSPROG: Technology

	essages sent over the Internet are broken down into small pieces called
Č	switches
	packets
ANSWER:	d
POINTS:	1
DIFFICULTY:	Moderate
LEARNING OBJECTI	VES: 02.02
NATIONAL STANDAR	PDS: United States - BUSPROG: Technology
KEYWORDS:	Bloom's: Comprehension
_	t decide how best to forward each packet from one network to another are called bridges
c. routers d. 1	repeaters
ANSWER:	c
POINTS:	1
DIFFICULTY:	Easy
LEARNING OBJECTI	VES: 02.02
NATIONAL STANDAR	RDS: United States - BUSPROG: Technology
KEYWORDS:	Bloom's: Knowledge
29. The programs on g	ateway computers that determine the best path on which to send each packet contain rules called
 a. program profile	rs b. empirical algorithms
c. software profile	rs d. routing algorithms
ANSWER:	d
POINTS:	1
DIFFICULTY:	Easy
LEARNING OBJECTI	VES: 02.02
NATIONAL STANDAR	RDS: United States - BUSPROG: Technology
KEYWORDS:	Bloom's: Knowledge
-	anent telephone connection between two points.
a. dedicated line	b. party line
c. leased line	d. local line
ANSWER:	c
POINTS:	1
DIFFICULTY:	Easy
LEARNING OBJECTI	VES: 02.02
NATIONAL STANDAR	PDS: United States - BUSPROG: Technology
KEYWORDS:	Bloom's: Knowledge
31 creates a pri to another.	vate passageway through the public Internet that provides secure transmission from one computer
a. IP tunneling	b. Circuit switching

Chapter 02: Technology Infrastructure: The Internet and the World Wide Web c. Encapsulation d. Subnetting ANSWER: **POINTS:** 1 DIFFICULTY: Easy LEARNING OBJECTIVES: 02.02 NATIONAL STANDARDS: United States - BUSPROG: Technology **KEYWORDS:** Bloom's: Knowledge 32. is a connection that uses public networks and their protocols to send data using a technology called IP tunneling. b. The Internet a. A personal area network c. A virtual private network d. The World Wide Web ANSWER: **POINTS:** 1 DIFFICULTY: **Easy** LEARNING OBJECTIVES: 02.02 NATIONAL STANDARDS: United States - BUSPROG: Technology **KEYWORDS:** Bloom's: Knowledge 33. A is a collection of rules for formatting, ordering, and error checking data sent across a network. a. style sheet b. semantic c. protocol d. packet ANSWER: c **POINTS:** 1 DIFFICULTY: **Easy** LEARNING OBJECTIVES: 02.03 NATIONAL STANDARDS: United States - BUSPROG: Technology **KEYWORDS:** Bloom's: Knowledge 34. determine how a sending device indicates that it has finished sending a message and how the receiving device indicates that it has received the message. b. Semantics a. Routers d. Switches c. Protocols ANSWER: c **POINTS:** 1 DIFFICULTY: **Easy** LEARNING OBJECTIVES: 02.03 NATIONAL STANDARDS: United States - BUSPROG: Technology **KEYWORDS:** Bloom's: Knowledge 35. The 32-bit number used to identify computers connected to the Internet is known as the a. IP address b. NSAP address

d. OUI address

a

1

c. MAC address

ANSWER:

POINTS:

DIFFICULTY: Easy LEARNING OBJECTIVES: 02.04 NATIONAL STANDARDS: United States - BUSPROG: Technology **KEYWORDS:** Bloom's: Knowledge 36. _____ specifies the format of a mail message and describes how mail is to be administered on the e-mail server and transmitted on the Internet. a. Multipurpose Internet Mail Extensions (MIME) b. Simple Mail Transfer Protocol (SMTP) c. Interactive Mail Access Protocol (IMAP) d. Post Office Protocol (POP) ANSWER: b **POINTS:** 1 DIFFICULTY: Easy LEARNING OBJECTIVES: 02.03 NATIONAL STANDARDS: United States - BUSPROG: Technology **KEYWORDS:** Bloom's: Knowledge 37. In subnetting, a computer called a device converts private IP addresses into normal IP addresses when it forwards packets from those computers to the Internet. a. Network Address Translation (NAT) b. Network Interface Controller (NIC) c. Generic Routing Encapsulation (GRE) d. Data Circuit-Terminating (DCE) **ANSWER: POINTS:** 1 DIFFICULTY: Easy LEARNING OBJECTIVES: 02.04 NATIONAL STANDARDS: United States - BUSPROG: Technology **KEYWORDS:** Bloom's: Knowledge 38. The combination of a protocol name and a domain name is called a(n) . a. Uniform Resource Locator (URL) b. Internationalized Resource Identifier (IRI) c. Extensible Resource Descriptor Sequence (XRDS) d. Extensible Resource Identifier (XRI) ANSWER: **POINTS:** 1 DIFFICULTY: Easy LEARNING OBJECTIVES: 02.04 NATIONAL STANDARDS: United States - BUSPROG: Technology **KEYWORDS:** Bloom's: Knowledge 39. IPv6 uses a number for addresses. a. 32-bit b. 56-bit c. 128-bit d. 48-bit ANSWER: c **POINTS:** 1 DIFFICULTY: Easy LEARNING OBJECTIVES: 02.04

Chapter 02: Technology Infrastructure: The Internet and the World Wide Web

NATIONAL STANDARDS: United States - BUSPROG: Technology

Chapter 02: Technology Infrastructure: The Internet and the World Wide Web **KEYWORDS:** Bloom's: Knowledge 40. The purpose of a(n) _____ is to respond to requests for Web pages from Web clients. a. DNS server b. e-mail server c. Web server d. database server ANSWER: c **POINTS:** 1 DIFFICULTY: Easy LEARNING OBJECTIVES: 02.03 NATIONAL STANDARDS: United States - BUSPROG: Technology **KEYWORDS:** Bloom's: Knowledge 41. _____ is a set of rules for handling binary files, such as word-processing documents, spreadsheets, photos, or sound clips that are attached to e-mail messages. b. TCP/IP a. SMTP c. MIME d. POP ANSWER: c **POINTS:** 1 DIFFICULTY: Easy LEARNING OBJECTIVES: 02.03 NATIONAL STANDARDS: United States - BUSPROG: Technology **KEYWORDS:** Bloom's: Knowledge 42. A newer e-mail protocol that performs the same basic functions as POP, but includes additional features, is known as b. SMTP a. IMAP d. TCP c. POP3 ANSWER: a **POINTS:** 1 DIFFICULTY: Easy LEARNING OBJECTIVES: 02.03 NATIONAL STANDARDS: United States - BUSPROG: Technology

KEYWORDS: Bloom's: Knowledge

43. _____ lets users create and manipulate e-mail folders and individual e-mail messages while the messages are still on the e-mail server.

a. POPb. SMTPc. IMAPd. MIME

ANSWER: c
POINTS: 1
DIFFICULTY: Easy
LEARNING OBJECTIVES: 02.03

NATIONAL STANDARDS: United States - BUSPROG: Technology

Chapter 02: Technology Infrastructure: The Internet and the World Wide Web 44. A _____ structure resembles an inverted tree in which the root is at the top and the branches are below it. a. parabolic hyperlink b. hierarchical hyperlink c. rooted hyperlink d. linear hyperlink ANSWER: b **POINTS:** 1 DIFFICULTY: Easy LEARNING OBJECTIVES: 02.06 NATIONAL STANDARDS: United States - BUSPROG: Technology **KEYWORDS:** Bloom's: Knowledge 45. A(n) _____ has a hypertext reference (HREF) property, which specifies the remote or local document's address. b. paragraph tag a. closing tag c. opening tag d. bold tag ANSWER: c **POINTS:** 1 DIFFICULTY: Easy LEARNING OBJECTIVES: 02.06 NATIONAL STANDARDS: United States - BUSPROG: Technology **KEYWORDS:** Bloom's: Knowledge 46. HTML was developed by _____. a. Robert Kahn b. Vinton Cerf c. Ted Nelson d. Tim Berners-Lee ANSWER: d **POINTS:** 1 DIFFICULTY: Easy LEARNING OBJECTIVES: 02.05 NATIONAL STANDARDS: United States - BUSPROG: Technology **KEYWORDS:** Bloom's: Knowledge 47. _____ was the first Web browser that became widely available for personal computers. a. Mosaic b. Netscape d. CompuServe c. Internet Explorer **ANSWER:** a **POINTS:** 1 Easy DIFFICULTY: LEARNING OBJECTIVES: 02.05 NATIONAL STANDARDS: United States - BUSPROG: Technology **KEYWORDS:** Bloom's: Knowledge 48. _____ are sets of words that are assigned to specific IP addresses.

b. URLsd. Headers

a

a. Domain names

c. Octets

ANSWER:

Chapter 02: Technology Infrastructure: The Internet and the World Wide Web **POINTS:** 1 DIFFICULTY: Easy LEARNING OBJECTIVES: 02.04 NATIONAL STANDARDS: United States - BUSPROG: Technology **KEYWORDS:** Bloom's: Knowledge 49. The early versions of let Web page designers create text-based electronic documents with headings, title bar titles, bullets, lines, and ordered lists. a. HTTP b. HTML d. XML c. SGML ANSWER: b 1 **POINTS:** DIFFICULTY: Easy LEARNING OBJECTIVES: 02.05 NATIONAL STANDARDS: United States - BUSPROG: Technology KEYWORDS: Bloom's: Knowledge 50. In HTML, hyperlinks are created using the HTML tag. b. anchor a. head c. title d. opening ANSWER: b **POINTS:** 1 DIFFICULTY: Easy LEARNING OBJECTIVES: 02.06 NATIONAL STANDARDS: United States - BUSPROG: Technology **KEYWORDS:** Bloom's: Knowledge 51. A(n) _____ is any technology that allows people to connect computers to each other. computer network ANSWER: **POINTS:** DIFFICULTY: Easy LEARNING OBJECTIVES: 02.01 NATIONAL STANDARDS: United States - BUSPROG: Technology **KEYWORDS:** Bloom's: Knowledge 52. A computer network which uses a specific set of rules and connects networks all over the world to each other is called the ____. ANSWER: Internet **POINTS:** 1 DIFFICULTY: Easy LEARNING OBJECTIVES: 02.01 NATIONAL STANDARDS: United States - BUSPROG: Technology **KEYWORDS:** Bloom's: Knowledge 53. _____ is a subset of the computers on the Internet that are connected to one another in a specific way that makes them

Chapter 02: Technology Infrastructure: The Internet and the World Wide Web and their contents easily accessible to each other. ANSWER: World Wide Web (WWW) www World Wide Web **POINTS:** DIFFICULTY: Easy LEARNING OBJECTIVES: 02.01 NATIONAL STANDARDS: United States - BUSPROG: Technology **KEYWORDS:** Bloom's: Knowledge 54. A(n) _____ is an e-mail address that forwards any message it receives to any user who has subscribed to the list. mailing list ANSWER: **POINTS:** 1 DIFFICULTY: Easy LEARNING OBJECTIVES: 02.01 NATIONAL STANDARDS: United States - BUSPROG: Technology **KEYWORDS:** Bloom's: Knowledge 55. In 1979, a group of students and programmers at Duke University and the University of North Carolina started which allows anyone who connects to the network to read and post articles on a variety of subjects. ANSWER: Usenet User's News Network User's News Network (Usenet) **POINTS:** DIFFICULTY: Easy LEARNING OBJECTIVES: 02.01 NATIONAL STANDARDS: United States - BUSPROG: Technology **KEYWORDS:** Bloom's: Knowledge 56. Usenet survives on the Internet today, with more than 1000 different topic areas that are called _____. **ANSWER:** newsgroups **POINTS:** 1 DIFFICULTY: **Easy** LEARNING OBJECTIVES: 02.01 NATIONAL STANDARDS: United States - BUSPROG: Technology **KEYWORDS:** Bloom's: Knowledge 57. Internet _____ are computers that are directly connected to the Internet. ANSWER: hosts **POINTS:** 1 DIFFICULTY: Easy LEARNING OBJECTIVES: 02.01 NATIONAL STANDARDS: United States - BUSPROG: Technology

58. Companies known as _____ sell Internet access rights directly to larger customers and indirectly to smaller firms and

Bloom's: Knowledge

KEYWORDS:

Chapter 02: Technology Infrastructure: The Internet and the World Wide Web individuals through other companies, called ISPs. network access providers **ANSWER: POINTS:** DIFFICULTY: **Easy** LEARNING OBJECTIVES: 02.01 NATIONAL STANDARDS: United States - BUSPROG: Analytic **KEYWORDS:** Bloom's: Knowledge 59. The subset of the Internet that includes computers and sensors connected to each other for communication and automatic transaction processing is called the _ Internet of Things **ANSWER: POINTS:** 1 DIFFICULTY: Easy LEARNING OBJECTIVES: 02.01 NATIONAL STANDARDS: United States - BUSPROG: Technology KEYWORDS: Bloom's: Knowledge 60. A(n) is a set of standards that defines, in detail, the relationships among resource description framework (RDF) standards and specific extensible markup language (XML) tags within a particular knowledge domain. ANSWER: ontology **POINTS:** 1 DIFFICULTY: Easy LEARNING OBJECTIVES: 02.08 NATIONAL STANDARDS: United States - BUSPROG: Technology KEYWORDS: Bloom's: Knowledge 61. A group of network research scientists from nearly 200 universities and a number of major corporations joined together in 1996 to recapture the original enthusiasm of the ARPANET and created an advanced research network called ANSWER: Internet2 **POINTS:** 1 DIFFICULTY: Easy LEARNING OBJECTIVES: 02.08 NATIONAL STANDARDS: United States - BUSPROG: Technology **KEYWORDS:** Bloom's: Knowledge 62. A(n) _____ is used when the Internet extends beyond the boundaries of an organization and includes networks of other organizations. ANSWER: extranet **POINTS:** 1 DIFFICULTY: Easy LEARNING OBJECTIVES: 02.02 NATIONAL STANDARDS: United States - BUSPROG: Technology **KEYWORDS:** Bloom's: Knowledge

63. The _____ controls the disassembly of a message or a file into packets before it is transmitted over the Internet, and it

controls the reassembly of those packets into their original formats when they reach their destinations. **ANSWER: Transmission Control Protocol** TCP Transmission Control Protocol (TCP) **POINTS:** DIFFICULTY: Easy LEARNING OBJECTIVES: 02.03 NATIONAL STANDARDS: United States - BUSPROG: Technology **KEYWORDS:** Bloom's: Knowledge 64. The _____ in TCP/IP specifies the addressing details for each packet, labeling each with the packet's origination and destination addresses. ANSWER: Internet Protocol IΡ Internet Protocol (IP) **POINTS:** DIFFICULTY: Easy LEARNING OBJECTIVES: 02.03 NATIONAL STANDARDS: United States - BUSPROG: Technology **KEYWORDS:** Bloom's: Knowledge 65. The set of rules for delivering Web page files over the Internet is in a protocol called the _____. ANSWER: Hypertext Transfer Protocol (HTTP) **POINTS:** Easy DIFFICULTY: LEARNING OBJECTIVES: 02.03 NATIONAL STANDARDS: United States - BUSPROG: Technology **KEYWORDS:** Bloom's: Knowledge 66. A(n) _____ is a computer that stores files written in HTML. ANSWER: hypertext server **POINTS:** 1 DIFFICULTY: Easy LEARNING OBJECTIVES: 02.05 NATIONAL STANDARDS: United States - BUSPROG: Technology **KEYWORDS:** Bloom's: Knowledge 67. A(n) _____ is a language that can be used to define other languages. ANSWER: metalanguage **POINTS:** 1 DIFFICULTY: Easy LEARNING OBJECTIVES: 02.05 NATIONAL STANDARDS: United States - BUSPROG: Technology **KEYWORDS:** Bloom's: Knowledge

68. HTML, XML, and XHTML have descended from the original _____ specification.

Chapter 02: Technology Infrastructure: The Internet and the World Wide Web ANSWER: Standard Generalized Markup Language (SGML) Standard Generalized Markup Language **SGML POINTS:** 1 DIFFICULTY: Easy LEARNING OBJECTIVES: 02.05 NATIONAL STANDARDS: United States - BUSPROG: Technology **KEYWORDS:** Bloom's: Knowledge 69. In HTML, the text elements that are related to each another are called ______ elements. hypertext **ANSWER: POINTS:** 1 DIFFICULTY: Easy LEARNING OBJECTIVES: 02.05 NATIONAL STANDARDS: United States - BUSPROG: Technology KEYWORDS: Bloom's: Knowledge 70. A(n) hyperlink structure resembles conventional paper documents in that the reader begins on the first page and clicks a Next button to move to the next page in a serial fashion. ANSWER: linear 1 **POINTS:** DIFFICULTY: Easy LEARNING OBJECTIVES: 02.06 NATIONAL STANDARDS: United States - BUSPROG: Technology KEYWORDS: Bloom's: Knowledge 71. A(n) is a set of instructions that gives Web developers more control over the format of displayed pages. style sheet ANSWER: **POINTS:** 1 DIFFICULTY: Easy LEARNING OBJECTIVES: 02.06 NATIONAL STANDARDS: United States - BUSPROG: Technology **KEYWORDS:** Bloom's: Knowledge 72. ____ uses paired start and stop tags in much the same way as database software defines a record structure. ANSWER: Extensible Markup Language (XML) Extensible Markup Language **POINTS:** 1 DIFFICULTY: Easy LEARNING OBJECTIVES: 02.05 NATIONAL STANDARDS: United States - BUSPROG: Technology

KEYWORDS: Bloom's: Knowledge

73. tags convey the meaning (the semantics) of the information included within them.

ANSWER: Extensible Markup Language (XML)

Extensible Markup Language

XML

POINTS: 1
DIFFICULTY: Easy
LEARNING OBJECTIVES: 02.05

NATIONAL STANDARDS: United States - BUSPROG: Technology

KEYWORDS: Bloom's: Knowledge

74. _____ is the amount of data that can travel through a communication medium per unit of time.

ANSWER: Bandwidth

POINTS: 1
DIFFICULTY: Easy
LEARNING OBJECTIVES: 02.07

NATIONAL STANDARDS: United States - BUSPROG: Technology

KEYWORDS: Bloom's: Knowledge

75. _____ is a measure of the amount of information that can travel from a user to the Internet in a given amount of time.

ANSWER: Upstream bandwidth

Upload bandwidth

POINTS: 1
DIFFICULTY: Easy
LEARNING OBJECTIVES: 02.07

NATIONAL STANDARDS: United States - BUSPROG: Technology

KEYWORDS: Bloom's: Knowledge

76. Describe the process of routing packets in a network.

ANSWER: As an individual packet travels from one network to another, the computers through which

the packet travels determine the most efficient route for getting the packet to its destination. The most efficient route changes from second to second, depending on how much traffic each computer on the Internet is handling at each moment. The computers that decide how to best forward each packet are called routing computers, router computers, routers, gateway computers (because they act as the gateway from a LAN or WAN to the Internet), border routers, or edge routers (because they are located at the border between the organization and the Internet or at the edge of the organization.) The programs on the routers that determine the best path on which to send each packet contain rules called routing algorithms. The programs apply these algorithms to information they have stored in routing tables or configuration tables. This information includes lists of connections that lead to particular groups of other routers, rules that specify which connection to use first, and rules for

handling instances of heavy packet traffic and network congestion.

POINTS: 1

DIFFICULTY: Moderate LEARNING OBJECTIVES: 02.02

NATIONAL STANDARDS: United States - BUSPROG: Technology

KEYWORDS: Bloom's: Comprehension

77. What is the difference between a public network and a private network?

ANSWER: A public network is any computer network or telecommunications network that is available

to the public. The Internet is one example of a public network. Public networks such as the

Internet do not provide much security as part of their basic structures.

A private network is a leased-line connection between two companies that physically connects their computers and/or networks to one another. A leased line is a permanent telephone connection between two points. Unlike the telephone circuit connection you create when you dial a telephone number, a leased line is always active. The advantage of a leased line is security. Only the two parties that lease the line to create the private network have

access to the connection.

POINTS: 1

DIFFICULTY: Moderate LEARNING OBJECTIVES: 02.02

NATIONAL STANDARDS: United States - BUSPROG: Technology

KEYWORDS: Bloom's: Comprehension

78. Identify the four key rules for message handling.

ANSWER: The open architecture philosophy developed for the evolving ARPANET, which later became

the core of the Internet, included the use of a common protocol for all computers connected

to the Internet and four key rules for message handling:

1) Independent networks should not require any internal changes to be connected to the

network.

2) Packets that do not arrive at their destinations must be retransmitted from their source

network.

3) Router computers act as receive-and-forward devices; they do not retain information about

the packets that they handle.

4) No global control exists over the network.

POINTS: 1

DIFFICULTY: Easy LEARNING OBJECTIVES: 02.03

NATIONAL STANDARDS: United States - BUSPROG: Technology

KEYWORDS: Bloom's: Knowledge

79. Describe the two main protocols used by the Internet.

ANSWER: The Internet uses two main protocols: the Transmission Control Protocol (TCP) and the

> Internet Protocol (IP). The TCP controls the disassembly of a message or a file into packets before it is transmitted over the Internet, and it controls the reassembly of those packets into their original formats when they reach their destinations. The IP specifies the addressing

> details for each packet, labeling each with the packet's origination and destination addresses.

POINTS: 1

DIFFICULTY: Easy LEARNING OBJECTIVES: 02.03

NATIONAL STANDARDS: United States - BUSPROG: Technology

KEYWORDS: Bloom's: Knowledge

80. What are the advantages of Bluetooth technology?

ANSWER: One major advantage of Bluetooth technology is that it consumes very little power, which is

> an important consideration for many devices. Another advantage is that Bluetooth devices can discover each other and exchange information automatically. For example, a person using a laptop computer in a temporary office can print to a local Bluetooth-enabled printer

without logging in to the network or installing software on either device. The printer and laptop computer electronically recognize each other as Bluetooth devices and can

immediately begin exchanging information.

POINTS:

DIFFICULTY: Moderate LEARNING OBJECTIVES: 02.07

NATIONAL STANDARDS: United States - BUSPROG: Technology

KEYWORDS: Bloom's: Comprehension