Introductory Chemistry An Atoms First Approach 1st Edition Burdge Test Bank Chapter 02 Test Bank KEY

1. Visible light, radio waves, microwave radiation, infrared, ultraviolet radiation, X-rays, and gamma rays all constitute the electromagnetic spectrum. Which of the following characteristics do all of these kinds of radiation share?

A. They all have the ability to generate heat in objects.

B. They all have the same frequencies.

C. They are all the transmission of energy in the form of waves.

- D. They have equal energies.
- E. They have the same electron spin state.

Accessibility: Keyboard Navigation Bloom's Level: 3. Apply Difficulty: Medium Gradable: automatic Subtopic: Electromagnetic Radiation (Wave Properties) Topic: Quantum Theory and Atomic Structure

2. Select the arrangement of electromagnetic radiation which starts with the shortest wavelength and increases to longest wavelength.

A. radio, infrared, ultraviolet, gamma rays

B. radio, ultraviolet, infrared, gamma rays

C. gamma rays, radio, ultraviolet, infrared

D. gamma rays, infrared, radio, ultraviolet

E. gamma rays, ultraviolet, infrared, radio

Accessibility: Keyboard Navigation Bloom's Level: 5. Evaluate Difficulty: Hard Gradable: automatic Subtopic: Electromagnetic Radiation (Wave Properties) Subtopic: Measurement (SI Units) Subtopic: Scientific Notation and Significant Figures Topic: Quantum Theory and Atomic Structure

3. Select the arrangement of electromagnetic radiation which starts with the lowest energy and increases to the greatest energy.

A. radio, infrared, ultraviolet, gamma rays radio, ultraviolet, infrared, gamma rays gamma rays, infrared, radio, ultraviolet gamma rays, ultraviolet, infrared, radio infrared, ultraviolet, radio, gamma rays

> Accessibility: Keyboard Navigation Bloom's Level: 5. Evaluate Difficulty: Hard Gradable: automatic Subtopic: Electromagnetic Radiation (Wave Properties) Topic: Quantum Theory and Atomic Structure

2-1

Copyright © 2016 McGraw-Hill Education. All rights reserved. No reproduction or distribution without the prior written consent of McGraw-Hill Education.

- 4. What is the emission of light at only specific wavelengths?
- A. Emission spectra
- B. Hydrogen spectrum
- C. Wave spectra
- D. Limited spectra
- $\underline{\mathbf{E}}$. Line spectra

Accessibility: Keyboard Navigation Bloom's Level: 2. Understand Difficulty: Easy Gradable: automatic Subtopic: Atomic Spectra (Bohr Model of the Atom) Subtopic: Electromagnetic Radiation (Wave Properties) Subtopic: Measurement (SI Units) Subtopic: Scientific Notation and Significant Figures Topic: Quantum Theory and Atomic Structure

5. List the following types of radiation from lowest frequency to highest frequency: microwave, X ray, ultraviolet, visible, and infrared

A. microwave < infrared < visible < ultraviolet < X ray

B. X ray < ultraviolet < visible < infrared < microwave

- C.visible < ultraviolet < microwave < X ray < infrared
- D. infrared < X ray < microwave < ultraviolet < visible
- E. infrared < visible < microwave < ultraviolet < X ray

Accessibility: Keyboard Navigation Bloom's Level: 5. Evaluate Difficulty: Easy Gradable: automatic Subtopic: Electromagnetic Radiation (Wave Properties) Topic: Quantum Theory and Atomic Structure

6. Which of the following electron transitions would be expected to emit any light in the Bohr model of the atom?

A. n = 1 to n = 3B. n = 5 to n = 6C. n = 2 to n = 5D. n = 4 to n = 3

> Accessibility: Keyboard Navigation Bloom's Level: 2. Understand Difficulty: Easy Gradable: automatic Subtopic: Atomic Spectra (Bohr Model of the Atom) Topic: Quantum Theory and Atomic Structure

7. Which of the following electron transitions would be expected to emit any light in the Bohr model of the atom?

A. n = 1 to n = 4 **<u>B.</u>** n = 3 to n = 1C. n = 2 to n = 3D. n = 5 to n = 7

> Accessibility: Keyboard Navigation Bloom's Level: 2. Understand Difficulty: Easy Gradable: automatic Subtopic: Atomic Spectra (Bohr Model of the Atom) Topic: Quantum Theory and Atomic Structure

8. Which of the following electron transitions would be expected to absorb any light in the Bohr model of the atom?

<u>A.</u> n = 1 to n = 3B. n = 3 to n = 2C. n = 4 to n = 2D. n = 6 to n = 5

> Accessibility: Keyboard Navigation Bloom's Level: 2. Understand Difficulty: Easy Gradable: automatic Subtopic: Atomic Spectra (Bohr Model of the Atom) Topic: Quantum Theory and Atomic Structure

9. Which of the following electron transitions would be expected to absorb any light in the Bohr model of the atom?

A. n = 7 to n = 2B. n = 5 to n = 6C. n = 1 to n = 3D. n = 3 to n = 5

> Accessibility: Keyboard Navigation Bloom's Level: 2. Understand Difficulty: Easy Gradable: automatic Subtopic: Atomic Spectra (Bohr Model of the Atom) Topic: Quantum Theory and Atomic Structure

10. The size of an atomic orbital is associated with

<u>**A.**</u> the principal quantum number (n).

- B. the angular momentum quantum number (l).
- C. the magnetic quantum number (m_l) .
- D. the spin quantum number (m_s) .

E. the angular momentum and magnetic quantum numbers, together.

Accessibility: Keyboard Navigation Bloom's Level: 2. Understand Difficulty: Easy Gradable: automatic Subtopic: Atomic Theories Subtopic: Quantum Numbers Topic: Components of Matter Topic: Quantum Theory and Atomic Structure 11. Atomic orbitals developed using quantum mechanics

A. describe regions of space in which one is most likely to find an electron.

B. describe exact paths for electron motion.

C. give a description of the atomic structure which is essentially the same as the Bohr model.

E. allow scientists to calculate an exact volume for the hydrogen atom.

F. are in conflict with the Heisenberg uncertainty principle.

Accessibility: Keyboard Navigation Bloom's Level: 3. Apply Difficulty: Medium Gradable: automatic Subtopic: Atomic Theories Subtopic: Quantum Numbers Topic: Components of Matter Topic: Quantum Theory and Atomic Structure

12. The number of orbitals in a d subshell is

A. 1.

B. 2.

C. 3.

<u>D.</u>5.

E. 7.

Accessibility: Keyboard Navigation Bloom's Level: 4. Analyze Difficulty: Easy Gradable: automatic Subtopic: Assigning Electrons to Atomic Orbitals (Aufbau Principle) Subtopic: Quantum Numbers Topic: Electron Configuration Topic: Quantum Theory and Atomic Structure

13. How many orbitals can have the 3p description in a given atom?

A. 1

B. 2

<u>C.</u>3 D.5

> Accessibility: Keyboard Navigation Bloom's Level: 2. Understand Difficulty: Easy Gradable: automatic Subtopic: Quantum Numbers Topic: Quantum Theory and Atomic Structure

14. How many orbitals can have the 3d description in a given atom?

A. 1

B. 2

C. 3

<u>D.</u> 5

Accessibility: Keyboard Navigation Bloom's Level: 2. Understand Difficulty: Easy Gradable: automatic Subtopic: Quantum Numbers Topic: Quantum Theory and Atomic Structure

15. How many orbitals can have the 4s description in a given atom?

<u>A.</u> 1

B. 2

C. 3

D. 5

Accessibility: Keyboard Navigation Bloom's Level: 2. Understand Difficulty: Easy Gradable: automatic Subtopic: Quantum Numbers Topic: Quantum Theory and Atomic Structure

16. How many orbitals can have the 4p description in a given atom?

A. 1

B. 2

<u>C.</u> 3

D. 4

Accessibility: Keyboard Navigation Bloom's Level: 2. Understand Difficulty: Easy Gradable: automatic Subtopic: Quantum Numbers Topic: Quantum Theory and Atomic Structure

17. Determine which sublevel designation is legitimate.

A. 1*f*

B. 2d

C. 3*c*

<u>**D.**</u> 4*s*

Accessibility: Keyboard Navigation Bloom's Level: 2. Understand Difficulty: Easy Gradable: automatic Subtopic: Quantum Numbers Topic: Quantum Theory and Atomic Structure

18. Determine which sublevel designation is legitimate.

A. 1*p* <u>**B.**</u> 2*p* C. 3*f* D. 4*z*

> Accessibility: Keyboard Navigation Bloom's Level: 2. Understand Difficulty: Easy Gradable: automatic Subtopic: Quantum Numbers Topic: Quantum Theory and Atomic Structure

19. Determine which sublevel designation is not legitimate.

- A. 1*p*
- B. 2*s*
- C. 3*d*
- D. 4p

Accessibility: Keyboard Navigation Bloom's Level: 2. Understand Difficulty: Easy Gradable: automatic Subtopic: Quantum Numbers Topic: Quantum Theory and Atomic Structure

20. Determine which sublevel designation is not legitimate.

- A. 4*s*
- <u>**B.**</u> 2*d*
- <u>C</u>. 3*s*
- D. 5*p*

Accessibility: Keyboard Navigation Bloom's Level: 2. Understand Difficulty: Easy Gradable: automatic Subtopic: Quantum Numbers Topic: Quantum Theory and Atomic Structure

21. How many orbitals are there in the n = 4 level of the H-atom?

- A. 4
- B. 6
- C. 8
- <u>**D.**</u>16
- E. 18

Accessibility: Keyboard Navigation Bloom's Level: 3. Apply Difficulty: Hard Gradable: automatic Subtopic: Assigning Electrons to Atomic Orbitals (Aufbau Principle) Subtopic: Quantum Numbers Topic: Electron Configuration Topic: Quantum Theory and Atomic Structure

22. Each shell (principal energy level) of quantum number *n* contains *n* subshells.

TRUE

Accessibility: Keyboard Navigation Bloom's Level: 2. Understand Difficulty: Medium Gradable: automatic Subtopic: Quantum Numbers Topic: Quantum Theory and Atomic Structure

23. For all atoms of the same element, the 2s orbital is larger than the 1s orbital.

TRUE

Accessibility: Keyboard Navigation Bloom's Level: 3. Apply Difficulty: Easy Gradable: automatic Subtopic: Quantum Numbers Topic: Quantum Theory and Atomic Structure 24. The orbital diagram for a ground-state nitrogen atom is

	1 <i>s</i>	2s		2p	
А	11	1 6	1	1	1
В	1 6	1	1 6	1	
С	11	1 6	1 6	1	
D	1 6	1 6	1 6	1	1
Е	11	11	1 6	1 1	1

<u>A.</u>	A
Β.	В

- C. C
- D. D

E. E

Bloom's Level: 4. Analyze Difficulty: Easy Gradable: automatic Subtopic: Assigning Electrons to Atomic Orbitals (Aufbau Principle) Subtopic: Quantum Numbers Topic: Electron Configuration Topic: Quantum Theory and Atomic Structure

25. The orbital diagram for a ground-state oxygen atom is

	1 <i>s</i>	2s		2p	
А	11	1 6	1	1	1
В	1 1	1 1	1 1	1 1	
С	1 1	1 6	1 1	1	
D	1 1	1 6	1 6	1	1
Е	1 1	1 6	1 1	11	1

A. A B. B C. C <u>D.</u> D

E. E

Bloom's Level: 4. Analyze Difficulty: Easy Gradable: automatic Subtopic: Assigning Electrons to Atomic Orbitals (Aufbau Principle) Subtopic: Quantum Numbers Topic: Electron Configuration Topic: Quantum Theory and Atomic Structure

Copyright © 2016 McGraw-Hill Education. All rights reserved. No reproduction or distribution without the prior written consent of McGraw-Hill Education.

26. The orbital diagram for a ground-state carbon atom is

	1 <i>s</i>	2s		2p	
А	11	1 6	1 1		
В	1 6	1	1	1	1
С	1 6	1 6	1	1	1
D	1 6	1 6	1	1	
E	1 6	1 6	1 1	1 6	1
A. A					

B. B C. C

D. D

E. E

Bloom's Level: 4. Analyze Difficulty: Easy Gradable: automatic Subtopic: Assigning Electrons to Atomic Orbitals (Aufbau Principle) Subtopic: Quantum Numbers Topic: Electron Configuration Topic: Quantum Theory and Atomic Structure

27. Which ground-state atom has an electron configuration described by the following orbital diagram?

 $\begin{bmatrix} \operatorname{Ar} \end{bmatrix} \underbrace{1 \, \downarrow }_{4s} \qquad \underbrace{1 \, \downarrow \, 1 \, \downarrow \, 1 \, \downarrow \, 1 \, \downarrow }_{3d} \qquad \underbrace{1 \, \downarrow \, 1 \, \downarrow \, 1 \, \downarrow }_{4p}$

A. phosphorus

B. germanium

 $\underline{\mathbf{C.}}$ selenium

D. tellurium

E. potassium

Bloom's Level: 4. Analyze Difficulty: Easy Gradable: automatic Subtopic: Assigning Electrons to Atomic Orbitals (Aufbau Principle) Subtopic: Quantum Numbers Topic: Electron Configuration Topic: Quantum Theory and Atomic Structure

28. Which ground-state atom has an electron configuration described by the following orbital diagram?

$$[Ne] \frac{1}{3s} \qquad \frac{1}{3p} \frac{1}{3p}$$

<u>A.</u> phosphorus B. nitrogen

C. arsenic

D. vanadium

E. sulfur

Bloom's Level: 4. Analyze Difficulty: Easy Gradable: automatic Subtopic: Assigning Electrons to Atomic Orbitals (Aufbau Principle) Subtopic: Quantum Numbers Topic: Electron Configuration Topic: Quantum Theory and Atomic Structure 29. How many unpaired electrons does a ground-state atom of sulfur have?

A. 0

B. 1

<u>C.</u>2

D. 3

E. 4

Accessibility: Keyboard Navigation Bloom's Level: 4. Analyze Difficulty: Medium Gradable: automatic Subtopic: Assigning Electrons to Atomic Orbitals (Aufbau Principle) Subtopic: Pauli Exclusion Principle Subtopic: Quantum Numbers Topic: Electron Configuration Topic: Quantum Theory and Atomic Structure

30. Which element has the following ground-state electron configuration? $1s^2 2s^2 2p^6 3s^2$

Na Mg Al

Si

Ne

Accessibility: Keyboard Navigation Bloom's Level: 4. Analyze Difficulty: Easy Gradable: automatic Subtopic: Assigning Electrons to Atomic Orbitals (Aufbau Principle) Subtopic: Energy-Level Splitting (Zeff and Shielding) Subtopic: Hund's Rule Subtopic: Quantum Numbers Topic: Electron Configuration Topic: Quantum Theory and Atomic Structure

31. Which element has the following ground-state electron configuration?

 $[Kr]5s^24d^{10}5p^3$

A. Sn

<u>**B.**</u> Sb

C. Pb

D. Bi

E. Te

Accessibility: Keyboard Navigation Bloom's Level: 4. Analyze Difficulty: Easy Gradable: automatic Subtopic: Assigning Electrons to Atomic Orbitals (Aufbau Principle) Subtopic: Energy-Level Splitting (Zeff and Shielding) Subtopic: Quantum Numbers Topic: Electron Configuration Topic: Quantum Theory and Atomic Structure 32. Which element has the following ground-state electron configuration?

 $[Kr]5s^24d^{10}5p^2$

<u>A.</u> Sn

B. Sb

- C. Pb D. Ge
- E. Te

Accessibility: Keyboard Navigation Bloom's Level: 4. Analyze Difficulty: Easy Gradable: automatic Subtopic: Assigning Electrons to Atomic Orbitals (Aufbau Principle) Subtopic: Energy-Level Splitting (Zeff and Shielding) Subtopic: Quantum Numbers Topic: Electron Configuration Topic: Quantum Theory and Atomic Structure

33. The electron configuration of a ground-state Co atom is

<u>A.</u> [Ar] $4s^{2}3d^{7}$ B. $1s^{2}2s^{2}2p^{6}3s^{2}3d^{9}$ C. [Ne] $3s^{2}3d^{7}$ D. [Ar] $4s^{1}3d^{5}$ E. [Ar] $4s^{2}4d^{7}$

> Accessibility: Keyboard Navigation Bloom's Level: 4. Analyze Difficulty: Medium Gradable: automatic Subtopic: Assigning Electrons to Atomic Orbitals (Aufbau Principle) Subtopic: Energy-Level Splitting (Zeff and Shielding) Subtopic: Quantum Numbers Topic: Electron Configuration Topic: Quantum Theory and Atomic Structure

34. The electron configuration of a ground-state vanadium atom is

A. $[Ar]4s^{2}4d^{3}$ B. $[Ar]4s^{2}4p^{3}$ C. $[Ar]4s^{2}3d^{3}$ D. $[Ar]3d^{5}$ E. $[Ar]4s^{2}3d^{7}$

> Accessibility: Keyboard Navigation Bloom's Level: 4. Analyze Difficulty: Medium Gradable: automatic Subtopic: Assigning Electrons to Atomic Orbitals (Aufbau Principle) Subtopic: Energy-Level Splitting (Zeff and Shielding) Subtopic: Quantum Numbers Topic: Electron Configuration Topic: Quantum Theory and Atomic Structure

35. The ground-state electron configuration for an atom of indium is

A. [Kr] $5s^24p^64d^5$ B. [Ar] $4s^23d^{10}4p^1$ C. [Ar] $4s^24p^63d^5$ D. [Kr] $5s^25p^64d^5$ <u>E.</u> [Kr] $5s^24d^{10}5p^1$

> Accessibility: Keyboard Navigation Bloom's Level: 4. Analyze Difficulty: Medium Gradable: automatic Subtopic: Assigning Electrons to Atomic Orbitals (Aufbau Principle) Subtopic: Energy-Level Splitting (Zeff and Shielding) Subtopic: Quantum Numbers Topic: Electron Configuration Topic: Quantum Theory and Atomic Structure

36. The ground-state electron configuration of a calcium atom is

A. [Ne] $3s^2$ B. [Ne] $3s^23p^6$ C. [Ar] $4s^13d^1$ **D.** [Ar] $4s^2$ E. [Ar] $3d^2$

> Accessibility: Keyboard Navigation Bloom's Level: 4. Analyze Difficulty: Easy Gradable: automatic Subtopic: Assigning Electrons to Atomic Orbitals (Aufbau Principle) Subtopic: Energy-Level Splitting (Zeff and Shielding) Subtopic: Quantum Numbers Topic: Electron Configuration Topic: Quantum Theory and Atomic Structure

37. Select the correct electron configuration for sulfur (Z = 16).

A. $1s^21p^62s^22p^6$ B. $1s^22s^22p^83s^23p^4$ C. $1s^22s^22p^83s^23p^2$ **D.** $1s^22s^22p^63s^23p^4$ E. $1s^22s^22p^63s^23d^4$

> Accessibility: Keyboard Navigation Bloom's Level: 4. Analyze Difficulty: Easy Gradable: automatic Subtopic: Assigning Electrons to Atomic Orbitals (Aufbau Principle) Subtopic: Quantum Numbers Topic: Electron Configuration Topic: Quantum Theory and Atomic Structure

38. Select the correct electron configuration for Te (Z = 52).

A. [Kr] $5s^25p^64d^8$ B. [Kr] $5s^25d^{10}5p^4$ C. [Kr] $5s^24d^{10}5p^6$ D. [Kr] $5s^24f^{14}$ <u>E.</u> [Kr] $5s^24d^{10}5p^4$

> Accessibility: Keyboard Navigation Bloom's Level: 4. Analyze Difficulty: Medium Gradable: automatic Subtopic: Assigning Electrons to Atomic Orbitals (Aufbau Principle) Subtopic: Energy-Level Splitting (Zeff and Shielding) Subtopic: Quantum Numbers Topic: Electron Configuration Topic: Quantum Theory and Atomic Structure

39. What is the correct electron configuration for a germanium (Ge) atom?

A. $1s^22s^22p^63s^23p^64s^24p^2$ **B.** $1s^22s^22p^63s^23p^64s^23d^{10}4p^2$ C. $1s^22s^22p^63s^23p^2$ D. $1s^22s^23s^23p^5$ E. None of the answers is correct.

> Accessibility: Keyboard Navigation Bloom's Level: 4. Analyze Difficulty: Medium Gradable: automatic Subtopic: Assigning Electrons to Atomic Orbitals (Aufbau Principle) Subtopic: Energy-Level Splitting (Zeff and Shielding) Subtopic: Quantum Numbers Topic: Electron Configuration Topic: Quantum Theory and Atomic Structure

40. The electronic structure $1s^22s^22p^63s^23p^64s^23d^8$ refers to the ground state of

A. Kr.

<u>**B.**</u> Ni.

C. Fe.

D. Pd.

E. None of these choices is correct.

Accessibility: Keyboard Navigation Bloom's Level: 4. Analyze Difficulty: Medium Gradable: automatic Subtopic: Assigning Electrons to Atomic Orbitals (Aufbau Principle) Subtopic: Energy-Level Splitting (Zeff and Shielding) Subtopic: Quantum Numbers Topic: Electron Configuration Topic: Quantum Theory and Atomic Structure

41. How many electrons are in the 4p orbitals of selenium?

A. 0

B. 2

<u>C.</u>4

D. 5 E. 6

> Accessibility: Keyboard Navigation Bloom's Level: 4. Analyze Difficulty: Medium Gradable: automatic Subtopic: Assigning Electrons to Atomic Orbitals (Aufbau Principle) Subtopic: Quantum Numbers Topic: Electron Configuration Topic: Quantum Theory and Atomic Structure

42. How many electrons are in the 4p orbitals of vanadium?

<u>A.</u>0

B. 2

C. 4

D. 5

E. 6

Accessibility: Keyboard Navigation Bloom's Level: 4. Analyze Difficulty: Medium Gradable: automatic Subtopic: Assigning Electrons to Atomic Orbitals (Aufbau Principle) Subtopic: Quantum Numbers Topic: Electron Configuration Topic: Quantum Theory and Atomic Structure

43. How many electrons are in the 4d orbitals of Tc?

- A. 1
- B. 2
- C. 3
- C. J
- D. 4
- <u>E.</u> 5

Accessibility: Keyboard Navigation Bloom's Level: 4. Analyze Difficulty: Medium Gradable: automatic Subtopic: Assigning Electrons to Atomic Orbitals (Aufbau Principle) Subtopic: Quantum Numbers Topic: Electron Configuration Topic: Quantum Theory and Atomic Structure

44. How many electrons are there in the 2^{nd} principal energy level (n = 2) of a phosphorus atom?

A. 3 B. 5

C. 6

<u>D.</u> 8

E. 10

Accessibility: Keyboard Navigation Bloom's Level: 4. Analyze Difficulty: Medium Gradable: automatic Subtopic: Assigning Electrons to Atomic Orbitals (Aufbau Principle) Subtopic: Quantum Numbers Topic: Electron Configuration Topic: Quantum Theory and Atomic Structure

45. How many electrons are there in the 3^{rd} principal energy level (n = 3) of a phosphorus atom?

A. 3 <u>**B.**</u>5

C. 6

D. 8

E. 10

Accessibility: Keyboard Navigation Bloom's Level: 4. Analyze Difficulty: Medium Gradable: automatic Subtopic: Assigning Electrons to Atomic Orbitals (Aufbau Principle) Subtopic: Quantum Numbers Topic: Electron Configuration Topic: Quantum Theory and Atomic Structure

46. What element is represented by the electron configuration $1s^22s^22p^63s^23p^64s^13d^5$?

Mn

Ca

K

Cr

V

Accessibility: Keyboard Navigation Bloom's Level: 4. Analyze Difficulty: Medium Gradable: automatic Subtopic: Assigning Electrons to Atomic Orbitals (Aufbau Principle) Subtopic: Energy-Level Splitting (Zeff and Shielding) Subtopic: Quantum Numbers Topic: Electron Configuration Topic: Quantum Theory and Atomic Structure

47. What element is represented by the electron configuration $1s^22s^22p^63s^23p^64s^23d^{10}4p^65s^14d^{10}$?

<u>A.</u> Ag B. Rb

C. Cd

D. Sr

E. Cu

Accessibility: Keyboard Navigation Bloom's Level: 4. Analyze Difficulty: Medium Gradable: automatic Subtopic: Assigning Electrons to Atomic Orbitals (Aufbau Principle) Subtopic: Energy-Level Splitting (Zeff and Shielding) Subtopic: Quantum Numbers Topic: Electron Configuration Topic: Quantum Theory and Atomic Structure

- 48. What is the electron configuration for tungsten?
- A. $1s^22s^22p^63s^23p^64s^23d^{10}4p^65s^24d^{10}5p^66s^24f^{14}5d^6$
- B. $1s^22s^22p^63s^23p^64s^23d^{10}4p^65s^24d^{10}5p^66s^14f^{14}5d^5$
- **C.** $1s^2 2s^2 2p^6 3s^2 3p^6 4s^2 3d^{10} 4p^6 5s^2 4d^{10} 5p^6 6s^2 4f^{14} 5d^4$
- D. $1s^2 2s^2 2p^6 3s^2 3p^6 4s^2 3d^{10} 4p^6 5s^2 4d^{10} 5p^6 6s^2 4f^{14} 5d^7$
- E. $1s^22s^22p^63s^23p^54s^23d^{10}4p^65s^24d^{10}5p^66s^24f^{14}5d^7$

Accessibility: Keyboard Navigation Bloom's Level: 4. Analyze Difficulty: Medium Gradable: automatic Subtopic: Assigning Electrons to Atomic Orbitals (Aufbau Principle) Subtopic: Quantum Numbers Topic: Electron Configuration Topic: Quantum Theory and Atomic Structure

- 49. What is the electron configuration for silicon?
- A. $1s^2 2s^2 2p^6 3s^1 3p^3$
- **B.** $1s^22s^22p^63s^23p^2$
- C. $1s^2 2s^2 2p^6 3s^4$
- D. $1s^2 2s^2 2p^6 3p^4$
- E. $1s^2 2s^2 2p^6 3s^2 3p^3$

Accessibility: Keyboard Navigation Bloom's Level: 4. Analyze Difficulty: Easy Gradable: automatic Subtopic: Assigning Electrons to Atomic Orbitals (Aufbau Principle) Subtopic: Quantum Numbers Topic: Electron Configuration Topic: Quantum Theory and Atomic Structure

- 50. What is the electron configuration for bromine?
- A. $1s^2 2s^2 2p^6 3s^2 3p^6 4s^1 4d^{10} 4p^6$
- B. $1s^22s^22p^63s^23p^64s^24d^{10}4p^5$
- C. $1s^2 2s^2 2p^6 3s^2 3p^6 4s^1 3d^{10} 4p^6$
- D. $1s^2 2s^2 2p^6 3s^2 3p^6 4s^2 3d^{10} 4p^4$
- **<u>E.</u>** $1s^22s^22p^63s^23p^64s^23d^{10}4p^5$

Accessibility: Keyboard Navigation Bloom's Level: 4. Analyze Difficulty: Medium Gradable: automatic Subtopic: Assigning Electrons to Atomic Orbitals (Aufbau Principle) Subtopic: Energy-Level Splitting (Zeff and Shielding) Subtopic: Quantum Numbers Topic: Electron Configuration Topic: Quantum Theory and Atomic Structure

51. Which of the following elements has the largest number of unpaired electrons in the ground state?

- A. K <u>**B.**</u> V C. S
- D. Si
- E. Cl

Accessibility: Keyboard Navigation Bloom's Level: 4. Analyze Difficulty: Hard Gradable: automatic Subtopic: Assigning Electrons to Atomic Orbitals (Aufbau Principle) Subtopic: Diamagnetism and Paramagnetism Subtopic: Energy-Level Splitting (Zeff and Shielding) Subtopic: Hund's Rule Subtopic: Quantum Numbers Topic: Quantum Numbers Topic: Electron Configuration Topic: Quantum Theory and Atomic Structure

52. The general electron configuration for atoms of all elements in Group 5A is

A. ns^2np^6 . B. ns^2np^5 . C. ns^2np^4 . **D.** ns^2np^3 . E. ns^2np^1 .

> Accessibility: Keyboard Navigation Bloom's Level: 3. Apply Difficulty: Easy Gradable: automatic Subtopic: Elements and the Periodic Table Subtopic: Periodic Classification of the Elements Topic: Chemical Periodicity Topic: Components of Matter

53. Which of these choices is the general electron configuration for the outermost electrons of elements in the alkaline earth group?

A. ns^1 **<u>B.</u>** ns^2 C. ns^2np^4 D. ns^2np E. ns^2np^6 $(n-1)d^6$

> Accessibility: Keyboard Navigation Bloom's Level: 3. Apply Difficulty: Medium Gradable: automatic Subtopic: Assigning Electrons to Atomic Orbitals (Aufbau Principle) Subtopic: Periodic Classification of the Elements Topic: Chemical Periodicity Topic: Electron Configuration

54. The general electron configuration for atoms of the halogen group is

A. ns^2np^6 . **<u>B.</u>** ns^2np^5 . C. $ns^2np^6 (n-1)d^7$. D. ns^1 . E. ns^2np^7 .

> Accessibility: Keyboard Navigation Bloom's Level: 3. Apply Difficulty: Easy Gradable: automatic Subtopic: Assigning Electrons to Atomic Orbitals (Aufbau Principle) Subtopic: Periodic Classification of the Elements Topic: Chemical Periodicity Topic: Electron Configuration

55. The general electron configuration for noble gas atoms is

 $\begin{array}{c} \underline{\mathbf{A}} ns^2np^6.\\ \overline{\mathbf{B}} ns^2np^5.\\ \overline{\mathbf{C}} ns^2np^4.\\ \overline{\mathbf{D}} ns^2np^3.\\ \overline{\mathbf{E}} ns^2. \end{array}$

Accessibility: Keyboard Navigation Bloom's Level: 3. Apply Difficulty: Easy Gradable: automatic Subtopic: Assigning Electrons to Atomic Orbitals (Aufbau Principle) Subtopic: Periodic Classification of the Elements Topic: Chemical Periodicity Topic: Electron Configuration

56. Each of the noble gases has a completely filled *p* subshell except for which one?

A. Xenon

- B. Neon
- C. Radon
- D. Argon
- E. Helium

Accessibility: Keyboard Navigation Bloom's Level: 5. Evaluate Difficulty: Medium Gradable: automatic Subtopic: Assigning Electrons to Atomic Orbitals (Aufbau Principle) Subtopic: Periodic Classification of the Elements Topic: Chemical Periodicity Topic: Electron Configuration

57. An element with the general electron configuration for its outermost electrons of ns^2np^1 would be in which element group?

A. 2A

B. 3A

C. 4A

D. 5A

E. 8A

Accessibility: Keyboard Navigation Bloom's Level: 4. Analyze Difficulty: Easy Gradable: automatic Subtopic: Assigning Electrons to Atomic Orbitals (Aufbau Principle) Subtopic: Periodic Classification of the Elements Topic: Chemical Periodicity Topic: Electron Configuration

58. In what group of the periodic table is the element with the electron configuration $[Ar]4s^23d^{10}4p^3$?

A. 1A B. 2A C. 3A D. 4A

E. 5A

Accessibility: Keyboard Navigation Bloom's Level: 4. Analyze Difficulty: Medium Gradable: automatic Subtopic: Assigning Electrons to Atomic Orbitals (Aufbau Principle) Subtopic: Periodic Classification of the Elements Topic: Chemical Periodicity Topic: Electron Configuration

59. Consider the element with the electron configuration [Kr] $5s^24d^7$. This element is

A. a halogen.

<u>B.</u> a transition metal.

C. a nonmetal.

D. an actinide element.

E. a noble gas.

Accessibility: Keyboard Navigation Bloom's Level: 4. Analyze Difficulty: Medium Gradable: automatic Subtopic: Assigning Electrons to Atomic Orbitals (Aufbau Principle) Subtopic: Periodic Classification of the Elements Subtopic: Properties of Transition Metals Topic: Chemical Periodicity Topic: Electron Configuration Topic: Transition Metals and Coordination Compounds

60. Consider the element with the electron configuration $[Kr]5s^24d^{10}5p^5$. This element is

<u>A.</u> a halogen. B. a transition metal.

C. an alkali metal.

D. an actinide element.

E. a noble gas.

Accessibility: Keyboard Navigation Bloom's Level: 4. Analyze Difficulty: Medium Gradable: automatic Subtopic: Assigning Electrons to Atomic Orbitals (Aufbau Principle) Subtopic: Periodic Classification of the Elements Topic: Chemical Periodicity Topic: Electron Configuration

61. Consider the element with the electron configuration [Xe] $6s^24f^2$. This element is

A. a halogen.

- **B.** a lanthanide element.
- C. a nonmetal.
- D. an actinide element.
- E. a noble gas.

Accessibility: Keyboard Navigation Bloom's Level: 4. Analyze Difficulty: Medium Gradable: automatic Subtopic: Assigning Electrons to Atomic Orbitals (Aufbau Principle) Subtopic: Periodic Classification of the Elements Topic: Chemical Periodicity Topic: Electron Configuration

62. How many valence electrons does a carbon atom have?

A. 1

B. 2

C. 3

<u>D.</u> 4

E. 6

Accessibility: Keyboard Navigation Bloom's Level: 4. Analyze Difficulty: Easy Gradable: automatic Subtopic: Assigning Electrons to Atomic Orbitals (Aufbau Principle) Subtopic: Periodic Classification of the Elements Topic: Chemical Periodicity Topic: Electron Configuration

63. How many valence electrons does a tin (Sn) atom have?

A. 2

<u>**B.**</u> 4

C. 14

D. 36

E. 50

Accessibility: Keyboard Navigation Bloom's Level: 4. Analyze Difficulty: Medium Gradable: automatic Subtopic: Assigning Electrons to Atomic Orbitals (Aufbau Principle) Subtopic: Periodic Classification of the Elements Topic: Chemical Periodicity Topic: Electron Configuration

64. An element with the electron configuration [1	noble gas] $ns^2(n-1)d^8$ has	valence electrons.
---	-------------------------------	--------------------

A. 2 B. 6 C. 8

<u>**D.**</u> 10

E. None of these choices is correct.

Accessibility: Keyboard Navigation Bloom's Level: 4. Analyze Difficulty: Medium Gradable: automatic Subtopic: Assigning Electrons to Atomic Orbitals (Aufbau Principle) Subtopic: Periodic Classification of the Elements Topic: Chemical Periodicity Topic: Electron Configuration

65. An element with the electron configuration [noble gas] $ns^2(n-1)d^{10}np^3$ has ______ valence electrons.

A. 2

B. 3

<u>C.</u>5

D. 10

E. 15

Accessibility: Keyboard Navigation Bloom's Level: 4. Analyze Difficulty: Medium Gradable: automatic Subtopic: Assigning Electrons to Atomic Orbitals (Aufbau Principle) Subtopic: Periodic Classification of the Elements Topic: Chemical Periodicity Topic: Electron Configuration

66. How does atomic radius change as you move across the periodic table?

A. Atomic radius decreases moving from left to right across a period and increases from top to bottom.

B. Atomic radius increases moving left to right across a period and decreases from top to bottom.

C. Smaller nuclear charge lowers energy; more electrons in an orbital lowers energy.

D. Atomic radius increases diagonally across the periodic table.

E. None of the answers is correct.

Accessibility: Keyboard Navigation Bloom's Level: 3. Apply Difficulty: Easy Gradable: automatic Subtopic: Trends in Physical Properties (Atomic Radius, Ionization Energy, Ionic Radius, Electron Affinity) Topic: Chemical Periodicity

67. Which of these atoms has the smallest radius?

A. Al

<u>**B.**</u> P

C. As

D. Te

E. Na

Accessibility: Keyboard Navigation Bloom's Level: 5. Evaluate Difficulty: Medium Gradable: automatic Subtopic: Trends in Physical Properties (Atomic Radius, Ionization Energy, Ionic Radius, Electron Affinity) Topic: Chemical Periodicity

68. Which of these atoms has the largest radius?

- A. B
- <u>**B.**</u> Ga
- C. Br
- D. Si
- E. Cl

Accessibility: Keyboard Navigation Bloom's Level: 5. Evaluate Difficulty: Medium Gradable: automatic Subtopic: Trends in Physical Properties (Atomic Radius, Ionization Energy, Ionic Radius, Electron Affinity) Topic: Chemical Periodicity

69. Which of the elements listed below has the greatest atomic radius?

A.	В
<u>B.</u>	Al
C.	S
р	р

D. P

E. Si

Accessibility: Keyboard Navigation Bloom's Level: 5. Evaluate Difficulty: Medium Gradable: automatic Subtopic: Trends in Physical Properties (Atomic Radius, Ionization Energy, Ionic Radius, Electron Affinity) Topic: Chemical Periodicity

70. Which one of these ions has the smallest radius?

A. Cl^{-} B. K^{+} C. S^{2-} <u>D.</u> Na^{+} E. O^{2-}

> Accessibility: Keyboard Navigation Bloom's Level: 5. Evaluate Difficulty: Hard Gradable: automatic Subtopic: Trends in Physical Properties (Atomic Radius, Ionization Energy, Ionic Radius, Electron Affinity) Topic: Chemical Periodicity

71. Arrange P, S, and O in order of increasing atomic radius.

A. S < O < PB. P < S < OC. O < S < PD. O < P < SE. The answer cannot be determined from the data given.

> Accessibility: Keyboard Navigation Bloom's Level: 5. Evaluate Difficulty: Medium Gradable: automatic Subtopic: Trends in Physical Properties (Atomic Radius, Ionization Energy, Ionic Radius, Electron Affinity) Topic: Chemical Periodicity

72. Arrange these ions in order of increasing ionic radius: K^+ , P^{3-} , S^{2-} , Cl^- .

> Accessibility: Keyboard Navigation Bloom's Level: 5. Evaluate Difficulty: Hard Gradable: automatic Subtopic: Trends in Physical Properties (Atomic Radius, Ionization Energy, Ionic Radius, Electron Affinity) Topic: Chemical Periodicity

73. Which of the following elements has the largest atomic size?

A. S B. Ca

<u>C.</u> Ba

D. Po

E. Rn

Accessibility: Keyboard Navigation Bloom's Level: 5. Evaluate Difficulty: Medium Gradable: automatic Subtopic: Trends in Physical Properties (Atomic Radius, Ionization Energy, Ionic Radius, Electron Affinity) Topic: Chemical Periodicity

74. Which of the following elements has the smallest atomic size?

A. Na <u>**B.</u> Ar</u>**

C. K

D. Ca

E. Kr

Accessibility: Keyboard Navigation Bloom's Level: 5. Evaluate Difficulty: Medium Gradable: automatic Subtopic: Trends in Physical Properties (Atomic Radius, Ionization Energy, Ionic Radius, Electron Affinity) Topic: Chemical Periodicity

75. Select the element that will lose an electron most easily, based on the periodic trend.

A. Li B. Na <u>C.</u> K D. He

> Accessibility: Keyboard Navigation Bloom's Level: 3. Apply Difficulty: Medium Gradable: automatic Subtopic: Trends in Physical Properties (Atomic Radius, Ionization Energy, Ionic Radius, Electron Affinity) Topic: Chemical Periodicity

76. Select the element that will lose an electron most easily, based on the periodic trend.

<u>A.</u> Na B. Mg C. Ar D. P

> Accessibility: Keyboard Navigation Bloom's Level: 3. Apply Difficulty: Medium Gradable: automatic Subtopic: Trends in Physical Properties (Atomic Radius, Ionization Energy, Ionic Radius, Electron Affinity) Topic: Chemical Periodicity

77. Select the element that will gain an electron most easily, based on the periodic trend.

A. Ca B. Mg <u>C.</u> O D. P

> Accessibility: Keyboard Navigation Bloom's Level: 3. Apply Difficulty: Medium Gradable: automatic Subtopic: Trends in Physical Properties (Atomic Radius, Ionization Energy, Ionic Radius, Electron Affinity) Topic: Chemical Periodicity

78. Select the element that will gain an electron most easily, based on the periodic trend.

A. Rb B. Al

<u>C.</u>S

D. Na

Accessibility: Keyboard Navigation Bloom's Level: 3. Apply Difficulty: Medium Gradable: automatic Subtopic: Trends in Physical Properties (Atomic Radius, Ionization Energy, Ionic Radius, Electron Affinity) Topic: Chemical Periodicity

79. Which of these elements has the greatest metallic character?

A. Br B. F

C. Ge

D. Mn

<u>E.</u> Sc

Accessibility: Keyboard Navigation Bloom's Level: 5. Evaluate Difficulty: Medium Gradable: automatic Subtopic: Trends in Physical Properties (Atomic Radius, Ionization Energy, Ionic Radius, Electron Affinity) Topic: Chemical Periodicity

80. Which of these elements has the greatest metallic character?

A. Br

B. Se

<u>C.</u>Ni D.As

D. As E. Si

L. 51

Accessibility: Keyboard Navigation Bloom's Level: 5. Evaluate Difficulty: Medium Gradable: automatic Subtopic: Trends in Physical Properties (Atomic Radius, Ionization Energy, Ionic Radius, Electron Affinity) Topic: Chemical Periodicity

81. Select the element with the greatest metallic character.

A. Li

B. Ca

C. Al

D. Pb

E. Cs

Accessibility: Keyboard Navigation Bloom's Level: 5. Evaluate Difficulty: Medium Gradable: automatic Subtopic: Trends in Physical Properties (Atomic Radius, Ionization Energy, Ionic Radius, Electron Affinity) Topic: Chemical Periodicity

82. Select the element with the least metallic character.

A. Sn

B. Sr

C. Tl

D. Ge

E. Ga

Accessibility: Keyboard Navigation Bloom's Level: 5. Evaluate Difficulty: Medium Gradable: automatic Subtopic: Trends in Physical Properties (Atomic Radius, Ionization Energy, Ionic Radius, Electron Affinity) Topic: Chemical Periodicity

83. Using the periodic table, predict the charge on the common ion of calcium.

A. +1 <u>**B.**</u>+2 C. -1 D. -2

> Accessibility: Keyboard Navigation Bloom's Level: 4. Analyze Difficulty: Medium Gradable: automatic Subtopic: Electron Configurations of Cations and Anions Topic: Electron Configuration

84. Using the periodic table, predict the charge on the common ion of selenium.

A. +1 B. +2 C. -1

<u>**D.**</u>−2

Accessibility: Keyboard Navigation Bloom's Level: 4. Analyze Difficulty: Medium Gradable: automatic Subtopic: Electron Configurations of Cations and Anions Topic: Electron Configuration

85. Using the periodic table, predict the charge on the common ion of rubidium.

- <u>A.</u> +1 B. +2 C. −1
- D. –2

Accessibility: Keyboard Navigation Bloom's Level: 4. Analyze Difficulty: Medium Gradable: automatic Subtopic: Electron Configurations of Cations and Anions Topic: Electron Configuration

86. Using the periodic table, predict the charge on the common ion of bromine.

A. +1 B. +2 <u>C.</u> -1 D. -2

> Accessibility: Keyboard Navigation Bloom's Level: 4. Analyze Difficulty: Medium Gradable: automatic Subtopic: Electron Configurations of Cations and Anions Topic: Electron Configuration

87. The Lewis dot symbol consists of the symbol for the element surrounded by dot(s). What does the symbol represent?

- A. Electron configuration
- B. Valence electrons
- C. Atomic number
- D. Atomic mass
- **<u>E.</u>** Nucleus and core electrons

Accessibility: Keyboard Navigation Bloom's Level: 2. Understand Difficulty: Medium Gradable: automatic Subtopic: Lewis Dot Symbols Subtopic: Writing Lewis Dot Structures Topic: Chemical Bonding Topic: Molecular Shape 88. The Lewis dot symbol consists of the symbol for the element surrounded by dot(s). What does the dot or dots represent?

- A. Electron configuration
- **B.** Valence electrons
- C. Atomic number
- D. Atomic mass
- E. Core electrons

Accessibility: Keyboard Navigation Bloom's Level: 2. Understand Difficulty: Easy Gradable: automatic Subtopic: Lewis Dot Symbols Subtopic: Writing Lewis Dot Structures Topic: Chemical Bonding Topic: Molecular Shape

89. How many dots does the Lewis dot symbol for argon have around it?

- A. 1
- B. 2
- C. 4
- D. 6
- <u>E.</u> 8

Accessibility: Keyboard Navigation Bloom's Level: 3. Apply Difficulty: Easy Gradable: automatic Subtopic: Lewis Dot Symbols Subtopic: Writing Lewis Dot Structures Topic: Chemical Bonding Topic: Molecular Shape

90. How many dots does the Lewis dot symbol for sodium have around it?

- <u>A.</u> 1
- B. 2
- C. 0
- D. 3 E. 7

Accessibility: Keyboard Navigation Bloom's Level: 3. Apply Difficulty: Easy Gradable: automatic Subtopic: Lewis Dot Symbols Subtopic: Writing Lewis Dot Structures Topic: Chemical Bonding Topic: Molecular Shape

91. How many dots does the Lewis dot symbol for magnesium have around it?

- A. 1
- <u>**B.**</u> 2
- C. 0
- D. 3
- E. 7

Accessibility: Keyboard Navigation Bloom's Level: 3. Apply Difficulty: Easy Gradable: automatic Subtopic: Lewis Dot Symbols Subtopic: Writing Lewis Dot Structures Topic: Chemical Bonding Topic: Molecular Shape 92. How many dots does the Lewis dot symbol for chlorine have around it?

A. 1

B. 2

C. 5

<u>D.</u>7

E. 17

Accessibility: Keyboard Navigation Bloom's Level: 3. Apply Difficulty: Easy Gradable: automatic Subtopic: Lewis Dot Symbols Subtopic: Writing Lewis Dot Structures Topic: Chemical Bonding Topic: Molecular Shape

93. How many dots does the Lewis dot symbol for carbon have around it?

<u>A.</u>4

B. 2

C. 6

D. 3

E. 7

Accessibility: Keyboard Navigation Bloom's Level: 3. Apply Difficulty: Easy Gradable: automatic Subtopic: Lewis Dot Symbols Subtopic: Writing Lewis Dot Structures Topic: Chemical Bonding Topic: Molecular Shape

94. How many dots does the Lewis dot symbol for oxygen have around it?

A. 4


B. 2

<u>C.</u>6

D. 3


E. 7

Accessibility: Keyboard Navigation Bloom's Level: 3. Apply Difficulty: Easy Gradable: automatic Subtopic: Lewis Dot Symbols Subtopic: Writing Lewis Dot Structures Topic: Chemical Bonding Topic: Molecular Shape 95. The Lewis dot symbol for the a lead atom is




Bloom's Level: 4. Analyze Difficulty: Easy Gradable: automatic Subtopic: Lewis Dot Symbols Subtopic: Writing Lewis Dot Structures Topic: Chemical Bonding Topic: Molecular Shape

96. The Lewis dot symbol for the S^{2-} ion is



Bloom's Level: 4. Analyze Difficulty: Medium Gradable: automatic Subtopic: Lewis Dot Symbols Subtopic: Writing Lewis Dot Structures Topic: Chemical Bonding Topic: Molecular Shape

97. The Lewis dot symbol for the chloride ion is



 $E. Cl^{-}$

Bloom's Level: 4. Analyze Difficulty: Medium Gradable: automatic Subtopic: Lewis Dot Symbols Subtopic: Writing Lewis Dot Structures Topic: Chemical Bonding Topic: Molecular Shape

98. The Lewis dot symbol for the calcium ion is



В. <u>—Са</u>—

C.
$$\left[:Ca:\right]^{2+}$$

 $\underline{\mathbf{D}}_{\cdot} \operatorname{Ca}^{2+}$

E. Ca

Bloom's Level: 4. Analyze Difficulty: Medium Gradable: automatic Subtopic: Lewis Dot Symbols Subtopic: Writing Lewis Dot Structures Topic: Chemical Bonding Topic: Molecular Shape 99. Select the element whose Lewis symbol is correct.

A. . Fr.

B. : Te:

<u>C.</u>. Ra.

D. . Pb.

Е. . Не.

Bloom's Level: 4. Analyze Difficulty: Medium Gradable: automatic Subtopic: Lewis Dot Symbols Subtopic: Writing Lewis Dot Structures Topic: Chemical Bonding Topic: Molecular Shape

100. Select the element whose Lewis symbol is correct.

A. •Ga•

<u>**B.</u> •**Al•</u>

C. Al•

D. • Tl •

Bloom's Level: 4. Analyze Difficulty: Medium Gradable: automatic Subtopic: Lewis Dot Symbols Subtopic: Writing Lewis Dot Structures Topic: Chemical Bonding Topic: Molecular Shape

101. A magnesium ion, Mg²⁺, has

- A. 12 protons and 13 electrons.
- B. 24 protons and 26 electrons.
- C. 12 protons and 10 electrons.
- D. 24 protons and 22 electrons.
- E. 12 protons and 14 electrons.

Accessibility: Keyboard Navigation Bloom's Level: 4. Analyze Difficulty: Medium Gradable: automatic Subtopic: Electron Configurations of Cations and Anions Subtopic: Structure of the Atom Topic: Components of Matter Topic: Electron Configuration A. 13 protons and 13 electrons.

- B. 27 protons and 24 electrons.
- C. 16 protons and 13 electrons.
- **D.** 13 protons and 10 electrons.
- E. 10 protons and 13 electrons.

Accessibility: Keyboard Navigation Bloom's Level: 4. Analyze Difficulty: Medium Gradable: automatic Subtopic: Electron Configurations of Cations and Anions Subtopic: Structure of the Atom Topic: Components of Matter Topic: Electron Configuration

103. An oxide ion, O²⁻, has

A. 8 protons and 10 electrons.

- B. 10 protons and 8 electrons.
- C. 8 protons and 9 electrons.
- D. 8 protons and 7 electrons.
- E. 10 protons and 7 electrons.

Accessibility: Keyboard Navigation Bloom's Level: 4. Analyze Difficulty: Medium Gradable: automatic Subtopic: Electron Configurations of Cations and Anions Subtopic: Structure of the Atom Topic: Components of Matter Topic: Electron Configuration

104. A sulfide ion, S²⁻, has

- A. 16 protons and 16 electrons.
- B. 32 protons and 16 electrons.
- C. 16 protons and 14 electrons.
- **D.** 16 protons and 18 electrons.
- E. 32 protons and 18 electrons.

Accessibility: Keyboard Navigation Bloom's Level: 4. Analyze Difficulty: Medium Gradable: automatic Subtopic: Electron Configurations of Cations and Anions Subtopic: Structure of the Atom Topic: Components of Matter Topic: Electron Configuration

105. How many protons and electrons are present in one Br⁻ ion?

A. 35 protons, 35 electrons
B. 80 protons, 81 electrons
C. 35 protons, 34 electrons
D. 35 protons, 36 electrons
E. 80 protons, 34 electrons

Accessibility: Keyboard Navigation Bloom's Level: 4. Analyze Difficulty: Medium Gradable: automatic Subtopic: Electron Configurations of Cations and Anions Subtopic: Structure of the Atom Topic: Components of Matter Topic: Electron Configuration

106. An isoelectronic series is

A. a series that has two or more species that have identical nuclear charges, but have different electron configurations.

B. a series that has the same ionization potentials.

C. a series that can have only up to three species and have similar electron configuration and similar nuclear charges.

<u>D</u> a series that has two or more species that have identical electron configurations, but different nuclear charges.

E. a series that has the same nuclear charge.

Accessibility: Keyboard Navigation Bloom's Level: 2. Understand Difficulty: Medium Gradable: automatic Subtopic: Assigning Electrons to Atomic Orbitals (Aufbau Principle) Topic: Electron Configuration

107. Which of these species make an *isoelectronic pair*: Cl⁻, O²⁻, F, Ca²⁺, Fe³⁺?

A. Ca^{2+} and Fe^{3+} B. O^{2-} and F C. F and Cl⁻ **<u>D.</u>** Cl⁻ and Ca²⁺ E. None of the above species are part of an isoelectronic series.

> Accessibility: Keyboard Navigation Bloom's Level: 5. Evaluate Difficulty: Medium Gradable: automatic Subtopic: Assigning Electrons to Atomic Orbitals (Aufbau Principle) Subtopic: Electron Configurations of Cations and Anions Topic: Electron Configuration

108. Which of these pairs consists of isoelectronic species?

A. Mn^{2+} and ArB. Zn^{2+} and Cu^{2+} C. Na^+ and K^+ D. Cl^- and S <u>E.</u> K^+ and Cl^-

> Accessibility: Keyboard Navigation Bloom's Level: 5. Evaluate Difficulty: Medium Gradable: automatic Subtopic: Assigning Electrons to Atomic Orbitals (Aufbau Principle) Subtopic: Electron Configurations of Cations and Anions Topic: Electron Configuration

109. Which ion is isoelectronic with Ar?

A. Fe^{2+} B. F^{-} C. Br^{-} D. Ga^{3+} E. Ca^{2+}

> Accessibility: Keyboard Navigation Bloom's Level: 5. Evaluate Difficulty: Medium Gradable: automatic Subtopic: Assigning Electrons to Atomic Orbitals (Aufbau Principle) Subtopic: Electron Configurations of Cations and Anions Topic: Electron Configuration

110. Which one of these ions is not isoelectronic with Kr?

 $\frac{A.}{B.} \frac{As^{3+}}{Se^{2-}}$ C. Rb⁺ D. Sr²⁺ E. Br⁻

> Accessibility: Keyboard Navigation Bloom's Level: 5. Evaluate Difficulty: Medium Gradable: automatic Subtopic: Assigning Electrons to Atomic Orbitals (Aufbau Principle) Subtopic: Electron Configurations of Cations and Anions Topic: Electron Configuration

111. Which of these choices is the electron configuration for the aluminum ion?

- A. $1s^2 2s^2 2p^6 3s^2$
- B. $1s^2 2s^2 2p^6 3s^2 3p^2$
- C. $1s^2 2s^2 2p^6 3s^2 3p^1$
- <u>**D.**</u> $1s^22s^22p^6$
- E. $1s^2 2s^2 2p^6 3s^2 3p^4$

Accessibility: Keyboard Navigation Bloom's Level: 5. Evaluate Difficulty: Hard Gradable: automatic Subtopic: Assigning Electrons to Atomic Orbitals (Aufbau Principle) Subtopic: Electron Configurations of Cations and Anions Topic: Electron Configuration

112. Which of these choices is the electron configuration for the chloride ion?

A. [Ne] $3s^23p^4$

B. [Ne] $3s^2 3p^7$

<u>**C.**</u> [Ar]

D. [Ar]4*s*¹

E. [Ne] $3s^2 3p^5$

Accessibility: Keyboard Navigation Bloom's Level: 5. Evaluate Difficulty: Medium Gradable: automatic Subtopic: Assigning Electrons to Atomic Orbitals (Aufbau Principle) Subtopic: Electron Configurations of Cations and Anions Topic: Electron Configuration

Introductory Chemistry An Atoms First Approach 1st Edition Burdge Test Bank Chapter 02 Test Bank <u>Summary</u>

<u>Category</u>	<u># of</u> Questions
Accessibility: Keyboard Navigation	101
Bloom's Level: 2. Understand	18
Bloom's Level: 3. Apply	19
Bloom's Level: 4. Analyze	53
Bloom's Level: 5. Evaluate	22
Difficulty: Easy	42
Difficulty: Hard	7
Difficulty: Medium	63
Gradable: automatic	112
Subtopic: Assigning Electrons to Atomic Orbitals (Aufbau Principle)	50
Subtopic: Atomic Spectra (Bohr Model of the Atom)	5
Subtopic: Atomic Theories	2
Subtopic: Diamagnetism and Paramagnetism	1
Subtopic: Electromagnetic Radiation (Wave Properties)	5
Subtopic: Electron Configurations of Cations and Anions	15
Subtopic: Elements and the Periodic Table	1
Subtopic: Energy-Level Splitting (Zeff and Shielding)	14
Subtopic: Hund's Rule	2
Subtopic: Lewis Dot Symbols	14
Subtopic: Measurement (SI Units)	2
Subtopic: Pauli Exclusion Principle	1
Subtopic: Periodic Classification of the Elements	14
Subtopic: Properties of Transition Metals	1
Subtopic: Quantum Numbers	42
Subtopic: Scientific Notation and Significant Figures	2
Subtopic: Structure of the Atom	5
Subtopic: Trends in Physical Properties (Atomic Radius, Ionization Energy, Ionic Radius, Electron Affinity)	17
Subtopic: Writing Lewis Dot Structures	14
Topic: Chemical Bonding	14
Topic: Chemical Periodicity	31
Topic: Components of Matter	8
Topic: Electron Configuration	59
Topic: Molecular Shape	14
Topic: Quantum Theory and Atomic Structure	51
Topic: Transition Metals and Coordination Compounds	1

2-33 Copyright © 2016 McGraw-Hill Education. All rights reserved. No reproduction or distribution without the prior written consent of McGraw-Hill Education.