Modern Database Management, 12e (Hoffer) Chapter 2 Modeling Data in the Organization

- 1) The logical representation of an organization's data is called a(n):
- A) database model.
- B) entity-relationship model.
- C) relationship systems design.
- D) database entity diagram.

Answer: B

LO: 2.1: Define key terms.

Difficulty: Easy

Classification: Concept

AACSB: Information Technology

- 2) A good data definition will describe all of the characteristics of a data object EXCEPT:
- A) subtleties.
- B) examples.
- C) who determines the value of the data.
- D) who can delete the data.

Answer: D

LO: 2.1: Define key terms.

Difficulty: Difficult Classification: Concept

AACSB: Information Technology

- 3) A fact is an association between two or more:
- A) words.
- B) terms.
- C) facts.
- D) nuggets.

Answer: B

LO: 2.1: Define key terms.

Difficulty: Easy

Classification: Concept

- 4) Data modeling may be the most important part of the systems development process because:
- A) data characteristics are important in the design of programs and other systems components.
- B) the data in a system are generally less complex than processes and play a central role in development.
- C) data are less stable than processes.
- D) it is the easiest.

Answer: A

LO: 2.2: State reasons why many system developers and business leaders believe that data modeling is the most important part of the systems development process with a high return on investment.

Difficulty: Easy

Classification: Concept

AACSB: Information Technology

- 5) The most common types of entities are:
- A) strong entities.
- B) weak entities.
- C) associative entities.
- D) smush entities.

Answer: A

LO: 2.3: Write good names and definitions for entities, relationships, and attributes.

Difficulty: Moderate Classification: Concept

AACSB: Information Technology

- 6) In an E-R diagram, there are/is _____ business rule(s) for every relationship.
- A) two
- B) three
- C) one
- D) zero

Answer: A

LO: 2.3: Write good names and definitions for entities, relationships, and attributes.

Difficulty: Moderate Classification: Concept

AACSB: Information Technology

- 7) Business policies and rules govern all of the following EXCEPT:
- A) managing employees.
- B) creating data.
- C) updating data.
- D) removing data.

Answer: A

LO: 2.3: Write good names and definitions for entities, relationships, and attributes.

Difficulty: Moderate Classification: Concept

- 8) A _____ defines or constrains some aspect of the business.
- A) business constraint
- B) business structure
- C) business control
- D) business rule

Answer: D

LO: 2.3: Write good names and definitions for entities, relationships, and attributes.

Difficulty: Moderate Classification: Concept

AACSB: Information Technology

- 9) Which of the following is NOT a characteristic of a good business rule?
- A) Declarative
- B) Atomic
- C) Inconsistent
- D) Expressible

Answer: C

LO: 2.3: Write good names and definitions for entities, relationships, and attributes.

Difficulty: Moderate Classification: Concept

AACSB: Information Technology

- 10) Which of the following is NOT a good characteristic of a data name?
- A) Relates to business characteristics
- B) Readable
- C) Repeatable
- D) Relates to a technical characteristic of the system

Answer: D

LO: 2.3: Write good names and definitions for entities, relationships, and attributes.

Difficulty: Moderate Classification: Concept

AACSB: Information Technology

- 11) Customers, cars, and parts are examples of:
- A) entities.
- B) attributes.
- C) cardinals.
- D) relationships.

Answer: A

LO: 2.3: Write good names and definitions for entities, relationships, and attributes.

Difficulty: Moderate Classification: Concept

- 12) Which of the following is an entity that exists independently of other entity types?
- A) Codependent
- B) Weak
- C) Strong
- D) Variant

Answer: C

LO: 2.3: Write good names and definitions for entities, relationships, and attributes.

Difficulty: Moderate Classification: Concept

AACSB: Information Technology

- 13) An entity type whose existence depends on another entity type is called a _____ entity.
- A) strong
- B) weak
- C) codependent
- D) variant


Answer: B

LO: 2.3: Write good names and definitions for entities, relationships, and attributes.

Difficulty: Moderate Classification: Concept

AACSB: Information Technology

14) The following figure shows an example of:



- A) a one-to-many relationship.
- B) a strong entity and its associated weak entity.
- C) a co-dependent relationship.
- D) a double-walled relationship.

Answer: B

LO: 2.3: Write good names and definitions for entities, relationships, and attributes.

Difficulty: Moderate Classification: Application

15) A(n) ______ is the relationship between a weak entity type and its owner.

A) member chain

B) identifying relationship

C) jump path

D) chain link

Answer: B

LO: 2.3: Write good names and definitions for entities, relationships, and attributes.

Difficulty: Moderate Classification: Concept

AACSB: Information Technology

16) An entity type name should be all of the following EXCEPT:

A) concise.

B) specific to the organization.

C) as short as possible.

D) a singular noun.

Answer: C

LO: 2.3: Write good names and definitions for entities, relationships, and attributes.

Difficulty: Moderate Classification: Concept

AACSB: Information Technology

17) A property or characteristic of an entity type that is of interest to the organization is called a(n):

A) attribute.

B) coexisting entity.

C) relationship.

D) cross-function.

Answer: A

LO: 2.3: Write good names and definitions for entities, relationships, and attributes.

Difficulty: Easy

Classification: Concept

AACSB: Information Technology

18) An attribute that must have a value for every entity (or relationship) instance is a(n):

A) composite attribute.

B) required attribute.

C) optional attribute.

D) multivalued attribute.

Answer: B

LO: 2.3: Write good names and definitions for entities, relationships, and attributes.

Difficulty: Easy

Classification: Concept

- 19) A person's name, birthday, and social security number are all examples of: A) attributes. B) entities. C) relationships. D) descriptors. Answer: A LO: 2.3: Write good names and definitions for entities, relationships, and attributes. Difficulty: Moderate Classification: Concept AACSB: Information Technology 20) An attribute of an entity that must have a value for each entity instance is a(n): A) optional attribute. B) composite attribute. C) required attribute. D) fuzzy attribute. Answer: C LO: 2.3: Write good names and definitions for entities, relationships, and attributes. Difficulty: Moderate Classification: Concept **AACSB: Information Technology** 21) An attribute that can be broken down into smaller parts is called a(n) attribute. A) associative B) simple C) composite D) complex Answer: C LO: 2.3: Write good names and definitions for entities, relationships, and attributes. Difficulty: Easy Classification: Concept AACSB: Information Technology 22) The number of entity types that participate in a Unary relationship is: A) zero. B) one. C) two. D) three.
- Answer: B LO: 2.4: Dis

LO: 2.4: Distinguish unary, binary, and ternary relationships and give a common example of each.

Difficulty: Easy

Classification: Concept


| 23) The number of entity types that participate in a relationship is called the: |
|--|
| A) number. |
| B) identifying characteristic. |
| C) degree. |
| D) counter. |
| Answer: C |
| LO: 2.4: Distinguish unary, binary, and ternary relationships and give a common example of |
| each. |
| Difficulty: Easy |
| Classification: Concept |
| AACSB: Information Technology |
| 24) A relationship between the instances of a single entity type is called a relationship |
| A) ternary |
| B) primary |
| C) binary |
| D) unary |
| Answer: D |

LO: 2.4: Distinguish unary, binary, and ternary relationships and give a common example of

each.

Difficulty: Moderate Classification: Concept

25) In the following diagram, what type of relationship is depicted?



- A) Unary
- B) Binary
- C) Ternary
- D) Quad


Answer: C

LO: 2.4: Distinguish unary, binary, and ternary relationships and give a common example of each.

Difficulty: Moderate

Classification: Application

26) In the following diagram, which is true?



- A) It depicts a ternary relationship.
- B) It depicts a many-to-many relationship.
- C) Item represents a column.
- D) BOM_STRUCTURE represents a row.

Answer: B

LO: 2.4: Distinguish unary, binary, and ternary relationships and give a common example of

each.

Difficulty: Difficult

Classification: Application

AACSB: Information Technology, Application of Knowledge

27) A simultaneous relationship among the instances of three entity types is called a ______ relationship.

- A) ternary
- B) tertiary
- C) primary
- D) binary

Answer: A

LO: 2.4: Distinguish unary, binary, and ternary relationships and give a common example of

each.

Difficulty: Easy

Classification: Concept

28) The following figure shows an example of:

STUDENT

SID

Name

Address

(Street, City, State, ZipCode)

- A) a composite attribute.
- B) a relational attribute.
- C) a derived attribute.
- D) a multivalued attribute.

Answer: A

LO: 2.5: Model each of the following constructs in an E-R diagram: composite attribute, multivalued attribute, derived attribute, associative entity, identifying relationship, and minimum and maximum cardinality constraints.

Difficulty: Moderate

Classification: Application

29) In the figure below, which attribute is multivalued?

EMPLOYEE

Employee ID

Employee_Name

Address

Date_Employed

(Skill)

[Years_Employed]

A) Years_Employed

B) Employee_ID

C) Skill

D) Address

Answer: C

LO: 2.5: Model each of the following constructs in an E-R diagram: composite attribute, multivalued attribute, derived attribute, associative entity, identifying relationship, and minimum and maximum cardinality constraints.

Difficulty: Moderate

Classification: Application

30) In the figure below, which attribute is derived?

EMPLOYEE

Employee ID

Employee_Name

Address

Date_Employed

(Skill)

[Years Employed]

- A) Years_Employed
- B) Employee_ID
- C) Skill
- D) Address

Answer: A

LO: 2.5: Model each of the following constructs in an E-R diagram: composite attribute, multivalued attribute, derived attribute, associative entity, identifying relationship, and minimum and maximum cardinality constraints.

Difficulty: Moderate

Classification: Application

AACSB: Information Technology, Application of Knowledge

- 31) An attribute that can be calculated from related attribute values is called a ______attribute.
- A) simple
- B) composite
- C) multivalued
- D) derived

Answer: D

LO: 2.5: Model each of the following constructs in an E-R diagram: composite attribute, multivalued attribute, derived attribute, associative entity, identifying relationship, and minimum and maximum cardinality constraints.

Difficulty: Moderate Classification: Concept

- 32) The total quiz points for a student for an entire semester is a(n) _____ attribute.
- A) derived
- B) mixed
- C) stored
- D) addressed

Answer: A

LO: 2.5: Model each of the following constructs in an E-R diagram: composite attribute, multivalued attribute, derived attribute, associative entity, identifying relationship, and minimum and maximum cardinality constraints.

Difficulty: Easy

Classification: Concept

AACSB: Information Technology

- 33) Which of the following criteria should be considered when selecting an identifier?
- A) Choose an identifier that is not stable.
- B) Choose a null identifier.
- C) Choose an identifier that doesn't have large composite attributes.
- D) Choose the most complex identifier possible.

Answer: C

LO: 2.5: Model each of the following constructs in an E-R diagram: composite attribute, multivalued attribute, derived attribute, associative entity, identifying relationship, and minimum and maximum cardinality constraints.

Difficulty: Easy

Classification: Concept

AACSB: Information Technology

- 34) An attribute that uniquely identifies an entity and consists of a composite attribute is called a(n):
- A) composite attribute.
- B) composite identifier.
- C) identifying attribute.
- D) relationship identifier.

Answer: B

LO: 2.5: Model each of the following constructs in an E-R diagram: composite attribute, multivalued attribute, derived attribute, associative entity, identifying relationship, and minimum and maximum cardinality constraints.

Difficulty: Easy

Classification: Concept

- 35) An entity that associates the instances of one or more entity types and contains attributes specific to the relationships is called a(n): A) associative entity.
- B) build entity.
- C) gateway entity.
- D) smush entity.

Answer: A

LO: 2.5: Model each of the following constructs in an E-R diagram: composite attribute, multivalued attribute, derived attribute, associative entity, identifying relationship, and minimum and maximum cardinality constraints.

Difficulty: Easy

Classification: Concept

AACSB: Information Technology

- _ specifies the number of instances of one entity that can be associated with each instance of another entity.
- A) degree
- B) cardinality constraint
- C) counter constraint
- D) limit

Answer: B

LO: 2.5: Model each of the following constructs in an E-R diagram: composite attribute, multivalued attribute, derived attribute, associative entity, identifying relationship, and minimum and maximum cardinality constraints.

Difficulty: Easy

Classification: Concept

AACSB: Information Technology

- 37) A relationship where the minimum and maximum cardinality are both one is a(n) relationship.
- A) optional
- B) unidirectional
- C) mandatory link
- D) mandatory one

Answer: D

LO: 2.5: Model each of the following constructs in an E-R diagram: composite attribute, multivalued attribute, derived attribute, associative entity, identifying relationship, and minimum and maximum cardinality constraints.

Difficulty: Moderate Classification: Concept

38) A mutually exclusive relationship is one in which:

A) an entity instance can participate in many different relationships.

B) an entity instance can participate in only one of several alternative relationships.

C) an entity instance cannot participate in a relationship with another entity instance.

D) an entity instance bridges other XML documents.


Answer: B

LO: 2.5: Model each of the following constructs in an E-R diagram: composite attribute, multivalued attribute, derived attribute, associative entity, identifying relationship, and minimum and maximum cardinality constraints.

Difficulty: Difficult Classification: Concept

AACSB: Information Technology

39) In the figure shown below, which of the following is true?



- A) A person can marry at most one person.
- B) A person has to be married.
- C) A person can marry more than one person, but that person can only be married to one person.
- D) A person can marry more than one person.


Answer: A

LO: 2.6: Draw an E-R diagram to represent common business situations.

Difficulty: Moderate

Classification: Application

40) For the relationship represented in the figure below, which of the following is true?



- A) An employee can work in more than one department but does not have to work for any department.
- B) A department must have at least one employee.
- C) A department can have more than one employee.
- D) An employee has to work for more than one department.

Answer: C

LO: 2.6: Draw an E-R diagram to represent common business situations.

Difficulty: Difficult

Classification: Application

AACSB: Information Technology, Application of Knowledge

41) In the following diagram, which of the answers below is true?



- A) Each patient has one or more patient histories.
- B) Each patient has one and only one visit.
- C) Each patient history belongs to zero and one patient.
- D) Each patient history belongs to many patients.


Answer: A

LO: 2.6: Draw an E-R diagram to represent common business situations.

Difficulty: Moderate

Classification: Application

42) In the figure shown below, which of the following business rules would apply?



- A) Each vendor can supply many parts to any number of warehouses, but need not supply any parts.
- B) Each part must be supplied by exactly one vendor to any number of warehouses.
- C) Each warehouse can be supplied with any number of parts from more than one vendor, and each warehouse could be supplied with no parts.
- D) VENDOR is not allowed.


Answer: A

LO: 2.6: Draw an E-R diagram to represent common business situations.

Difficulty: Difficult

Classification: Application

43) In the following diagram, which answer is true?



- A) Each employee can supervise one employee, no employees or many employees.
- B) Each employee can manage many departments.
- C) Each employee works in more than one department.
- D) Each employee was fired.

Answer: A

LO: 2.6: Draw an E-R diagram to represent common business situations.

Difficulty: Difficult

Classification: Application

AACSB: Information Technology, Application of Knowledge

- 44) A student can attend five classes, each with a different professor. Each professor has 30 students. The relationship of students to professors is a ______ relationship.
- A) one-to-one
- B) many-to-many
- C) one-to-many
- D) strong

Answer: B

LO: 2.7: Convert a many-to-many relationship to an associative entity type.

Difficulty: Difficult Classification: Concept

AACSB: Information Technology

- 45) A value that indicates the date or time of a data value is called a:
- A) value stamp.
- B) time stamp.
- C) checkpoint.
- D) check counter.

Answer: B

LO: 2.8: Model simple time-dependent data using time stamps and relationships in an E-R diagram.

Difficulty: Moderate Classification: Concept

46) The E-R model is used to construct a conceptual model.

Answer: TRUE

LO: 2.1: Define key terms. Difficulty: Moderate

Classification: Concept

AACSB: Information Technology

47) A business rule is a statement that defines or constrains some aspect of the business.

Answer: TRUE

LO: 2.1: Define key terms.

Difficulty: Easy

Classification: Concept

AACSB: Information Technology

48) One of the roles of a database analyst is to identify and understand rules that govern data.

Answer: TRUE

LO: 2.1: Define key terms.

Difficulty: Easy

Classification: Concept

AACSB: Information Technology

49) The intent of a business rule is to break down business structure.

Answer: FALSE

LO: 2.1: Define key terms.

Difficulty: Easy

Classification: Concept

AACSB: Information Technology

50) Enforcement of business rules can be automated through the use of software tools that can interpret the rules and enforce them.

Answer: TRUE

LO: 2.1: Define key terms.

Difficulty: Moderate Classification: Concept

AACSB: Information Technology

51) When systems are automatically generated and maintained, quality is diminished.

Answer: FALSE

LO: 2.1: Define key terms.

Difficulty: Moderate Classification: Concept

52) A business rule is a statement of how a policy is enforced or conducted.

Answer: FALSE

LO: 2.1: Define key terms. Difficulty: Moderate Classification: Concept

AACSB: Information Technology

53) While business rules are not redundant, a business rule can refer to another business rule.

Answer: TRUE

LO: 2.1: Define key terms. Difficulty: Moderate Classification: Concept

AACSB: Information Technology

54) A business rule should be internally consistent.

Answer: TRUE

LO: 2.1: Define key terms.

Difficulty: Easy

Classification: Concept

AACSB: Information Technology

55) Business rules are formulated from a collection of business ramblings.

Answer: FALSE

LO: 2.1: Define key terms.

Difficulty: Moderate Classification: Concept

AACSB: Information Technology

56) Data names should always relate to business characteristics.

Answer: TRUE

LO: 2.1: Define key terms.

Difficulty: Easy

Classification: Concept

AACSB: Information Technology

57) An example of a term would be the following sentence: "A student registers for a course."

Answer: FALSE

LO: 2.1: Define key terms.

Difficulty: Difficult Classification: Concept

58) A fact is an association between two or more terms.

Answer: TRUE

LO: 2.1: Define key terms.

Difficulty: Easy

Classification: Concept

AACSB: Information Technology

59) A good data definition is always accompanied by diagrams, such as the entity-relationship

diagram.

Answer: TRUE

LO: 2.1: Define key terms.

Difficulty: Easy

Classification: Concept

AACSB: Information Technology

60) An entity is a person, place, object, event, or concept in the user environment about which the organization wishes to maintain data.

Answer: TRUE

LO: 2.1: Define key terms.

Difficulty: Easy

Classification: Concept

AACSB: Information Technology

61) A single occurrence of an entity is called an entity instance.

Answer: TRUE

LO: 2.1: Define key terms. Difficulty: Moderate Classification: Concept

62) In the figure below, Name would be an ideal identifier.

STUDENT

SID

Name

Address

(Street, City, State, ZipCode)

Answer: FALSE

LO: 2.1: Define key terms.

Difficulty: Difficult

Classification: Application

AACSB: Information Technology, Application of Knowledge

63) When choosing an identifier, choose one that will not change its value often.

Answer: TRUE

LO: 2.1: Define key terms.

Difficulty: Easy

Classification: Concept

AACSB: Information Technology

64) Most systems developers believe that data modeling is the least important part of the systems development process.

Answer: FALSE

LO: 2.2: State reasons why many system developers and business leaders believe that data modeling is the most important part of the systems development process with a high return on investment.

Difficulty: Moderate Classification: Concept

AACSB: Information Technology

65) Data, rather than processes, are the most complex aspects of many modern information systems.

Answer: TRUE

LO: 2.2: State reasons why many system developers and business leaders believe that data modeling is the most important part of the systems development process with a high return on investment.

Difficulty: Moderate Classification: Concept

66) Data modeling is about documenting rules and policies of an organization that govern data.

Answer: TRUE

LO: 2.2: State reasons why many system developers and business leaders believe that data modeling is the most important part of the systems development process with a high return on

investment.

Difficulty: Moderate Classification: Concept

AACSB: Information Technology

67) The purpose of data modeling is to document business rules about processes.

Answer: FALSE

LO: 2.2: State reasons why many system developers and business leaders believe that data modeling is the most important part of the systems development process with a high return on

investment.

Difficulty: Moderate Classification: Concept

AACSB: Information Technology

68) In an E-R diagram, strong entities are represented by double-walled rectangles.

Answer: FALSE

LO: 2.3: Write good names and definitions for entities, relationships, and attributes.

Difficulty: Moderate Classification: Concept

AACSB: Information Technology

69) In an E-R diagram, an associative entity is represented by a rounded rectangle.

Answer: TRUE

LO: 2.3: Write good names and definitions for entities, relationships, and attributes.

Difficulty: Moderate Classification: Concept

AACSB: Information Technology

70) Data names do not have to be unique.

Answer: FALSE

LO: 2.3: Write good names and definitions for entities, relationships, and attributes.

Difficulty: Moderate Classification: Concept

AACSB: Information Technology

71) The relationship between a weak entity type and its owner is an identifying relationship.

Answer: TRUE

LO: 2.3: Write good names and definitions for entities, relationships, and attributes.

Difficulty: Easy

Classification: Concept

72) An entity type on which a strong entity is dependent is called a covariant entity.

Answer: FALSE

LO: 2.3: Write good names and definitions for entities, relationships, and attributes.

Difficulty: Moderate Classification: Concept

AACSB: Information Technology

73) An entity type name should always be a singular noun.

Answer: TRUE

LO: 2.3: Write good names and definitions for entities, relationships, and attributes.

Difficulty: Easy

Classification: Concept

AACSB: Information Technology

74) The name used for an entity type should never be the same in other E-R diagrams on which the entity appears.

Answer: FALSE

LO: 2.3: Write good names and definitions for entities, relationships, and attributes.

Difficulty: Moderate Classification: Concept

AACSB: Information Technology

75) Some examples of attributes are: eye_color, weight, student_id, STUDENT.

Answer: FALSE

LO: 2.3: Write good names and definitions for entities, relationships, and attributes.

Difficulty: Moderate Classification: Concept

AACSB: Information Technology

76) A simple attribute can be broken down into smaller pieces.

Answer: FALSE

LO: 2.3: Write good names and definitions for entities, relationships, and attributes.

Difficulty: Moderate Classification: Concept

AACSB: Information Technology

77) An attribute whose values can be calculated from related attribute values is called a derived attribute.

Answer: TRUE

LO: 2.3: Write good names and definitions for entities, relationships, and attributes.

Difficulty: Easy

Classification: Concept

78) A multivalued attribute may take on more than one value for a particular entity instance.

Answer: TRUE

LO: 2.3: Write good names and definitions for entities, relationships, and attributes.

Difficulty: Easy

Classification: Concept

AACSB: Information Technology

79) Relationships represent action being taken using a verb phrase.

Answer: TRUE

LO: 2.3: Write good names and definitions for entities, relationships, and attributes.

Difficulty: Moderate Classification: Concept

AACSB: Information Technology

80) Participation in a relationship may be optional or mandatory.

Answer: TRUE

LO: 2.3: Write good names and definitions for entities, relationships, and attributes.

Difficulty: Moderate Classification: Concept

AACSB: Information Technology

81) A ternary relationship is equivalent to three binary relationships.

Answer: FALSE

LO: 2.4: Distinguish unary, binary, and ternary relationships and give a common example of

each.

Difficulty: Moderate Classification: Concept

AACSB: Information Technology

82) The degree of a relationship is the number of attributes that are associated with it.

Answer: FALSE

LO: 2.4: Distinguish unary, binary, and ternary relationships and give a common example of

each.

Difficulty: Easy

Classification: Concept

AACSB: Information Technology

83) The relationship between the instances of two entity types is called a binary relationship.

Answer: TRUE

LO: 2.4: Distinguish unary, binary, and ternary relationships and give a common example of

each.

Difficulty: Easy

Classification: Concept

84) The relationship among the instances of three entity types is called a unary relationship.

Answer: FALSE

LO: 2.4: Distinguish unary, binary, and ternary relationships and give a common example of

each.

Difficulty: Easy

Classification: Concept

AACSB: Information Technology

85) It is desirable that no two attributes across all entity types have the same name.

Answer: TRUE

LO: 2.5: Model each of the following constructs in an E-R diagram: composite attribute, multivalued attribute, derived attribute, associative entity, identifying relationship, and minimum and maximum cardinality constraints.

Difficulty: Moderate Classification: Concept

AACSB: Information Technology

86) It is not permissible to associate attributes with relationships.

Answer: FALSE

LO: 2.5: Model each of the following constructs in an E-R diagram: composite attribute, multivalued attribute, derived attribute, associative entity, identifying relationship, and minimum and maximum cardinality constraints.

Difficulty: Moderate Classification: Concept

AACSB: Information Technology

87) A relationship instance is an association between entity instances where each relationship instance includes exactly one entity from each participating entity type.

Answer: FALSE

LO: 2.5: Model each of the following constructs in an E-R diagram: composite attribute, multivalued attribute, derived attribute, associative entity, identifying relationship, and minimum and maximum cardinality constraints.

Difficulty: Easy

Classification: Concept

AACSB: Information Technology

88) One reason to use an associative entity is if the associative entity has one or more attributes in addition to the identifier.

Answer: TRUE

LO: 2.5: Model each of the following constructs in an E-R diagram: composite attribute, multivalued attribute, derived attribute, associative entity, identifying relationship, and minimum and maximum cardinality constraints.

Difficulty: Easy

Classification: Concept

89) In the figure below, the name of the relationship follows the guidelines for naming a relationship.



Answer: FALSE

LO: 2.5: Model each of the following constructs in an E-R diagram: composite attribute, multivalued attribute, derived attribute, associative entity, identifying relationship, and minimum and maximum cardinality constraints.

Difficulty: Moderate Classification: Application

AACSB: Information Technology, Application of Knowledge

90) A cardinality constraint tells what kinds of properties are associated with an entity.

Answer: FALSE

LO: 2.5: Model each of the following constructs in an E-R diagram: composite attribute, multivalued attribute, derived attribute, associative entity, identifying relationship, and minimum and maximum cardinality constraints.

Difficulty: Easy

Classification: Concept

AACSB: Information Technology

91) The maximum criminality of a relationship is the maximum number of instances of entity B that may be associated with each instance of entity A.


Answer: FALSE

LO: 2.5: Model each of the following constructs in an E-R diagram: composite attribute, multivalued attribute, derived attribute, associative entity, identifying relationship, and minimum and maximum cardinality constraints.

Difficulty: Easy

Classification: Concept

92) In the figure shown below, a person has to be married.



Answer: FALSE


LO: 2.6: Draw an E-R diagram to represent common business situations.

Difficulty: Moderate

Classification: Application

AACSB: Information Technology, Application of Knowledge

93) For the relationship represented in the figure below, a department can have more than one employee.



Answer: TRUE

LO: 2.6: Draw an E-R diagram to represent common business situations.

Difficulty: Difficult

Classification: Application

AACSB: Information Technology, Application of Knowledge

94) A customer can order many items, and an item can be ordered by many customers is an example of a recursive relationship.

Answer: FALSE

LO: 2.7: Convert a many-to-many relationship to an associative entity type.

Difficulty: Moderate Classification: Application

95) A time stamp is a time value that is associated with a data value.

Answer: TRUE

LO: 2.8: Model simple time-dependent data using time stamps and relationships in an E-R

diagram.

Difficulty: Moderate Classification: Concept

AACSB: Information Technology

96) On what premises are business rules based?

Answer: A business rules approach is based on the following:

- 1. Because business rules are an expression of business policy, they are a core concept in an enterprise.
- 2. Natural language for end-users and a data model for developers can be used to state business rules.

LO: 2.1: Define key terms. Difficulty: Moderate

Classification: Synthesis

AACSB: Information Technology

97) What is the difference between an entity type and an entity instance?

Answer: An entity type is a collection of entities that share common properties. An entity instance is a single occurrence of an entity type. So, for example, STUDENT is an entity type and John Smith is an entity instance.

LO: 2.1: Define key terms.

Difficulty: Easy

Classification: Synthesis AACSB: Reflective Thinking

98) How is a strong entity different from a weak entity?

Answer: A strong entity type exists independently of any other entities. A weak entity type depends on another (strong) entity type. When an instance of the strong entity type no longer exists, any weak entity instances which depend upon the strong entity cease to exist.

LO: 2.1: Define key terms.

Difficulty: Moderate Classification: Synthesis AACSB: Reflective Thinking

99) What is the difference between a simple attribute and a composite attribute?

Answer: A simple attribute cannot be broken down into smaller components, whereas a composite attribute can be. An example of a simple attribute is last name. An example of a composite attribute is mailing address, which would have street, city, state and zip code as components.

LO: 2.1: Define key terms.

Difficulty: Moderate Classification: Synthesis AACSB: Reflective Thinking 100) What is a derived attribute, and how is it different from a stored attribute?

Answer: A derived attribute is an attribute whose value can be calculated from other related attributes. A derived attribute is not stored in the physical table which is eventually created from the ERD. A stored attribute, as its name implies, is stored as a column in the physical table.

LO: 2.1: Define key terms.

Difficulty: Moderate Classification: Synthesis

AACSB: Information Technology

101) What are some of the guidelines for good data names of objects in general?

Answer: Data names always should:

- 1. Relate to the business, not technical characteristics. Student would be a good name but not filest023
- 2. Be meaningful so that the name tells what the object is about
- 3. Be unique
- 4. Be readable
- 5. Be composed of words taken from an approved list
- 6. Be repeatable
- 7. Follow a standard syntax

LO: 2.3: Write good names and definitions for entities, relationships, and attributes.

Difficulty: Moderate Classification: Synthesis

AACSB: Information Technology

102) What are the three different degrees of relationship?

Answer: The three possible degrees are: Unary (an instance of one entity is related to an instance of the same entity type), Binary (an entity instance of one type is related to an entity instance of another type), and Ternary (instance of three different types participate in a relationship).

LO: 2.4: Distinguish unary, binary, and ternary relationships and give a common example of each.

Difficulty: Moderate Classification: Synthesis

103) What is an associative entity? What four conditions should exist in order to convert a relationship to an associative entity?

Answer: An associative entity is an entity type that associates the instances of one or more entity types and contains attributes that are peculiar to the relationship between those entity instances. Often, a many-to-many relationship is converted to an associative entity. The following four conditions should exist in order to do this:

- 1. All the relationships for the participating entities types are many relationships.
- 2. The resulting associative entity has independent meaning.
- 3. The associative entity has one or more attributes other than the identifier.
- 4. The associative entity participates in one or more relationships independent of the entities in the associative relationship.

LO: 2.7: Convert a many-to-many relationship to an associative entity type.

Difficulty: Moderate Classification: Synthesis