


Chapter 01 - Structure and Bonding

1. How many total valence electrons are represented in the following electron configuration?




- a. 1
- b. 3
- c. 5
- d. 7
- e. 9

ANSWER: d

POINTS: 1


Instructions: Write valid Lewis (electron-dot) structures for each formula below. Show all electrons as dots and show all nonbonding electrons.

2. Write:




POINTS: 1

3. The structure of urea is shown below. Fill in any nonbonding valence electrons that are missing from the line-bond structure.



POINTS: 1

Instructions: Determine the hybridization for the indicated atoms in each structure below.



4. Refer to instructions. The hybridization of carbon atom A is _____.

ANSWER: sp^2

POINTS: 1


5. Refer to instructions. The hybridization of carbon atom B is _____.

ANSWER: sp

POINTS: 1

6. How many nonbonding electron pairs are in the structure shown below?

Chapter 01 - Structure and Bonding




- a. 2
- b. 4
- c. 6
- d. 8
- e. none of these

ANSWER: b

POINTS: 1

7. The molecular formula $\text{C}_2\text{H}_4\text{O}$ can be converted into three-line bond (Kekulé) structures that are consistent with valence rules. Which one of the following Kekulé structures is *not* consistent with valence rules?



ANSWER: d

POINTS: 1

Instructions: Propose a structure for a molecule that meets the following description.

8. Refer to instructions. Contains only two sp^3 hybridized carbons and two sp hybridized carbons.

ANSWER: $\text{CH}_3-\text{C}\equiv\text{C}-\text{CH}_3$ or $\text{CH}_3-\text{CH}_2-\text{C}\equiv\text{CH}$

POINTS: 1

9. Refer to instructions. Contains only one sp^3 hybridized carbon and two sp^2 hybridized carbons.

ANSWER:
$$\begin{array}{c} \text{H}_3\text{C}-\text{C}=\text{CH}_2 \\ | \\ \text{H} \end{array}$$

POINTS: 1

10. Consider the formation of an sp^2 hybrid orbital. Which of the following is true?

- a. Four equivalent hybrid orbitals are produced.
- b. One s and one p atomic orbital are involved.
- c. One p atomic orbital remains unhybridized.

Chapter 01 - Structure and Bonding

- d. The hybrid orbitals produced can form π bonds.
- e. none of these

ANSWER: c

POINTS: 1

11. According to atomic theory:
- a. the nucleus is positively charged.
 - b. the nucleus contains both charged and uncharged particles.
 - c. the electrons contribute very little to the total mass of the atom.
 - d. the electrons are located in the atomic space outside the nucleus.
 - e. all of these

ANSWER: e

POINTS: 1

12. In drawing the Lewis structure for an organic compound, the carbon atoms should always be shown with
- a. lone pairs of electrons.
 - b. four single bonds.
 - c. eight total electrons.
 - d. a positive charge.
 - e. none of these

ANSWER: c


POINTS: 1

13. Covalent bonding
- a. involves a transfer of electrons from one atom to another.
 - b. occurs when atoms share all their valence electrons.
 - c. occurs when unpaired valence electrons are shared between atoms.
 - d. occurs when nonvalence electrons are shared between atoms.
 - e. none of these

ANSWER: c

POINTS: 1

14. Which of the following best represents the shape of a $2p$ atomic orbital of carbon?



Chapter 01 - Structure and Bonding




- a. A
- b. B
- c. C
- d. D

ANSWER: b

POINTS: 1

15. Which of the following best represents the shape of a sp^3 hybrid orbital of carbon?



- a. A
- b. B
- c. C
- d. D

ANSWER: c

POINTS: 1

16. How many electrons are there in the valence shell of the carbon atom of a methyl anion, CH_3^- ?

- a. 5
- b. 6
- c. 7
- d. 8

ANSWER: d

POINTS: 1

17. Which of the following statements is **not** true?

- a. The carbon-carbon single bond of an alkane is weaker than the carbon-carbon triple bond of an alkyne.
- b. The carbon-carbon triple bond of an alkyne is shorter than the carbon-carbon double bond of an alkene.
- c. The carbon-carbon triple bond of an alkyne is exactly three times as strong as a carbon-carbon single bond of

Chapter 01 - Structure and Bonding


an alkane.

d. The carbon-carbon single bond of an alkane is longer than the carbon-carbon triple bond of an alkyne.


ANSWER: c

POINTS: 1

18. Draw all the lone pairs (nonbonding valence electrons) on the structure of phosgene, a poisonous gas once used as a chemical warfare agent.




ANSWER:




POINTS: 1

19. Specify the hybridization of each carbon atom of limonene, a natural product present in citrus fruits, and thujone, which is derived from wormwood, a traditional component of the notorious liquor, Absinthe.




limonene


ANSWER:



limonene



thujone




thujone

POINTS: 1

20. Convert the skeletal drawing of the pharmaceutical Vioxx into a molecular formula.


Chapter 01 - Structure and Bonding



ANSWER: $C_{17}H_{14}O_4S$


POINTS: 1

21. Draw a picture showing the orbitals involved in the π -bonds of cyclopenta-1,3-diene, a commonly encountered reagent in organic synthesis.




POINTS: 1

22. Draw all possible structures of CF_nCl_m where n and m vary from 0 to 4.




POINTS: 1

23. Draw two possible isomers of C_6H_6 in which all the carbon atoms are sp^2 hybridized.



POINTS: 1

24. Draw the structure for CCl_2F_2 using solid, wedged, and dashed lines to show the tetrahedral geometry.



POINTS: 1

Chapter 01 - Structure and Bonding

Instructions: Consider the two structures below to answer the following question.




25. Refer to instructions. Which of the following correctly describes the structure of these compounds?

- All carbon atoms are sp^3 hybridized.
- All of the bonds are sigma bonds.
- Each oxygen atom has two nonbonding pairs of electrons.
- The bond angle around each oxygen atom is ideally about 109.5° .
- All of these

ANSWER: e

POINTS: 1

26. What is the expected hybridization around the sulfur atom in diethyl sulfide?



- sp
- sp^2
- sp^3
- The sulfur atom is not hybridized.

ANSWER: c

POINTS: 1

27. Which of the following statements is **not** true according to molecular orbital (MO) theory?

- Antibonding orbitals are higher in energy than the corresponding bonding orbital.
- The head-on overlap of an s and a p atomic orbital can produce a σ molecular orbital.
- A π molecular orbital forms only from the combination of p atomic orbital wave functions.
- The subtractive combination of atomic orbital wave functions produces a bonding molecular orbital.

ANSWER: d

POINTS: 1

28. The molecular orbital shown below is most likely of what type?



- σ bonding
- σ antibonding
- π bonding
- π antibonding

ANSWER: c

POINTS: 1

29. In the two structures shown below, what do the positions labeled with the arrow have in common?

Copyright Cengage Learning. Powered by Cognero.

Chapter 01 - Structure and Bonding




- the same type of hybridization on the carbon atom
- the same geometry around the carbon atom
- the same number of hydrogen atoms bonded to the carbon atom
- both carbon atoms are involved in a π bond

ANSWER: c

POINTS: 1

30. The following species forms during an organic reaction.



What is the formal charge on the carbon atom indicated by the arrow?

- 0
- +1
- 1
- +2
- 2

ANSWER: b

POINTS: 1