
Stewart_Calc_7ET ch01sec03


MULTIPLE CHOICE

1. Graph the function by hand, not by plotting points, but by starting with the graph of one of the standard functions and then applying the appropriate transformations.


$$y = 4 + 2x - x^2$$




c.



b.



d.



ANS: C

PTS: 1

DIF: Medium REF: 1.3.12

MSC: Bimodal

NOT: Section 1.3

2. If f(x) = x + 5 and h(x) = 4x - 10, find a function g such that $g \circ f = h$.

a.
$$g(x) = 4x + 30$$

b.
$$g(x) = 4x$$

c.
$$g(x) = x - 30$$

d.
$$g(x) = 4x - 30$$

e.
$$g(x) = x + 30$$

ANS: D PTS: 1 DIF: Medium REF: 1.3.61b

MSC: Bimodal NOT: Section 1.3

3. Use the table to evaluate the expression $(f \circ g)(6)$.

х	1	2	3	4	5	6
f(x)	3	2	1	0	1	2
g(x)	6	5	2	3	4	6

- a. 5
- b. 2
- c. 3
- d. 4
- e. 6

ANS: B PTS: 1 DIF: Medium REF: 1.3.50f

MSC: Bimodal NOT: Section 1.3


4. What is $\sqrt[10]{x}$, given that $H = f \circ g \circ h$ and $H(x) = \sqrt[10]{\sqrt{x} - 3}$?

- a. h(x)
- b. g(x)
- c. f(x)


ANS: C PTS: 1 DIF: Medium REF: 1.3.47


MSC: Bimodal NOT: Section 1.3

5. The graph of the function f follows. Choose the graph of $y = f\left(\frac{x}{2}\right) + 1$.




a. c.






b.



d.



ANS: A

PTS:

1

DIF:


Medium


REF: 1.3.5b


MSC: Bimodal

NOT: Section 1.3


6. The graph of the function f follows. Choose the graph of y = f(|x|).








b.



d.



ANS: A

PTS: 1

DIF: Medium

REF: 1.3.5c

MSC: Bimodal NOT: Section 1.3

- 7. Suppose that the graph of is given f is given. Describe how the graph of the function y = f(x-5) 5 can be obtained from the graph of f.
 - a. Shift the graph 5 units to the left and 5 units down.
 - b. Shift the graph 5 units to the left and 5 units up.
 - c. Shift the graph 5 units to the right and 5 units up.
 - d. Shift the graph 5 units to the right and 5 units down.
 - e. None of these

ANS: D

PTS: 1


DIF: Medium

REF: 1.3.1bc


MSC: Bimodal NOT: Section 1.3

8. Which of the following graphs is the graph of the function?

$$f(x) = \sin|2x|$$



Graph 2




- a. Graph 2
- b. Graph 1
- c. Graph 3

ANS: A PTS: 1 DIF: Medium REF: 1.3.24

MSC: Bimodal NOT: Section 1.3

9. Which of the following is the equation for the function g(x)?



a.
$$g(x) = -f(x) + 6$$

b.
$$g(x) = 6f(x)$$

b.
$$g(x) = 6f(x)$$

c. $g(x) = f(x) - 6$

d.
$$g(x) = \frac{f(x)}{6}$$

e.
$$g(x) = -f(x+6)$$

NUMERIC RESPONSE

1. Express the function in the form of $f \circ g \circ h$.

$$H(x) = 2 - 4^{x^3}$$

ANS:
$$h(x) = x^3$$
, $g(x) = 4^x$, $f(x) = 2 - x$

2. A spherical balloon with radius r inches has volume

$$4\frac{\pi r^3}{3}$$
.

Find a function that represents the amount of air required to inflate the balloon from a radius of r inches to a radius of r+3 inches.

ANS:
$$12\pi(r^2 + 3r + 3)$$

3. Express the function in the form of $f \circ g$.

$$\nu(t) = \sec(t^4) \tan(t^4)$$

ANS:
$$f(t) = \sec(t)\tan(t)$$

 $g(t) = t^4$

MSC: Numerical Response NOT: Section 1.3

4. A stone is dropped into a lake, creating a circular ripple that travels outward at a speed of 45 cm/s. Express the radius r of this circle as a function of the time t (in seconds) and find $A \circ r$, if A is the area of this circle as a function of the radius.

ANS: r(t) = 45t, $2025\pi t^2$

PTS: 1 DIF: Medium REF: 1.3.53a MSC: Numerical Response NOT: Section 1.3

SHORT ANSWER

1. Let $f(x) = x^2 - 6x + 5$ and $g(x) = \sqrt{x+5}$. Find $(g \circ g)(20)$.

ANS: $\sqrt{10}$

PTS: 1 DIF: Easy REF: 1.3.36 MSC: Short Answer

NOT: Section 1.3

2. Find $f \circ g \circ h$ if $f(x) = \frac{1}{x}, \quad g(x) = 2x^2 + 7, \quad \text{and} \quad h(x) = \cos x$

ANS: $\frac{1}{2\cos^2 x + 7}$

PTS: 1 DIF: Medium REF: 1.3.37 MSC: Short Answer

NOT: Section 1.3