CHAPTER 2: AN OVERVIEW OF ICD-10-CM

TRUE/FALSE

1. ICD-10-CM codes are alphanumeric, with all codes beginning with a number.

	ANS: F	PTS: 1	DIF: 2	TOP: THEORY	
2.	ICD-10-CM codes have a maximum of five characters.				
	ANS: F	PTS : 1	DIF: 2	TOP: THEORY	
3.	The letter N is ass	signed as a fifth characte	er placeholder for cert	tain six-character codes.	
	ANS: F	PTS: 1	DIF: 2	TOP: THEORY	
4.	The ICD-10-CM,	the WHO version, does	not include a proced	ure classification.	
	ANS: T	PTS: 1	DIF: 2	TOP: THEORY	
5.	The National Cen classification ICD	ter for Health Statistics -10-PCS.	is responsible for dev	veloping the procedure	
	ANS: F	PTS: 1	DIF: 2	TOP: THEORY	
6.	Notable improver signs and sympton		format of the ICD-10	O-CM include expansion of	
	ANS: F	PTS: 1	DIF: 2	TOP: THEORY	
7.	There are 10 time	s more codes in the ICE	-10-CM than in ICD	-9-CM.	
	ANS: F	PTS: 1	DIF: 2	TOP: THEORY	
8.	All ICD-10-CM c	codes have seven charac	ters.		
	ANS: F	PTS: 1	DIF: 2	TOP: THEORY	
9.	The I-10 has instr	ructional notations to pro	ovide guidance.		
	ANS: T	PTS: 1	DIF: 2	TOP: THEORY	
10.		PTS: 1 oters in the ICD-10-CM.		TOP: THEORY	

MULTIPLE CHOICE

1.	This maps ICD-9-CM a. Index b. Tabular	1 codes to ICD-10-CM	l codes: c. multiaxial d. GEMs	
	ANS: D	PTS: 1	DIF: 2	TOP: THEORY
2.	b. There is additionalc. There are combining	on of injury codes.	elevant to inpatient end	counters.
	ANS: C	PTS: 1	DIF: 2	TOP: THEORY
3.			erm.	
	ANS: D	PTS: 1	DIF: 2	TOP: THEORY
4.	Which organization h a. NCHS b. AHIMA	as been responsible fo	or the development of c. AMA d. AHA	ICD-10-CM?
	ANS: A	PTS: 1	DIF: 2	TOP: THEORY
5.	The maximum numbers a. 4 b. 5	er of characters in an l	ICD-10-CM code is: c. 6 d. 7	
	ANS: D	PTS: 1	DIF: 2	TOP: THEORY
COMP	LETION			

Using the I-9 to I-10 GEMs file, map the following codes. (Separate the codes with a comma in your response).

1. 272.1

ANS: E78.1 PTS: 1 DIF: 3 TOP: PRACTICAL 2. 346.90 ANS: G43.909 PTS: 1 DIF: 3 TOP: PRACTICAL

3.	427.31					
	ANS:	I48.0				
	PTS:	1	DIF:	3	TOP:	PRACTICAL
4.	474.12	2				
	ANS:	J35.2				
	PTS:	1	DIF:	3	TOP:	PRACTICAL
5.	558.1					
	ANS:	K52.0				
	PTS:	1	DIF:	3	TOP:	PRACTICAL
6.	M81.0					
	ANS:	733.01, 733.0	0			
	PTS:	1	DIF:	3	TOP:	PRACTICAL
		the I-10 to I-9 r response).	GEMs f	file, map the fo	llowing	codes. (Separate the codes with a comma
7.			GEMs f	file, map the fo	llowing	codes. (Separate the codes with a comma
7.	in your T31.0		GEMs j	file, map the fo	llowing	codes. (Separate the codes with a comma
7.	in your T31.0	r response). 948.00	<i>GEMs j</i> DIF:	file, map the fo 3		codes. (Separate the codes with a comma
	in your T31.0 ANS:	r response). 948.00				
	in youn T31.0 ANS: PTS: N05.8	r response). 948.00				
	in youn T31.0 ANS: PTS: N05.8 ANS:	r response). 948.00 2 583.89	DIF:		TOP:	
8.	in youn T31.0 ANS: PTS: N05.8 ANS:	r response). 948.00 2 583.89	DIF:	3	TOP:	PRACTICAL
8.	<i>in youn</i> T31.0 ANS: PTS: N05.8 ANS: PTS: K21.9	r response). 948.00 2 583.89	DIF:	3	TOP:	PRACTICAL
8.	<i>in youn</i> T31.0 ANS: PTS: N05.8 ANS: PTS: K21.9 ANS:	r response). 948.00 2 583.89 1 530.81	DIF:	3	TOP: TOP:	PRACTICAL
8. 9.	<i>in youn</i> T31.0 ANS: PTS: N05.8 ANS: PTS: K21.9 ANS:	r response). 948.00 2 583.89 1 530.81 1	DIF:	3	TOP: TOP:	PRACTICAL

Step by Step Medical Coding 2016 1st Edition Buck Test Bank

PTS: 1 DIF: 3 TOP: PRACTICAL