Name:		Class:	Date:
Unit B Structu	aring Content in a Web Do	cument	
1. User agents an	nd screen readers are the same.		
a. True			
b. False			
ANSWER:	False		
POINTS:	1		
REFERENCES:	28		
2. Character enc a. True	oding is additional code within	an opening element tag that specifies	information about that element.
b. False			
ANSWER:	False		
POINTS:	1		
REFERENCES:	30		
a. True	should be brief and scannable.		
b. False	T.		
ANSWER:	True		
POINTS:	1		
REFERENCES:	32		
4. Semantic eler a. True	nents are grouping elements in	HTML5 that indicate the role of their	content.
b. False			
ANSWER:	True		
POINTS:	1		
REFERENCES:	34		
5. To avoid the resymbol to your of a. True b. False		user agents, you use a UTF-8 characte	er code when you want to add the &
ANSWER:	False		
POINTS:	1		
REFERENCES:	36		
6. Browsers disp a. True b. False	olay a page as if looking through	h an imaginary window, which is know	wn as screenview.
ANSWER:	False		
HIN HELL.	1 4100		

7. A problem that results from incorrectly written code is known as a bug.

POINTS:

REFERENCES: 38

Name:	(Class:	Date:
Unit B Structu	uring Content in a Web Document		
a. True			
b. False			
ANSWER:	True		
POINTS:	1		
REFERENCES:	40		
8. When testing	your website, you need to test it only in you	r favorite browser.	
a. True			
b. False			
ANSWER:	False		
POINTS:	1		
REFERENCES:	42		
9. XHTML is sin	milar to HTML but it needs additional code	in some situations, such as closing one	-sided tags.
b. False			
ANSWER:	True		
POINTS:	1		
REFERENCES:	45		
10. XHTML doe with div eleme	es not include definitions for HTML5 seman	tic elements so you must replace HTM	IL5 semantic elements
a. True			
b. False			
ANSWER:	True		
POINTS:	1		
REFERENCES:	44		
11. <u>Debugging</u> i	is an automated process of comparing code y	ou've written against the HTML5 codi	ng standards.
ANSWER:	False - validation		
POINTS:	1		
REFERENCES:	42		
12. A common b	bug is caused by a missing opening tag		
ANSWER:	True		
POINTS:	1		
REFERENCES:	40		
13. The maximu	um-scale is the scale of the viewport when th	e document opens	
ANSWER:	False - initial-scale		
POINTS:	1		
REFERENCES:	38		

Name:		Class:	Date:
Unit B Struct	uring Content in a Web	Document	
14. A few comm	nonly used characters have a	n abbreviation-based alternative code kn	own as a <u>numeric</u> character reference.
ANSWER:	False - named		
POINTS:	1		
REFERENCES:	36		
15. The foote:	r element contains the mair	elements of site and page navigation	
ANSWER:	False - nav		
POINTS:	1		
REFERENCES:	35		
	code easier to read, child ele	ements are usually indented under paren	t
ANSWER:	True		
POINTS:	1		
REFERENCES:	32		
17. All HTML e	elements allow you to set attr	ibutes	
ANSWER:	False - Many		
POINTS:	1		
REFERENCES:	30		
18. A widely use	ed reference for implementing	ng web accessibility is the WCAG, which	h is maintained by the W3C.
ANSWER:	True		
POINTS:	1		
REFERENCES:	28		
19. Meta eleme	ents added to the html eleme	ent generally do not change the accessib	ility of the document.
ANSWER:	False - appearance		
POINTS:	1		
REFERENCES:	30		
20. The div elen	nent is usually a <u>child</u> elemen	nt of other elements on your page	
ANSWER:	False - parent		
POINTS:	1		
REFERENCES:	32		
	_	pears at the start of a document.	
a. section	n b. header		
c. footer	d.article		
ANSWER:	b		
POINTS:	1		
REFERENCES:	34		

Name:		Class:		Date:
Unit B Structu	iring Cont	ent in a Web Document		
		eference for the greater than symbol (>) is _	·	
a. &	b. '			
c. >	-			
ANSWER:				
POINTS:				
REFERENCES:	37			
_	_	roperty that allows a user to zoom in or out b. minimum-scale	is	
		d. user-scalable		
ANSWER:	d	d. aber bearabre		
POINTS:				
REFERENCES:				
REI EREIVEES.	30			
24. Even though value	the viewp	ort meta element supports many content	options, you usually only r	need to use the width
a.initia	l-scale	<pre>b. user-scalable</pre>		
c.device	-width	d.maximum-scale		
ANSWER:	c			
POINTS:	1			
REFERENCES:	38			
25 White - 645	C-11		-4 1:1:	
a. Closing >	_	s a common cause for a special character no m tag b. Opening tag missing	of displaying as expected?	
c. # omitted				
ANSWER:	c c	d. : missing from end of code		
POINTS:	1			
REFERENCES:	_			
KEI EKEIVEES.	40			
26. When you wa. debug	ant to check b. validate	your written code against current HTML c	oding standards, you should	l it.
c. test	d. post			
ANSWER:	b			
POINTS:	1			
REFERENCES:	42			
27. Tags must be	e written in l	ower case in		
a. HTML	b.	XHTML		
c. Both A a	nd B. d.	Neither A nor B.		
ANSWER:	b			
POINTS:	1			
REFERENCES:	45			

Name:		Class:	Date:
Unit B Structuring	Content in a Web Do	ocument	
28. Tags may be close	d out of order in		
a. HTML	b. XHTML		
c. Both A and B.	d. Neither A nor B.		
ANSWER: a			
POINTS: 1			
REFERENCES: 45			
29. Attribute values m	ay be enclosed in		
a. HTML	b. XHTML		
c. Both A and B.	d. Neither A nor B.		
ANSWER: a			
POINTS: 1			
REFERENCES: 45			
30. One-sided tags mu			
a. HTML	b. XHTML		
c. Both A and B.	d. Neither A nor B.		
ANSWER: b			
POINTS: 1			
REFERENCES: 45			
31. The HTML5 sema	ntic element that is used	for a stand-alone piece of work, such	n as a single entry in a blog is a(n)
a. aside	o.article		
c.section c	l. header		
ANSWER: b			
POINTS: 1			
REFERENCES: 35			
	validator always include	e the	
a. line number	b. character number		
c. Both A and B.	d. Neither A nor B.		
ANSWER: c			
POINTS: 1			
REFERENCES: 42			
		for an element to appear different th	an expected?
a. Missing tags are		b. Opening tag missing	
	d to close the element	d. All of the above.	
ANSWER: d			
POINTS: 1			
REFERENCES: 40			
34. Which of the follow	wing sets the lower limit	on the scale of the viewport?	

Name:			Class:	Date:
Unit B Structu	aring Co	ontent in a Web Docume	ent	
a. min-wio	dth	b.min-height		
c. minimur	n-scale	e d. min-viewport		
ANSWER:	c	•		
POINTS:	1			
REFERENCES:	38			
35. Which is the	characte	r reference for a quotation m	ark?	
a. "		b. "		
c. Both A ar	nd B.	d. Neither A nor B.		
ANSWER:	c			
POINTS:	1			
REFERENCES:	37			
36. Which is the	numeric	character reference for the a	postrophe?	
a. &	b. >	2;		
c. '	d. "	1 ;		
ANSWER:	c			
POINTS:	1			
REFERENCES:	37			
37. The code &g	t; is a(n			
a. meta elen	nent	b. numeric character refe	rence	
c. semantic	element	d. named character refere	ence	
ANSWER:	d			
POINTS:	1			
REFERENCES:	37			
38 are g	grouping 6	elements in HTML5 that ind	icate the role of their content	
a. Semantic	elements	b. Meta elements		
c. Section el	lements	d. Block-level elements		
ANSWER:	a			
POINTS:	1			
REFERENCES:	34			
•	an use the	e as a parent element of	on your page to group related	I content but it has limited semantic
meaning. a.article	- hs	section		
c. div				
ANSWER:		1		
POINTS:	c 1			
REFERENCES:				
40. An attribute	is placed	within		
a. the head s	_	b. an opening elemen	t tag	

Name:	Class:	Date:
-------	--------	-------

Unit B Structuring Content in a Web Document

c. a closing element tag d. the body section

ANSWER: b
POINTS: 1
REFERENCES: 30

- 41. Which of the following is not a user agent?
 - a. Chrome
 - b. Safari
 - c. Notepad++
 - d. Firefox

ANSWER: c
POINTS: 1
REFERENCES: 28

- 42. In order to meet web accessibility standards, your web pages needs to be _____.
 - a. perceivable b. operable
 - o. operation
 - c. understandable
- d. All of the above.

ANSWER: d
POINTS: 1
REFERENCES: 28

```
<! DOCTYPE html>
           <html lang="en">
                 <title>Lakeland Reeds Bed and Breakfast - About Us</title>
                    Lakeland Reeds Bed and Breakfast
                    Filename: aboutus.html
                    Author:
                               your first and last name
                    Date: today's date
HTML5 and CSS3 Illustrated Unit B, Lessons
                                                                        4
                 <meta charset="utf-8">
                 <script arc="modernizr.custom.62074.js"></script>
              </head>
       16
              <body>
1
                 <header>
       18
                    <hl>Lakeland Reeds Bed and Breakfast</hl>
                                                                        3
                 </header>
                 <div>
                    <h2>About Us</h2>
                     Lakeland Reeds is an ideal place to unplug from your daily routine. We're
                    here to help you get the most out of your time with us, from canoes and life
                    vests for a day out on the lake, to DVDs and popcorn for a quiet evening in. We
                     look forward to welcoming you!
       26
                 </div>
       27
                 <footer>
                    45 Marsh Grass In. - Marble, MN 55764 - (218) 555-5253
2
                 </footer>
              </body>
           </html>
```

- 43. In the figure above, item _____ points to an attribute value.
 - a. 1 b. 2
 - c. 3 d. 4

Name: Class: Date:

Unit B Structuring Content in a Web Document

ANSWER: d
POINTS: 1
REFERENCES: 35

44. In the figure above, item _____ points to a child element of a semantic element.

a. 1 b. 2

c. 3 d. 4

ANSWER: b

POINTS: 1

REFERENCES: 35

45. In the figure above, item _____ points to a semantic element.


a. 1 b. 2

c. 3 d. 4

ANSWER: a

POINTS: 1

REFERENCES: 35



46. In the figure above, the item _____ points to an opening tag containing an attribute.

a. 1 b. 2

c. 3 d. 4

ANSWER: a

POINTS: 1

REFERENCES: 31

47. In the figure above, item _____ points to an attribute value.

a. 1 b. 2

c. 3 d. 4

ANSWER: d

POINTS: 1

REFERENCES: 31

Unit B Structuring Content in a Web Document

48. In the figure above, item _____ points to a child element.

a. 1 b. 2

c. 3 d. 4

ANSWER: b

POINTS: 1

REFERENCES: 31

49. In the figure above, item _____ points to an attribute name.

a. 1 b. 2

c. 3 d. 4

ANSWER:

POINTS:

REFERENCES: 31

50. Based on the figure above, the HTML document will be in what language?

a. English

b. UTF-8

c. Both A and B.

d. Neither A nor B.

ANSWER: b
POINTS: 1

REFERENCES: 30, 31

```
<! DOCTYPE html>
           <html lang="en">
              <head>
                 <title>Lakeland Reeds Bed &amp; Breakfast - About Us</title>
                   Lakeland Reeds Bed and Breakfast
                   Filename: aboutus.html
                   Author: your first and last name
                             today's date
                    Date:
                   HTML5 and CSS3 Illustrated Unit B, Lessons
                 <meta charset="utf-8">
                 <meta name="viewport" content="width=device-width">
                 <script src="modernizr.custom.62074.js"></script>
      16
              </head>
                   <hl>Lakeland Reeds Bed &amp; Breakfast</hl>
                </header>
                <div>
                   <h2>About Us</h2>
                    Lakeland Reeds is an ideal place to unplug from your daily routine. We're
                   here to help you get the most out of your time with us, from canoes and life
                    vests for a day out on the lake, to DVDs and popcorn for a quiet evening in. We
                    look forward to welcoming you!
                </div>
                <footer>
2
                    45 Marsh Grass Ln. • Marble, MN 55764 • (218) 555-5253
      29
                 </footer>
              </body>
           </html>
```

51. In the figure above, item _____ is pointing to a numeric character reference.

Name:	Class:	Date:
Unit B Structur	ing Content in a Web Document	
a. 1 b. 2		
c. 3 d. 4		
ANSWER: c		
POINTS: 1		
REFERENCES: 3	7	
52. In the figure at	pove, item points to a semantic element.	
a. 1 b. 2		
c. 3 d. 4		
ANSWER: b		
POINTS: 1		
REFERENCES: 3	4, 35	
~	pove, item points to a named character reference.	
a. 1 b. 2		
c. 3 d. 4		
ANSWER: d		
POINTS: 1		
REFERENCES: 3	7	
54. In the figure at a. 1 b. 2	ove, item points to an element that scales the page to fit the browser window	ow.
c. 3 d. 4		
ANSWER: a		
POINTS: 1		
REFERENCES: 3	8, 39	
55. In the figure at a. 1 b. 2	ove, item points to code used to create a bullet.	
c. 3 d. 4		
ANSWER: c		
POINTS: 1		
REFERENCES: 3		
Case-Based Critic	cal Thinking Question	
Roger has is devel semantic elements	oping a new website for a small chain of New York-style pizza parlors. He is exp.	ploring using HTML 5
56. While doing hi with IE8.	s research, Roger discovers that the use of these semantic elements requires a(n)	to work properly
a. script eleme	ent b. meta element	
c. div element		
ANSWER: a		
POINTS: 1		
		_

Name:		Class:	Date:
Unit B Structu	aring Conte	ent in a Web Document	
REFERENCES:	34		
TOPICS:	Critical Thi	nking	
a. aside	b. commen	comments from customers on the site. He will do this using a(n)ts	element.
c. article	d. section		
ANSWER:	a		
POINTS:	1		
REFERENCES: TOPICS:	Critical Thi	nking	
		antic meaning to the contact information, which is at the bottom of as a of the contact information.	the web page. To do this
ANSWER:	b		
POINTS:	1		
REFERENCES:	35		
TOPICS:	Critical Thi	nking	
Case-Based Cri	itical Thinki	ng Question	
Erin is creating a	a pet sitting v	website. She wants the site to be easy to read on a mobile device.	
she will use wic	dth = e-width"	t viewport attribute properties. She wants her web page to scale b. "initial-scale" d. "maximum-scale"	to fit a web browser, so
ANSWER:		u, maximum scare	
POINTS:	1		
REFERENCES:	_		
TOPICS:	Critical Thi	nking	
60. Erin is trying		she wants user to be able to zoom a page. If she decides that she d	oes, then she will use the
a. initia	l-scale	b. zoon-ondemand	
c. user-s	calable	d.grow page	
ANSWER:	c		
POINTS:	1		
REFERENCES:	35		
TOPICS:	Critical Thi	nking	

Name:	_Class:	Date:
Unit B Structuring Content in a Web Document		

	This document was successfully checked as HTML5!	
Result:	Passed, 1 warning(s)	
File:	Use the file selection box above if you wish to re-validate the uploaded file index.htm	
Encoding:	Uff-8 (detect automatically)	
Doctype:	HTML5 (detect automatically)	
Root Element:	Nml	
VALIDATOR	The W3C validators rely on community support for hosting and development. <u>Donate</u> and help us build better tools for a better web.	
n the figure a	bove, the section entitled "Encoding" is the	encoding recogn
	character	
WLL.		
	1	

62. In the figure	above, the entry in "Doctype" is detected from your DOCTYPE	
ANSWER:	declaration	

POINTS: 1
REFERENCES: 43

statement

63. Because recent versions of Internet Explorer interpret semantic elements in unexpected ways, you can ensure compatibility by including a _____, which is more complex web code written in another programming language.

ANSWER: script

ANSWER: scr POINTS: 1 REFERENCES: 34

64. HTML5 introduced several _____ elements intended to give meaning to web page elements that were previously created using div elements.

ANSWER: semantic

POINTS: 1
REFERENCES: 34

65. If a div element is used, the div element is the _____ element to the enclosed h2 and p elements.

ANSWER: parent POINTS: 1
REFERENCES: 32

66. To increase accessibility, many people with visual impairments use ______ to access the web so that page content can be read aloud.

ANSWER: screen readers

the meta tag

Name:		Class:	Date:		
Unit B Structu	uring Content in a Web	Document			
POINTS:	1				
REFERENCES:	28				
67. The meta tag	g is a(n) tag so it doe one-sided	es not require a closing tag in HTML5.			
POINTS:	1				
REFERENCES:	30				
68. Name three of briefly.	of the four goals your websi	te should try to achieve in order to med	et accessibility standards. Describe each		
ANSWER:	The goals are: perceivable	, operable, understandable, and robust			
	Perceivable: All your web page content needs to be accessible in whatever format a given user needs so that the content can be perceived by the user. For example, visual content should be accompanied by tex descriptions that can be read aloud for the visually impaired.				
	Operable: All web page content need to function at the user's comfort level, which means things like allowing the user to scroll at his/her pace or making sure that clickable items can be accessed via a mouse and other ways as well (such as touch or keyboard commands).				
	9	uage that a web page is written in shoul y in the web page should be included.	ld be indicated, and ways to understand		
	Robust: Web pages should	be coded according to web standards.			
POINTS:	1				
REFERENCES:					
TOPICS:	Critical Thinking				
	difference between debugging and validating your HTML code and why should you do both? Debugging is when you look for and correct code that was incorrectly written, such as forgetting an opening tag or omitting a closing > on a tag. When debugging, a good place to start is by opening your page in a browser. You can often see problems that need to be corrected, such as a wrong size header or a misplaced element, in a browser but not always because some browsers can interpret a web page as expected in spite of code that doesn't conform to specifications. Debugging helps you to correct problems.				
	comparing code you've wr	your program, you should validate it. V itten against HTML5 coding standards lebug your code, but it will also find ot	. Validation will find errors you might		
		rrors by debugging your code and to va with future versions of user agents and	alidating your code to help ensure your d HTML code.		

POINTS: 1 *REFERENCES*: 40, 42

TOPICS: Critical Thinking

70. Please describe each of the following viewport attribute values: width, height, initial-scale, minimum-scale, maximum-scale, user-scalable, and device-width. Which is the most commonly used attribute and why?

Name:	Class:	Date:
		· · · · · · · · · · · · · · · · · · ·

Unit B Structuring Content in a Web Document

ANSWER: width: sets the width of the viewport

height: sets the height of the viewport

initial-scale: sets the scale of the viewport when the document opens

minimum-scale: sets the lower limit on the scale of the viewport

maximum-scale: sets the upper limit on the scale of the viewport

user-scalable: sets whether a user is allowed to zoom a page or not

device-width: scales the page to fit the browser window

device-width is the most commonly used attribute because it scales the page to fit the browser window which means it will fit in a browser on a desktop or on a mobile device.

POINTS: 1
REFERENCES: 38

TOPICS: Critical Thinking

Match each HTML5 semantic element with its intended use.

- a. footer
- b. aside
- c. article
- d. nav
- e. section

REFERENCES: 34, 35

71. Standalone piece of work, such as a single entry in a blog

ANSWER: c
POINTS: 1

72. Part of a page that is tangetial to the main page content

ANSWER: b
POINTS: 1

73. Main elements of site and page navigation

ANSWER: d
POINTS: 1

74. Content focused on a common theme, such as a chapter of a larger work

ANSWER: e
POINTS: 1

75. The information at the end of a web page, often contains the contact information

ANSWER: a POINTS: 1

Name:	Class:	Date:

HTML5 and CSS3 Illustrated Introductory 2nd Edition Vodnik Test Bank

Unit B Structuring Content in a Web Document